

# IEEE TRANSACTIONS ON

# APPLIED SUPERCONDUCTIVITY

A PUBLICATION OF THE IEEE SUPERCONDUCTIVITY COMMITTEE

MARCH 2002

VOLUME 12

NUMBER 1

ITASE9

(ISSN 1051-8223)

## THE SEVENTEENTH INTERNATIONAL CONFERENCE ON MAGNET TECHNOLOGY

Hosted by CERN, the European Organization for Nuclear Research  
 Geneva International Conference Centre (CICG), September 24-28, 2001


Chairman's Introduction . . . . .	17
Welcome Address by Mr. Carlo Lamprecht, Geneva Canton and Republic State Council President . . . . .	21
Welcome Address by Professor L. Maiani, CERN Director-General . . . . .	22
Closing Address by Prof. Maurice Bourquin, Rector of Université de Genève, Président of CERN Council . . . . .	23
Message from the MT17 Editorial Board Chairman . . . . .	25
Organizing Committees . . . . .	27
List of Exhibitors . . . . .	28
List of Sponsors . . . . .	29
Group Photograph . . . . .	30

## Accelerator Magnets: Superconducting, Conventional, Permanent

Loss and Dynamic Magnetic Field Measurements in LHC Dipoles . . . . .	31
A. Akhmetov, S. Amet, I. Balaazi, L. Bottura, M. Gateau, P. Pugnat, and L. Walckiers	
Development of Superconducting Tuning Quadrupole Corrector (MQT) Prototypes for the LHC . . . . .	35
M. Allitt, S. A. Arshad, A. Hobl, A. Ijspeert, M. Karppinen, D. Krischel, J. Mazet, J. Salminen, M. Schillo, R. Senis, and L. Walckiers	
R&D for a Single-Layer Nb <sub>3</sub> Sn Common Coil Dipole Using the React-and-Wind Fabrication Technique . . . . .	39
G. Ambrosio, N. Andreev, E. Barzi, P. Bauer, D. R. Chichili, K. Ewald, S. Feher, L. Imbasciati, V. V. Kashikhin, P. J. Limon, L. Litvinenko, I. Novitski, J. M. Rey, R. M. Scanlan, S. Yadav, R. Yamada, and A. V. Zlobin	
Technical Innovations for a High Gradient Quadrupole Electromagnet Intended for High Power Proton Drift Tube Linacs . . . . .	43
P.-E. Bernaudin, O. Delferrière, M. Painchault, and C. E. A. Saclay	
A New Support Structure for High Field Magnets . . . . .	47
R. R. Hafalia, P. A. Bish, S. Caspi, D. R. Dietderich, S. A. Gourlay, R. Hannaford, A. F. Lietzke, N. Liggins, A. D. McInturff, G. L. Sabbi, R. M. Scanlan, J. O'Neill, and J. H. Swanson	
Multipoles of the SLS Storage Ring: Manufacturing and Magnetic Measurements . . . . .	51
E. I. Antokhin, A. M. Batrakov, I. N. Churkin, V. V. Demenev, A. B. Dodonov, O. B. Golubenko, V. N. Korchuganov, E. B. Levichev, S. F. Mikhailov, A. B. Ogurtsov, A. V. Philipchenko, L. Rivkin, E. S. Rouvinski, S. I. Rouvinski, K. K. Schreiner, E. P. Semenov, S. R. Singatulin, D. A. Skorobogatov, A. G. Steshov, A. V. Sukhanov, V. A. Ushakov, Ch. Vollenweider, and J. A. Zichy	
Construction and Measurement of the Pre-Series Twin Aperture Resistive Quadrupole Magnet for the LHC Beam Cleaning Insertions . . . . .	55
G. de Rijk, S. Bidon, E. Boter, G. S. Clark, O. Hans, M. Racine, and A. Salinas	

(Contents Continued on Page 2)

Quench Performance and Mechanical Behavior of the First Fermilab-Built Prototype High Gradient Quadrupole for the LHC Interaction Regions . . . . .	<i>N. Andreev, T. Arkan, P. Bauer, R. Bossert, J. Brandt, J. Carson, S. Caspi, D. R. Chichili, J. DiMarco, S. Feher, A. Ghosh, H. Glass, J. Kerby, M. J. Lamm, A. Makarov, A. D. McInturff, T. Nicol, A. Nobrega, I. Novitski, D. Orris, T. Peterson, R. Rabehl, W. Robotham, R. Scanlan, P. Schlabach, C. Sylvester, J. Strait, M. Tartaglia, J. C. Tompkins, G. Velev, S. Yadav, and A. V. Zlobin</i>	59
Design of the Magnetic Channels for the RIKEN Superconducting Ring Cyclotron . . . . .	<i>S. Fujishima, A. Goto, H. Okuno, and Y. Yano</i>	63
Post-LHC Accelerator Magnets . . . . .	<i>S. A. Gourlay</i>	67
R&D for Accelerator Magnets with React and Wind High Temperature Superconductors . . . . .	<i>R. Gupta, M. Anerella, J. Cozzolino, J. Escallier, G. Ganetis, A. Ghosh, M. Harrison, A. Jain, A. Marone, J. Muratore, B. Parker, W. Sampson, and P. Wanderer</i>	75
Interaction Region for VLHC . . . . .	<i>R. Gupta and M. Harrison</i>	81
Field Decay and Snapback Measurements Using a Fast Hall Plate Detector . . . . .	<i>M. Haverkamp, L. Bottura, E. Benedico, S. Sanfilippo, B. ten Haken, and H. H. J. ten Kate</i>	86
Principles Developed for the Construction of the High Performance, Low-Cost Superconducting LHC Corrector Magnets . . . . .	<i>A. Ijspeert, M. Allitt, A. Hilaire, M. Karppinen, J. Mazet, J. Perez, J. Salminen, M. Karmarkar, and A. Puntambekar</i>	90
A Design for a Wide-Aperture 90° Bending Magnet for Heavy-Ion Cancer Therapy . . . . .	<i>A. Kalimov, B. Langenbeck, and C. Mühlle</i>	94
Dynamic Processes in Laminated Magnets: Simulation and Comparison with Experimental Results . . . . .	<i>A. Kalimov, F. Klos, B. Langenbeck, and G. Moritz</i>	98
Inner Triplet Corrector Package MQSXA for the LHC . . . . .	<i>M. Karppinen, J. C. Perez, and R. Senis</i>	102
Magnetic Designs and Field Quality of Nb <sub>3</sub> Sn Accelerator Magnets . . . . .	<i>V. V. Kashikhin and A. V. Zlobin</i>	107
Superconducting Superferric Dipole Magnet with Cold Iron Core for the VLHC . . . . .	<i>G. W. Foster and V. S. Kashikhin</i>	111
Experimental Study of a Prototype Dipole Magnet with Iron at $T = 80$ K for the GSI Fast Cycling Synchrotron . . . . .	<i>N. Agapov, S. Averichev, A. Donyagin, I. Eliseeva, I. Karpunina, H. Khodzhibagyan, A. Kovalenko, G. Kuznetsov, V. Kuzichev, G. Moritz, C. Muehle, P. Nikitaev, and A. Starikov</i>	116
The Bending Magnets for the LHC Injection Transfer Lines . . . . .	<i>V. Anashin, A. Bulygin, S. Labutsky, V. Mejidzade, S. Mikhailov, Y. Pupkov, E. Rouvinsky, B. Sukhina, W. Kalbreier, G. Kouba, K. M. Schirm, E. Weisse, Y. Konstantinov, M. Kosjakin, and V. Peregud</i>	120
Test Results of HTS Dipole . . . . .	<i>A. I. Ageev, I. I. Akimov, A. M. Andriishchin, I. V. Bogdanov, S. S. Kozub, K. P. Myznikov, D. N. Rakov, A. V. Rekudanov, P. A. Shcherbakov, P. I. Slabodchikov, A. A. Seletsky, A. K. Shikov, V. V. Sytnik, A. V. Tikhov, L. M. Tkachenko, and V. V. Zubko</i>	125
Development of High Field Permanent Magnet . . . . .	<i>M. Kumada, T. Fujisawa, Y. Hirao, Y. Iwashita, M. Endo, M. Aoki, T. Kohda, I. Bolshakova, and R. Holyaka</i>	129
Quench Protection of the Fermilab-Built LHC Inner Triplet Quadrupole MQXB . . . . .	<i>R. Bossert, R. Carcagno, L. Chiesa, S. Feher, J. Kerby, M. J. Lamm, A. Nobrega, D. Orris, P. Schlabach, M. Tartaglia, J. C. Tompkins, and A. V. Zlobin</i>	133
The High Current Stripper, the Charge Separator, and Their Magnets for the Beam Transfer Line to the Heavy Ion Synchrotron SIS . . . . .	<i>B. Langenbeck and J. Glatz</i>	137
The Influence of Accelerator Physics on the Magnet Design of a Very Large Hadron Collider . . . . .	<i>P. Bauer, M. Dietrich, G. W. Foster, V. V. Kashikhin, P. J. Limon, V. Shiltsev, and N. Solyak</i>	142
ALS Superbend Magnet Performance . . . . .	<i>S. Marks, J. Zbsnik, W. Byrne, D. Calais, M. Chin, R. DeMarco, M. Fahmie, A. Geyer, J. Krupnick, F. Ottens, J. A. Paterson, P. Pipersky, D. A. Robin, R. D. Schlueter, C. Steier, and A. Wandeforde</i>	149
New Chicane Magnet Design for Insertion Device Straights at the Advanced Light Source . . . . .	<i>S. Marks, R. Schlueter, D. Anderson, W. Gath, J. Y. Jung, D. Robin, C. Steier, and T. Stevens</i>	153
Development of Superconducting Focusing Quadrupoles for Heavy Ion Drivers . . . . .	<i>N. Martovetsky, R. Manahan, and A. F. Lietzke</i>	157
Optimization of a Superferric Nuclotron Type Dipole for the GSI Fast Pulsed Synchrotron . . . . .	<i>A. D. Kovalenko, A. Kalimov, H. G. Khodzhibagyan, G. Moritz, and C. Mühlle</i>	161
Correction Multipoles for the High Current Operation of the Heavy Ion Synchrotron SIS . . . . .	<i>C. Mühlle and R. Lotz</i>	166
Quench Protection Study of a Prototype for the LHC Low-Beta Quadrupole Magnets . . . . .	<i>T. Nakamoto, E. E. Burkhardt, T. Ogitsu, A. Yamamoto, T. Shintomi, and K. Tsuchiya</i>	170
Fabrication and Mechanical Behavior of a Prototype for the LHC Low-Beta Quadrupole Magnets . . . . .	<i>T. Nakamoto, T. Orikasa, Y. Ajima, E. E. Burkhardt, T. Fujii, E. Hashiguchi, N. Higashi, H. Hirano, T. Kanahara, N. Kimura, S. Murai, W. Odajima, T. Ogitsu, N. Ohuchi, O. Oosaki, T. Shintomi, K. Sugita, K. Tanaka, A. Terashima, K. Tsuchiya, and A. Yamamoto</i>	174



LHC Interaction Region Quadrupole Cryostat Design and Fabrication . . . . .	<i>T. H. Nicol, C. Darve, Y. Huang, and T. M. Page</i>	179
Status of the LHC Low-Beta Insertion Quadrupole Magnet Development at KEK . . . . .	<i>T. Ogitsu, T. Nakamoto, N. Ohuchi, Y. Ajima, E. Burkhardt, N. Higashi, H. Hirano, M. Iida, N. Kimura, H. Ohhata, K. Tanaka, T. Shintomi, A. Terashima, K. Tsuchiya, A. Yamamoto, T. Orikasa, S. Murai, and O. Oosaki</i>	183
Magnetic Field Measurements of the Prototype LHC-IR MQXA at 1.9 K . . . . .	<i>N. Ohuchi, H. Hirano, Y. Ajima, T. Nakamoto, T. Ogitsu, N. Kimura, T. Shintomi, K. Tsuchiya, and A. Yamamoto</i>	188
Design and Fabrication of the Superconducting Bending Magnet for the Injection System of the RIKEN SRC . . . . .	<i>H. Okuno, S. Fujishima, T. Tominaka, A. Goto, and Y. Yano</i>	192
The LHC Insertion Magnets . . . . .	<i>R. Ostojic</i>	196
A Novel Idea for Coil Collar Structures in Accelerator Superconducting Magnets . . . . .	<i>P. Fessia and D. Perini</i>	202
Septum-Magnet for the Main Extraction Line of the Tesla Linear Collider . . . . .	<i>E. Bondarchuk, N. Doinikov, B. Kitaev, Y. Konstantinov, V. Lokiev, V. Muratov, A. Nikiforov, V. Peregud, A. Petrov, K. Sinram, and N. Walker</i>	207
Performance of the LHC Final Prototype and First Pre-Series Superconducting Dipole Magnets . . . . .	<i>L. Bottura, G. D'Angelo, M. Gateau, P. Legrand, M. Modena, K. Naoui, D. Perini, P. Pugnat, S. Sanfilippo, F. Savary, W. Scandale, A. Siemko, P. Sievers, G. Spigo, J. Vlogaert, and C. Wyss</i>	211
Magnetic Field Error Analysis of a Low- $\beta$ Quadrupole Magnet . . . . .	<i>M. Qiu, N. Ohuchi, K. Tsuchiya, T. Nakamoto, T. Shintomi, T. Ogitsu, Y. Ajima, and A. Yamamoto</i>	215
State-of-the Art Superconducting Accelerator Magnets . . . . .	<i>L. Rossi</i>	219
The Coil of the MBI Bending Magnets for the LHC Injection Transfer Lines . . . . .	<i>S. Labutsky, V. Mejidzade, Y. Pupkov, E. Rouvinsky, and B. Sukhina</i>	228
First Powering of the LHC Test String 2 . . . . .	<i>F. Bordry, D. Bozzini, K. Dahlerup-Petersen, R. Denz, B. Puccio, A. Rijllart, F. Rodriguez-Mateos, R. Saban, R. Schmidt, L. Serio, and H. Thiesen</i>	232
Status of Nb <sub>3</sub> Sn Accelerator Magnet R&D . . . . .	<i>G. L. Sabbi</i>	236
Opposite Field Septum Magnet System for the Separation of Charged Particle Beams . . . . .	<i>I. Sakai, Y. Arakaki, M. Tomizawa, Y. Shirakabe, M. Muto, Y. Mori, Y. Ishi, and S. Fukumoto</i>	242
Measurement and Analysis of the Field Quality of LHC Prototype and Pre-Series Superconducting Dipoles . . . . .	<i>M. Alekса, S. Amet, Z. Ang, L. Bottura, M. Buzio, P. Ferracin, O. Pagano, V. Remondino, S. Russenschuck, S. Sanfilippo, W. Scandale, and E. Todesco</i>	247
Training Quench Performance and Quench Location of the Short Superconducting Dipole Models for the LHC . . . . .	<i>S. Sanfilippo, A. Siemko, D. Tommasini, and W. Venturini-Delsolaro</i>	251
Field Measurement of a Fermilab-Built Full Scale Prototype Quadrupole Magnet for the LHC Interaction Regions . . . . .	<i>R. Bossert, R. Carcagno, J. DiMarco, S. Feher, H. Glass, J. Kerby, M. J. Lamm, A. Nobrega, T. Nicol, T. Ogitsu, D. Orris, T. Page, R. Rabehl, G. Sabbi, P. Schlabach, J. Strait, C. Sylvester, M. Tartaglia, J. C. Tompkins, G. Velev, and A. V. Zlobin</i>	254
Investigation of the Periodic Magnetic Field Modulation in LHC Superconducting Dipoles . . . . .	<i>P. Pugnat, T. Schreiner, and A. Siemko</i>	258
Development of Fast Extraction Kicker Magnet for Booster Synchrotron of Indus-1 . . . . .	<i>R. S. Shinde, M. G. Karmarkar, R. R. Yadav, and A. S. Rajarao</i>	262
Test Results of the Third LHC Main Quadrupole Magnet Prototype at CEA/Saclay . . . . .	<i>F. Simon, C. Gourdin, T. Schild, J. Deregel, A. Devred, B. Hervieu, M. Peyrot, J. M. Rifflet, T. Tortschanoff, T. Ogitsu, and K. Tsuchiya</i>	266
High Reliability Prototype Quadrupole for the Next Linear Collider . . . . .	<i>C. E. Rago, C. M. Spencer, Z. Wolf, and G. Yocky</i>	270
A Superconducting Focusing Solenoid for the Neutrino Factory Linear Accelerator . . . . .	<i>M. A. Green, V. Lebedev, and B. P. Strauss</i>	274
Development of Radiation-Resistant Magnets for JHF Project . . . . .	<i>K. H. Tanaka, E. Kusano, K. Agari, Y. Sato, M. Minakawa, H. Noumi, Y. Yamanoi, M. Ieiri, Y. Katoh, Y. Suzuki, M. Takasaki, T. Birumachi, S. Tsukada, Y. Saitoh, K. Yahata, K. Katoh, and H. Tanaka</i>	278
Design and Fabrication Study on the TESLA500 Superconducting Magnets . . . . .	<i>F. Toral, L. García-Tabarés, J. Etxeandía, R. Iturbe, and S. Wolff</i>	282
Launching of Series Fabrication of the LHC Main Quadrupoles . . . . .	<i>R. Burgmer, R. Bussjäger, D. Krischel, M. Peyrot, J.-M. Rifflet, P. Schmidt, F. Simon, and T. Tortschanoff</i>	287
Degaussing and Decay Reduction in the Short Superconducting Dipole Models for the LHC . . . . .	<i>W. Venturini Delsolaro, L. Bottura, M. Haverkamp, and A. Kuijper</i>	291
Field Quality of the Short Superconducting Dipole Models for the LHC . . . . .	<i>W. V. Delsolaro, Z. Ang, L. Bottura, S. Sanfilippo, A. Siemko, D. Tommasini, and L. Walckiers</i>	295

Adjustable Permanent Quadrupoles Using Rotating Magnet Material Rods for the Next Linear Collider . . . . .	J. DiMarco, G. W. Foster, W. Fowler, V. S. Kashikhin, A. Makarov, C. E. Rago, A. Ringwall, C. M. Spencer, V. Tsvetkov, J. T. Volk, and Z. Wolf	301
Completion of Superconducting Magnet Production at BNL for the HERA Luminosity Upgrade . . . . .	P. Wanderer, M. Anerella, J. Escallier, A. Ghosh, A. Jain, A. Marone, J. Muratore, B. Parker, A. Prodell, P. Thompson, and K. C. Wu	305
Test Results for Prototypes of the Twin Aperture Dipoles for the LHC Insertion Region . . . . .	J. Muratore, M. Anerella, J. Cozzolino, G. Ganetis, A. Ghosh, R. Gupta, M. Harrison, A. Jain, A. Marone, S. Plate, J. Schmalzle, R. Thomas, P. Wanderer, E. Willen, and K. C. Wu	309
Design Studies on Superconducting $\cos\theta$ Magnets for a Fast Pulsed Synchrotron . . . . .	M. N. Wilson, G. Moritz, M. Anerella, G. Ganetis, A. K. Ghosh, W. V. Hassenzahl, A. Jain, P. Joshi, J. Kaugerts, C. Muehle, J. Muratore, R. Thomas, G. Walter, and P. Wanderer	313
Precision Septum-Like Dipole Magnet for the HERA Luminosity Upgrade . . . . .	B. Anderberg, J. Danielsson, W. Beeckman, Y. Holler, K. Sinram, M. Vieweg, F. Willeke, and G. Woebke	317
Magnet System for HIRFL-CSR Project . . . . .	P. Yuan, Y. He, B. Zhang, L. Z. Ma, R. R. He, S. F. Han, W. J. Liu, H. Xiong, Y. Wang, J. W. Xia, W. L. Zhan, and B. W. Wei	321
Magnet Prototypes for CSRm Injection Beam Line . . . . .	P. Yuan, W. J. Liu, H. Xiong, Y. He, B. Zhang, L. Z. Ma, S. F. Han, R. R. He, Y. Wang, M. T. Song, J. W. Xia, and W. L. Zhan	325
A Superferric Quadrupole for Use in an SRF Cryomodule . . . . .	A. F. Zeller, J. C. DeKamp, A. Facco, T. L. Grimm, J. Kim, and R. Zink	329
Development and Test of Single-Bore $\cos\theta$ Nb <sub>3</sub> Sn Dipole Models with Cold Iron Yoke . . . . .	N. Andreev, G. Ambrosio, E. Barzi, R. Carcagno, D. R. Chichili, J. DiMarco, S. Feher, L. Imbasciati, V. V. Kashikhin, M. Lamm, P. J. Limon, D. Orris, P. Schlabach, C. Sylvester, M. Tartaglia, I. Terechkine, J. C. Tompkins, S. Yadav, R. Yamada, and A. V. Zlobin	332
<b>Detector Magnets</b>		
The Superconducting Solenoid for the KEDR Detector . . . . .	V. V. Anashin, L. M. Barkov, A. K. Barladyan, G. A. Blinio, S. V. Karpov, G. M. Kolachev, V. F. Kulikov, S. G. Pivovarov, V. I. Plyusnin, Y. I. Oschepkov, A. A. Ruban, V. P. Smakhtin, and Y. A. Tikhonov	337
Final Design of a Compact Sweeper Magnet for Nuclear Physics . . . . .	J. Toth, M. D. Bird, J. R. Miller, S. Prestemon, J. C. DeKamp, L. Morris, M. Thoennessen, and A. Zeller	341
The CMS Conductor . . . . .	B. Blau, D. Campi, B. Curé, R. Folch, A. Hervé, I. L. Horvath, F. Kircher, R. Musenich, J. Neuenschwander, P. Riboni, B. Seeber, S. Tavares, S. Sgobba, and R. P. Smith	345
The Superconducting Magnet System of AMS-02—A Particle Physics Detector to be Operated on the International Space Station . . . . .	B. Blau, S. M. Harrison, H. Hofer, I. L. Horvath, S. R. Milward, J. S. H. Ross, S. C. C. Ting, J. Ulbricht, and G. Viertel	349
Design Study of the Superconducting Magnet for a Large Acceptance Spectrometer . . . . .	A. Dael, B. Gastineau, J. E. Ducret, and V. S. Vysotsky	353
The Winding Line for the CMS Reinforced Conductor . . . . .	P. Fabbricatore, D. Campi, C. D'Urzo, S. Farinon, A. Gaddi, B. Levesy, L. Loche, R. Musenich, F. Rondeaux, R. Penco, and N. Valle	358
CMS Coil Thermal Shields Final Design . . . . .	Ph. Fazilleau, Ph. Bredy, and B. Levesy	362
Status of the LHCb Magnet System . . . . .	J. André, P. Charra, W. Flegel, P. A. Giudici, O. Jamet, P. Lançon, M. Losasso, F. Rohner, and C. Rosset	366
Continuous EB Welding of the Reinforcement of the CMS Conductor . . . . .	R. Folch, B. Blau, D. Campi, R. Christin, J. P. Crétton, B. Curé, I. L. Horvath, J. Neuenschwander, P. Riboni, S. Sequeira Tavares, and S. Sgobba	372
Mechanical Behavior of the ATLAS B0 Model Coil . . . . .	A. Foussat, N. Dolgetta, E. Acerbi, F. Alessandria, R. Berthier, F. Broggi, A. Dael, A. Dudarev, C. Mayle, P. Miele, M. Reytier, L. Rossi, M. Sorbi, Z. Sun, H. H. J. Ten Kate, I. Vanenkov, and G. Volpini	376
Critical Current Measurements on the CMS Stabilized Conductor . . . . .	M. Greco, P. Fabbricatore, and R. Musenich	381
Status of the CMS Magnet (MT17) . . . . .	A. Hervé, G. Acquistapace, D. Campi, P. Cannarsa, P. Fabbricatore, F. Feyzi, H. Gerwig, J. P. Grillet, I. L. Horvath, V. Kaftanov, F. Kircher, R. Loveless, J. M. Maugain, G. Perinic, H. Rykaczewski, E. Sbrissa, R. P. Smith, and L. Veillet	385
Design and Test of a 1-MJ SMES System . . . . .	K. C. Seong, H. J. Kim, S. W. Kim, J. W. Cho, Y. K. Kwon, S. R. Hahn, H. J. Jeon, and I. K. Yu	391
CMS Coil Design and Assembly . . . . .	F. Kircher, P. Brédy, D. Campi, P. Fabbricatore, S. Farinon, H. Gerwig, A. Hervé, I. L. Horvath, B. Levesy, R. Musenich, Y. Pabot, A. Payn, and L. Veillet	395

The Dipole Magnet Design for the ALICE DiMuon Arm Spectrometer . . . . .	P. Akishin, N. Anischenko, N. Blinov, I. Boguslavsky, D. Cacaut, V. Danilov, V. Datskov, O. Golubitsky, A. Kalimov, E. Kochournikov, A. Lyubimtsev, A. Makarov, K. Mikhailov, I. Olex, V. Popov, S. Semashko, A. Shabunov, Y. Shishov, A. Shurygin, M. Shurygina, A. Sissakian, D. Swoboda, and A. Vodopianov	399
Design and Test of the Titanium Alloy Tie Rods for the CMS Coil Suspension System . . . . .	B. Levesy, H. Gerwig, F. Kircher, and M. Reytier	403
Quench Protection and Safety of the ATLAS Central Solenoid . . . . .	Y. Makida, Y. Doi, T. Haruyama, H. ten Kate, M. Kawai, T. Kobayashi, T. Kondo, Y. Kondo, S. Mizumaki, G. Olesen, E. Sbrissa, A. Yamamoto, and H. Yamaoka	407
ATLAS B0 Toroid Model Coil Test at CERN . . . . .	P. Miele, E. Acerbi, R. Berthier, H. Boxman, F. Broggi, F. Cataneo, A. Dael, N. Dolgetta, A. Dudarev, A. Foussat, F. Haug, H. ten Kate, C. Mayri, A. Paccalini, G. Rivoltella, L. Rossi, E. Sbrissa, H. Tyrvainen, and G. Volpini	411
Fabrication and Mechanical Performance of the ATLAS Central Solenoid . . . . .	S. Mizumaki, Y. Makida, T. Kobayashi, H. Yamaoka, Y. Kondo, M. Kawai, Y. Doi, T. Haruyama, S. Mine, H. Takano, A. Yamamoto, T. Kondo, and H. ten Kate	416
Manufacturing Aspects of the ATLAS Barrel Toroid Double Pancakes . . . . .	G. Drago, G. Gaggero, P. Gagliardi, A. Laurenti, R. Marabotto, and R. Penco	420
Aluminum Alloy Production for the Reinforcement of the CMS Conductor . . . . .	S. Sequiera Tavares, B. Blau, D. Campi, B. Curé, I. L. Horvath, P. Riboni, S. Sgobba, and R. P. Smith	424
Design, Construction, and Quality Tests of the Large Al-Alloy Mandrels for the CMS Coil . . . . .	S. Sgobba, C. D'Urzo, P. Fabbricatore, S. Farinon, A. Gaddi, A. Lauro, B. Levesy, L. Loche, R. Musenich, F. Rondeaux, S. Sequiera Tavares, and N. Valle	428
Status of the ALICE Magnet System . . . . .	D. Swoboda, L. Leistam, L. Pigni, D. Cacaut, E. Kochournikov, and A. Vodopianov	432
A Thin Superconducting Solenoid Magnet for Particle Astrophysics . . . . .	A. Yamamoto, Y. Makida, H. Yamaoka, H. Ohmiya, K. Tanaka, T. Haruyama, T. Yoshida, K. Yoshimura, S. Matsuda, K. Kikuchi, Y. Ootani, and S. Mizumaki	438
<b>High Field Solenoids</b>		
Design, Manufacturing, and Testing of a Nb <sub>3</sub> Sn Coil Employing Ti Alloy as Structural Material . . . . .	C. A. Baldan, C. Y. Shigue, D. G. Pinatti, and E. Ruppert-Filho	443
Low Resolution NMR Magnets in the 23 to 35 T Range at the NFMFL . . . . .	M. D. Bird and Z. Gan	447
End Effects in the NFMFL 45 T Hybrid Resistive Insert . . . . .	I. R. Dixon, M. D. Bird, and S. Bole	452
Superconducting High Field Solenoids for Hybrid Systems . . . . .	A. B. Oliva	456
Electrical Joints in the CMS Superconducting Magnet . . . . .	S. Farinon, P. Chesny, B. Curé, P. Fabbricatore, M. Greco, and R. Musenich	462
Conceptual Design of High Transverse Field Magnets at the NFMFL . . . . .	A. V. Gavrilin, M. D. Bird, S. T. Bole, and Y. M. Eyssa	465
Superconducting Inserts in High-Field Solenoids . . . . .	T. Kiyoshi, S. Matsumoto, M. Kosuge, M. Yuyama, H. Nagai, F. Matsumoto, and H. Wada	470
Persistent-Mode Operation of a Cryocooler-Cooled HTS Magnet . . . . .	K. Koyanagi, S. Matsumoto, K. Fukushima, T. Kiyoshi, and H. Wada	476
The U. S. NFMFL 60 T Long Pulse Magnet Failure . . . . .	J. R. Sims, J. B. Schillig, G. S. Boebinger, H. Coe, A. W. Paris, M. J. Gordon, M. D. Pacheco, T. G. Abeln, R. G. Hoagland, M. C. Mataya, K. Han, and A. Ishimaku	480
Compact High Field Superconducting Coil . . . . .	V. E. Keilin, S. M. Miklyaev, M. I. Surin, and S. A. Shevchenko	484
Conceptual Design of Pion-Capture Magnets of up to 15 cm Bore and 20 T Peak Field . . . . .	R. J. Weggel	487
<b>Fusion Magnets</b>		
Engineering Design Status of the KSTAR TF Coil Structure . . . . .	H. J. Ahn, Y. W. Lee, T. H. Kwon, S. C. Lee, C. H. Choi, Y. K. Oh, D. K. Lee, J. S. Lee, D. S. Kim, and C. D. Hong	492
Pulsed Operation Test Results of the ITER-CS Model Coil and CS Insert . . . . .	T. Ando, T. Isono, T. Kato, N. Koizumi, K. Okuno, K. Matsui, N. Martovetsky, Y. Nunoya, M. Ricci, Y. Takahashi, and H. Tsuji	496
Design of Superconducting Coil System for Remodeling JT-60 . . . . .	T. Ando, S. Ishida, T. Kato, M. Kikuchi, K. Kizu, M. Matsukawa, Y. M. Miura, H. Nakajima, A. Sakasai, and K. Tsuchiya	500
Acoustic Emission During DC Operations of the ITER Central Solenoid Model Coil . . . . .	K. Arai, A. Ninomiya, T. Ishigohka, K. Takano, K. Matsui, P. C. Michael, R. F. Vieira, N. N. Martovetsky, K. Kaiho, H. Nakajima, Y. Takahashi, T. Kato, T. Ando, H. Tsuji, and K. Okuno	504
The Comparison of Active and Passive Cancellation Coils for SSTF . . . . .	S. Baang, S. Baek, Y. Chu, K. Kim, M. Kim, Y. Kim, Y. Lee, Q. Wang, D. P. Ivanov, V. E. Keilin, S. M. Miklyaev, I. O. Shchegolev, and M. I. Surin	508

Transient Stability Results for Nb <sub>3</sub> Sn Cable-in-Conduit Conductors . . . . .	<i>P. Bruzzone, A. Fuchs, B. Stepanov, and G. Vecsey</i>	512
Performance Evolution of Nb <sub>3</sub> Sn Cable-in-Conduit Conductors Under Cyclic Load . . . . .	<i>P. Bruzzone, A. M. Fuchs, B. Stepanov, and G. Vecsey</i>	516
Upgrade of Operating Range for SULTAN Test Facility . . . . .	<i>P. Bruzzone, A. Anghel, A. Fuchs, G. Pasztor, B. Stepanov, M. Vogel, and G. Vecsey</i>	516
Coupling Currents Loss in Nb <sub>3</sub> Sn Cable-in-Conduit Conductors . . . . .	<i>P. Bruzzone</i>	520
Magnetic Fusion Devices—Status and Prospects . . . . .	<i>M. Chatelier</i>	524
Electromagnetic Loads on the KSTAR Magnet System . . . . .	<i>C. H. Choi, D. K. Lee, J. W. Sa, H. J. Ahn, Y. K. Oh, K.-I. You, J. Y. Kim, and S. Cho</i>	528
Electrical and Thermal Designs and Analyses of Joints for the ITER PF Coils . . . . .	<i>D. Ciazynski and A. Martinez</i>	534
Resistances of Electrical Joints in the TF Model Coil of ITER: Comparisons of First Test Results with Samples Results . . . . .	<i>D. Ciazynski, M. Ricci, J. L. Duchateau, V. Marchese, A. Ulbricht, F. Wuechner, G. Zahn, H. Fillunger, and R. Maix</i>	538
ITER TF Conductor Insert Coil Manufacture . . . . .	<i>N. Chevrev, V. Glukhikh, O. Filatov, V. Belykov, V. Muratov, S. Egorov, I. Rodin, A. Malkov, M. Sukhanova, S. Gavrilov, V. Krylov, B. Mudugin, N. Bondarchouk, V. Yakubovsky, A. Cherdakov, M. Mikhailov, Yu. Konstantinov, Yu. Sokolov, G. Yakovleva, S. Peregudov, P. Chaika, V. Sytnikov, A. Rychagov, A. Taran, A. Shikov, V. Pantcyrny, A. Vorobieva, E. Dergunova, I. Abdukhanov, K. Mareev, and N. Grysnyov</i>	543
High Voltage Tests of the ITER Toroidal Field Model Coil Insulation System . . . . .	<i>S. Fink, A. Ulbricht, H. Fillunger, A. Bourquard, and M. Prevot</i>	548
Superconducting Coil System for a Stellarator Fusion Reactor . . . . .	<i>E. Harmeyer, J. Kifslinger, A. Wieczorek, and H. Wobig</i>	554
Heat Deposition in the ITER FEAT Poloidal Field Coils During a Plasma Scenario . . . . .	<i>P. Hertout, D. Bessette, A. Bleyer, J. L. Duchateau, and S. Nicollet</i>	558
Results of the Model Coil Tests for the Cable-in-Conduit Conductor for SST-1 Tokamak . . . . .	<i>O. P. Anashkin, D. P. Ivanov, V. E. Keilin, N. Ph. Kopeikin, I. A. Kovalev, A. V. Krivykh, S. L. Kruglov, V. V. Lysenko, S. I. Novikov, V. M. Patrikeev, S. Pradhan, Y. C. Saxena, V. I. Scherbakov, I. O. Shugaev, and V. V. Stepanov</i>	562
Current Feeder System for the KSTAR Device . . . . .	<i>Y. S. Kim, Y. M. Park, K. Kim, Y. K. Oh, C. H. Choi, J. W. Sa, N. I. Her, and G. S. Lee</i>	567
Development of High Cu Ratio Nb <sub>3</sub> Al and Nb <sub>3</sub> Sn CICCs for Superconducting Toroidal Field Coils of JT-60 . . . . .	<i>K. Kizu, Y. M. Miura, K. Tsuchiya, K. Matsui, T. Isono, A. Sakasai, M. Matsukawa, S. Ishida, and T. Ando</i>	571
Adiabatical Spherical Tokamak (TSP-AST) Magnets . . . . .	<i>A. V. Korotkov, A. Alekseev, D. Garkusha, V. Krylov, E. Lamzin, A. Mineev, B. E. Azizov, V. Dokouka, and R. Khayrutdinov</i>	575
Fabrication of Cables for the Background-Field Magnet System of SSTF . . . . .	<i>S. Lee, B. Lim, S. Baang, M. Kim, H. Park, J. Kim, I. Han, B. Lee, and K. Kim</i>	579
Mechanical Design and Analysis of Joints for the ITER PF Coils . . . . .	<i>P. Libeyre and P. Decool</i>	583
Fabrication of the KSTAR Superconducting CICC . . . . .	<i>B. S. Lim, S. I. Lee, K. M. Kim, and J. Y. Choi</i>	586
Assembly in the Test Facility, Acceptance and First Test Results of the ITER TF Model Coil . . . . .	<i>H. Fillunger, F. Hurd, R. K. Maix, E. Salpietro, D. Ciazynski, J.-L. Duchateau, P. Libeyre, A. Martinez, E. Bobrov, W. Herz, V. Marchese, M. Süßer, A. Ulbricht, F. Wüchner, G. Zahn, A. della Corte, M. Ricci, E. Theisen, G. Kraft, A. Bourquard, F. Beaudet, B. Schellong, R. Zanino, and L. Savoldi</i>	591
Test of the ITER Central Solenoid Model Coil and CS Insert . . . . .	<i>N. Martovetsky, P. Michael, J. Minervini, A. Radovinsky, M. Takayasu, C. Y. Gung, R. Thome, T. Ando, T. Isono, K. Hamada, T. Kato, K. Kawano, N. Koizumi, K. Matsui, H. Nakajima, G. Nishijima, Y. Nunoya, M. Sugimoto, Y. Takahashi, H. Tsuji, D. Bessette, K. Okuno, N. Mitchell, M. Ricci, R. Zanino, L. Savoldi, K. Arai, and A. Ninomiya</i>	595
Application of High Temperature Superconductor in National Institute for Fusion Science . . . . .	<i>T. Mito, H. Chikaraishi, S. Hamaguchi, R. Heller, S. Imagawa, K. Ishibashi, M. Iwakuma, A. Iwamoto, K. Maebara, R. Maekawa, J. Morikawa, O. Motojima, A. Nishimura, Y. Ogawa, T. Satow, T. Shintomi, K. Tachikawa, K. Takahata, H. Tamura, S. Yamada, Y. Yamada, and N. Yanagi</i>	600
Development of Nb <sub>3</sub> Sn and NbTi CIC Conductors for Superconducting Poloidal Field Coils of JT-60 . . . . .	<i>Y. M. Miura, K. Kizu, K. Tsuchiya, T. Isono, K. Matsui, A. Sakasai, S. Ishida, M. Matsukawa, and T. Ando</i>	606
Engineering Design Status of the KSTAR Central Solenoid Structure . . . . .	<i>Y. K. Oh, C. H. Choi, J. W. Sa, K.-I. You, D. K. Lee, M. Kwon, G. S. Lee, H. J. Ahn, T. H. Kwon, J. S. Lee, Y. W. Lee, S. C. Lee, and C. D. Hong</i>	611
Detailed Evaluation of Insulation Stresses in the KSTAR Central Solenoid . . . . .	<i>J. W. Sa, C. H. Choi, Y. K. Oh, N. I. Her, S. Cho, M. Kwon, G. S. Lee, and J. H. Kim</i>	615
A Toroidal Field Model Coil for the ITER-FEAT Project . . . . .	<i>E. Salpietro</i>	619
Performance of the LHD Magnet System . . . . .	<i>T. Satow and O. Motojima</i>	623

First Measurement of the Current Sharing Temperature at 80 kA in the ITER Toroidal Field Model Coil (TFMC) . . . . .	635
..... L. Savoldi, R. Zanino, V. Marchese, N. Martovetsky, M. Suesser, A. Ulbricht, F. Wuechner, and G. Zahn	
Overview of a New Test Facility for the W7X Coils Acceptance Tests . . . T. Schild, D. Bouziat, Ph. Bredy, G. Dispau, A.	639
..... Donati, Ph. Fazilleau, L. Genini, M. Jacquemet, B. Levesy, F. Molinié, J. Sapper, C. Walter, M. Wanner, and L. Wegener	
Optimization of Helical Hybrid Coil for High Field Tokamak . . . . .	644
..... H. Tsutsui, K. Nakayama, S. Nomura, R. Shimada, and S. Tsuji-Iio	
Operating Temperature Margin and Heat Load in PF Superconducting Coils of KSTAR . . . . .	648
..... Q. Wang, C. S. Yoon, J. He, W. Chung, and K. Kim	
Status of the Construction of the W7-X Magnet System . . . . .	648
..... L. Wegener, W. Gardebrecht, R. Holzthüm, N. Jaksic, F. Kerl, J. Sapper, and M. Wanner	
Progress of HT-7U Superconducting Magnets . . . . .	653
..... W. Peide	
Analysis on the Cryogenic Stability and Mechanical Properties of the LHD Helical Coils . . . . .	659
..... N. Yanagi, S. Imagawa, T. Mito, A. V. Gavrilin, S.	
..... Hamaguchi, H. Sekiguchi, H. Chikaraishi, A. Iwamoto, A. Nishimura, Y. Nakamura, T. Satow, and O. Motojima	
Status of the Floating Coil of the Levitated Dipole Experiment . . . . .	662
..... A. Zhukovsky, D. Garnier, C. Gung, J. Kesner, M. Mauel, P. Michael, J. Minervini, M. Morgan, T. S. Pedersen, A. Radovinsky, J. Schultz, and B. Smith	
<b>High Field Magnet Facilities</b>	
A Large Cryogen Free Iron Shielded 6.5 Tesla Magnet for Nuclear Beam Experiments . . . . .	666
..... J. Good, R. Mitchell, and R. Hall	
The Grenoble High Magnetic Field Laboratory as a USER FACILITY . . . . .	670
..... F. Debray, H.	
..... Jongbloets, W. Joss, G. Martinez, E. Mossang, P. Petmezakis, J. C. Picoche, A. Plante, P. Rub, P. Sala, and P. Wyder	
Construction of the Cryogen-Free 23 T Hybrid Magnet . . . . .	674
..... K. Watanabe, S. Awaji, K. Takahashi, G. Nishijima, M. Motokawa, Y. Sasaki, Y. Ishikawa, K. Jikihara, and J. Sakuraba	
<b>Wiggler and Undulators</b>	
A Superconducting Undulator for 3rd-Generation Light Sources . . . . .	678
..... S. Caspi, S. A. Gourlay, R. Hafalia, R. L. Hinkins, A. F. Lietzke, J. O'Neill, and G. L. Sabbi	
Design and Construction Performance of a Compact Cryogen-Free Superconducting Wavelength Shifter . . . . .	682
..... C. S. Hwang, B. Wang, R. Wahrer, H. H. Chen, C. H. Chang, F. Y. Lin, T. C. Fan, and C. T. Chen	
R&D for a Minigap Undulator at LURE . . . . .	686
..... O. Marcouillé, J.-C. Boyer, M. Corlier, S. Denise, J.-P. Duval, C. Herbeaux, E. Labrude, D. Lefèuvre, J.-L. Marlats, P. Rommeluère, M. Vandenberghe, and J. Vétérán	
<b>Pulsed Magnets</b>	
The U.S. NHMFL 100 Tesla Multi-Shot Magnet . . . . .	691
..... J. L. Bacon, C. N. Ammerman, H. Coe, G. W. Ellis, B. L. Lesch, J. R. Sims, J. B. Schillig, and C. A. Swenson	
Strong Pulsed Magnetic Quadrupole Lens . . . . .	695
..... V. Chichkine, M.	
..... Winkler, K. H. Behr, H. Geissel, A. Kalimov, G. Li, G. Muenzenberg, C. Scheidenberger, H. Weick, and H. Wollnik	
Quasi-Stationary Magnetic Fields of 60 T Using Inductive Energy Storage . . . . .	699
..... G. Aubert, L. van Bockstal, E. Fernandez, W. Joss, V. Kuchinski, R. Kurtz, N. Mikhailov, and Ph. Sala	
Magnet and Wire Technology at the K.U.Leuven Pulsed Field Laboratory . . . . .	703
..... K. Rosseel, A. Lagutin, F. Herlach, W. Boon, Y. Bruynseraede, and J. Van Humbeeck	
<b>NMR</b>	
Persistent-Mode Operation of a 920 MHz High-Resolution NMR Magnet . . . . .	715
..... T. Kiyoshi, A. Sato, T. Takeuchi, K. Itoh, S. Matsumoto, O. Ozaki, K. Fukushima, H.	
..... Wada, M. Yoshikawa, T. Kamikado, S. Ito, T. Miki, T. Hase, M. Hamada, S. Hayashi, Y. Kawate, and R. Hirose	
Development of 1 GHz Class NMR Magnets . . . . .	711
..... H. Wada and T. Kiyoshi	
<b>Others</b>	
Design of a 7.5 T Superconducting Quadrupole Magnet for Magnetic Circular Dichroism Experiments . . . . .	718
..... C. H. Chang, F. Z. Hsiao, C. S. Hwang, M. H. Huang, and C. T. Chen	
Design of High Temperature Superconducting Magnet . . . . .	721
..... Y. S. Jo, Y. K. Kwon, Y. K. Kim, and J. P. Hong	
Progress in the Design and Operation of High-T <sub>c</sub> Coils Using Dip-Coat BSCCO-2212/Ag Tape . . . . .	725
..... M. S. Newson, D. T. Ryan, M. N. Wilson, and H. Jones	
Development of a Superconducting Magnet Excited with Thermoelectric Conversion Element for Quasi Persistent Mode	729
..... M. Ono and T. Kuriyama	

**Magnetic Resonance, Imaging**

Genetic Algorithms for MRI Magnet Design . . . . .	<i>N. R. Shaw and R. E. Ansorge</i>	733
A Method to Reduce Eddy Currents Within Iron Pole Plates of a 0.3 T NdFeB MRI Magnet. . . . .	<i>Y. Lai, X. Jiang, and G. Shen</i>	737
High-Resolution Nuclear Magnetic Resonance Applied to Biophysics and Molecular Biology: Highlights and Challenges . . . . .	<i>G. Wider</i>	740

**Power Applications (Energy Storage)**

Low Speed FES with Induction Motor and Generator . . . . .	<i>S.-y. Hahn, W.-s. Kim, J. H. Kim, C.-s. Koh, and S.-y. Hahn</i>	746
Control Scheme Studies of Voltage Source Type Superconducting Magnetic Energy Storage (SMES) Under Asymmetrical Voltage . . . . .	<i>J. Yu, X. Duan, Y. Tang, and P. Yuan</i>	750
SMES Compensator with a Toroidal Magnet System . . . . .	<i>K.-P. Juengst, R. Gehring, A. Kudymow, H.-J. Pfisterer, and E. Suess</i>	754
25 MW SMES-Based Power Modulator . . . . .	<i>K.-P. Juengst, R. Gehring, A. Kudymow, G. Kuperman, and E. Suess</i>	758
Cryogenics of a Conduction-Cooled Nb <sub>3</sub> Sn SMES. . . . .	<i>T. Kalliohaka, A. Korpela, J. Lehtonen, and R. Mikkonen</i>	762
Basic Characteristic Evaluation of Cryocooler-Cooled HTS Coils . . . . .	<i>H. Kasahara, S. Akita, K. Tasaki, A. Tomioka, T. Hase, K. Ohata, N. Ohtani, and H. Sakaguchi</i>	766
Fabrication and Test of the Model Coil for a SMES . . . . .	<i>H. J. Kim, K. C. Seong, J. W. Cho, E. Y. Lee, S. W. Kim, Y. K. Kwon, K. S. Ryu, and K. Ryu</i>	770
Design of a 200-kJ HTS SMES System . . . . .	<i>J. H. Kim, S.-y. Hahn, C. H. Im, J. K. Kim, H. K. Jung, and S.-Y. Hahn</i>	774
Power Applications of High-Temperature Superconductors: Status and Perspectives . . . . .	<i>A. P. Malozemoff, J. Maguire, B. Gamble, and S. Kalsi</i>	778
Highlights of SC Power Applications in Europe . . . . .	<i>R. Mikkonen</i>	782
Experimental Study on a High-Temperature Superconducting Helical Coil. . . . .	<i>S. Nomura, C. Suzuki, N. Watanabe, M. Uyama, E. Koizumi, H. Tsutsui, S. Tsuji-Iio, and R. Shimada</i>	788
Variations of Force-Balanced Coils for SMES . . . . .	<i>S. Nomura, R. Shimada, C. Suzuki, S. Tsuji-Iio, H. Tsutsui, and N. Watanabe</i>	792
Recovery Current Characteristics of a kA Class Conductor for a Superconducting Magnetic Energy Storage Device . . . . .	<i>K. Ryu, H. J. Kim, K. C. Seong, J. W. Cho, S. W. Kim, Y. K. Kwon, and K. S. Ryu</i>	796
Optimization of SMES Coil by Using Virial Theorem . . . . .	<i>H. Tsutsui, S. Nomura, and R. Shimada</i>	800

**Power Applications (Motors, Generators, and Transformers)**

A Study on the Efficiency of Low-Tc Superconducting Power Supply Considering the Series-parallel Connections of Superconducting Circuits . . . . .	<i>M. C. Ahn, Y. S. Yoon, H. M. Kim, T.-S. Han, S. G. Lee, and T. K. Ko</i>	804
Test Results of a Three Phase HTS Transformer with Double Pan Cake Windings . . . . .	<i>S. Lee, H. J. Lee, G. Cha, J.-K. Lee, K. Choi, K. Ryu, and S.-y. Hahn</i>	808
Experimental Study on Limiting Operation of Superconducting Fault Current Limiter in Double Circuit Transmission Line Model System . . . . .	<i>H. Hatta, S. Muroya, T. Nitta, Y. Shirai, and M. Taguchi</i>	812
Fabrication and Test of Force-Balanced-Coil Type Air-Core Superconducting Transformer Using Parallel Conductor . . . . .	<i>T. Ishigohka, M. Kobayashi, A. Ninomiya, S. Nomura, R. Shimada, and Y. Sato</i>	816
Trapped Field Characteristics of Y–Ba–Cu–O Bulk in Time-Varying External Magnetic Field. . . . .	<i>H. Shimizu, H. Ueda, M. Tsuda, and A. Ishiyama</i>	820
Trial Production and Experiment of Linear Actuator with Double-Sided Primary and HTS Bulk Secondary . . . . .	<i>S. Sadakata, H. Ueda, M. Tsuda, and A. Ishiyama</i>	824
Feasibility Study of Oxide Superconducting Transformers for Shinkansen Rolling Stock . . . . .	<i>M. Iwakuma, K. Matsumura, H. Miyazaki, K. Kajikawa, K. Funaki, H. Hata, H. Fujimoto, and H. Kamijo</i>	828
High Temperature Superconducting Synchronous Motor. . . . .	<i>Y.-S. Jo, Y.-K. Kwon, M.-H. Sohn, Y.-K. Kim, and J.-P. Hong</i>	833
Design, Fabrication and Testing of a High-Tc Superconducting Power Supply with the Bi-2223 Load . . . . .	<i>H. M. Kim, Y. S. Yoon, M. C. Ahn, T. K. Ko, S.-J. Lee, and T.-S. Han</i>	837
Development of a Superconducting Linear Synchronous Motor. . . . .	<i>W.-S. Kim, S.-Y. Jung, H.-Y. Choi, H.-K. Jung, J. H. Kim, and S.-Y. Hahn</i>	842
A Variation of Impedance of a High-Tc Superconducting Fault Current Limiter with an Open Core . . . . .	<i>C. Lee, H. M. Kim, H. Kang, T. J. Kim, T. K. Ko, E. R. Lee, S. Lee, and K. Y. Yoon</i>	846
Test of DC Reactor Type Fault Current Limiter Using SMES Magnet for Optimal Design. . . . .	<i>E. R. Lee, S. Lee, C. Lee, H.-J. Suh, D. K. Bae, H. M. Kim, Y.-S. Yoon, and T. K. Ko</i>	850

The Short Circuit Analysis of Integrated Three Phase Superconducting Fault Current Limiter with Two Phase Superconducting Circuits . . . . .	S. Lee, E. R. Lee, C. Lee, S.-J. Choi, and T. K. Ko	854
Magnetic Circuit Switching Element with Superconducting Coil . . . . .	H. Mizutori, A. Ninomiya, and T. Ishigohka	859
Fabrication and Test of a Superconducting Generator with Ring Windings . . . . .	Y. Nomoto, A. Ninomiya, and T. Ishigohka	863
An Experimental Study on a Fast Self-Acting Magnetic Shield Type Superconducting Fault Current Limiter . . . . .	T. Onishi, M. Kawasumi, K.-i. Sasaki, and R. Akimoto	868
Preliminary Experiments on Saturated DC Reactor Type Fault Current Limiter . . . . .	K. M. Salim, T. Hoshino, M. Nishikawa, I. Muta, and T. Nakamura	872
Proposal of Flux Flow Resistance Type Fault Current Limiter Using Bi2223 High $T_c$ Superconducting Bulk . . . . .	H. Shimizu, Y. Yokomizu, T. Matsumura, and N. Murayama	876
Recovery Process of a Transformer Type Superconducting Fault Current Limiter . . . . .	Y. Shirai, K. Fujikawa, M. Shiotsu, H. Hatta, S. Muroya, and T. Nitta	880
A Proposal of New Operating Procedure of Transformer Type Fault Current Limiter . . . . .	Y. Shirai, M. Taguchi, M. Shiotsu, H. Hatta, S. Muroya, and T. Nitta	885
Experimental Study on System Stability Evaluation in Parallel Running of a Superconducting Generator and a SMES . . . . .	Y. Shirai, T. Nitta, and M. Yamada	890
Dynamic Simulation and Tests of a Three-Phase High $T_c$ Superconducting Fault Current Limiter . . . . .	J. Zhang, Z. Gao, N. Song, H. Wen, L. Xiao, L. Lin, and Z. Zuo	896
Application Studies of Superconducting Fault Current Limiters in Electric Power Systems . . . . .	L. Ye, L. Z. Lin, and K.-P. Juengst	900
End-Winding Region Configuration of an HTS Transformer . . . . .	F. Zizek, Z. Jelinek, Z. Timoransky, H. Piel, F. Chovanec, P. Mozola, and M. Polak	904
<b>Levitation, Propulsion, and Guidance</b>		
A New Type of Active-Maglev System Using YBCO Bulk and Multiple Electromagnets . . . . .	H. Hayashi, H. Ueda, M. Tsuda, and A. Ishiyama	907
Static and Dynamic Characteristics in Levitating X-Y Transporter Using HTS Bulks . . . . .	Y. Teranishi, H. Ueda, M. Tsuda, and A. Ishiyama	911
MAGLEV Projects Technology Aspects and Choices . . . . .	A. Cassat and M. Jufer	915
Fabrication and Flux-Trapping Experiments of a 198 mm × 99 mm Bulkmagnet Using YBCO Superconductors . . . . .	H. Kamijo and H. Fujimoto	926
A Null-Current Electro-Dynamic Levitation System . . . . .	R. Kratz and R. F. Post	930
Development of Compact Magnet for High Magnetic Force . . . . .	K. Miyoshi, H. Shimizu, S.-i. Meguro, H. Uetake, N. Hirota, and K. Kitazawa	933
Precise Positioning Using Electrostatic Glass Motor with Diamagnetically Suspended Rotor . . . . .	R. Moser and H. Bleuler	937
Development of Superconducting Magnets for Uniform and High Magnetic Force Field Generation . . . . .	O. Ozaki, K. Koyanagi, T. Kiyoshi, S. Matsumoto, J.-i. Fujihira, and H. Wada	940
Progress of High-Speed Maglev in China . . . . .	Y. Luguang	944
Engineering Research and Development of Magnetically Levitated High-Temperature Superconducting Coil System for Mini-RT Project . . . . .	N. Yanagi, J. Morikawa, T. Mito, Y. Ogawa, S. Hamaguchi, H. Chikaraishi, M. Iwakuma, T. Uede, I. Itoh, S. Nose, and S. Fukui	948
<b>Magnetic Separation</b>		
Removal of Arsenic From Geothermal Water by High Gradient Magnetic Separation . . . . .	A. Chiba, H. Okada, T. Tada, H. Kudo, H. Nakazawa, K. Mitsuhashi, T. Ohara, and H. Wada	952
Magnetic System of the Installation for Plasma Separation Process . . . . .	I. N. Churkin, V. V. Demenev, E. S. Rouvinski, E. P. Semenov, A. G. Steshov, and V. I. Volosov	955
Study on Open Gradient Magnetic Separation Using Multiple Magnetic Field Sources . . . . .	S. Fukui, H. Nakajima, A. Ozone, M. Hayatsu, M. Yamaguchi, T. Sato, H. Imaizumi, S. Nishijima, and T. Watanabe	959
A Novel High-Gradient Magnetic Separator (HGMS) Design for Biotech Applications . . . . .	C. Hoffmann, M. Franzreb, and W. H. Höll	963
High Gradient Magnetic Separation for Weakly Magnetized Fine Particles . . . . .	H. Okada, T. Tada, A. Chiba, K. Mitsuhashi, T. Ohara, and H. Wada	967
Design and Fabrication of an HTS Reciprocating Magnetic Separator . . . . .	C. M. Rey, W. C. Hoffman, Jr., K. Cantrell, Y. M. Eyssa, S. W. VanSciver, D. Richards, and J. Boehm	971

**Permanent Magnet Applications**

The Use of a Permanent Magnet for Water Content Measurements of Wood Chips . . . . .	P. J. Barale, C. G. Fong, M. A. Green, P. A. Luft, A. D. McInturff, J. A. Reimer, and M. Yahnke	975
--	---	-----

**Others**

Characteristics of the Magnetic Gear Using a Bulk High-Tc Superconductor . . . . .	M. Okano, K. Tsurumoto, S. Togo, N. Tamada, and S. Fuchino	979
Testing of a Cryocooler-Cooled HTS Magnet with Silver-Sheathed Bi2223 Tapes for Silicon Single-Crystal Growth Applications . . . . .	M. Ono, K. Tasaki, Y. Ohotani, T. Kuriyama, Y. Sumiyoshi, S. Nomura, M. Kyoto, T. Shimonosono, S. Hanai, M. Shoujiyu, N. Ayai, T. Kaneko, S. Kobayashi, K. Hayashi, H. Takei, K. Sato, T. Mizuishi, M. Kimura, and T. Masui	984
A Superconducting Magnet for a Beam Delivery System for Carbon Ion Cancer Therapy . . . . .	C. Priano, P. Fabbricatore, S. Farinon, R. Musenich, M. Perrella, and S. Squarcia	988
Design and Fabrication of an HTS Magnet for the VASIMR Experiment . . . . .	C. M. Rey, W. C. Hoffman, Jr., F. R. Chang-Diaz, A. V. Ilin, A. J. Petro, D. S. Winter, H. Mukai, and S. W. Schwenterly	993
Influence of High Magnetic Field on the Corrosion of Carbon Steel . . . . .	A. Sato, H. Ogiwara, T. Miwa, and S. Nakabayashi	997

**Low Tc Superconductors**

Quench Propagation and Stability of Nb <sub>3</sub> Al Superconductors Made by Rapid Heating, Quenching, and Transformation Process . . . . .	N. Amemiya, N. Hoshi, N. Banno, T. Takeuchi, and H. Wada	1001
TRUQ (TRansformation-Heat Based Up-Quenching) for High-Performance Nb <sub>3</sub> Al Superconductors . . . . .	N. Banno, K. Fukushima, T. Takeuchi, T. Fukuzaki, and H. Wada	1005
Superconductor and Cable R&D for High Field Accelerator Magnets at Fermilab. . . . .	E. Barzi, G. Ambrosio, N. Andreev, P. Bauer, D. Chichili, M. Fratini, L. Elementi, J. Hoffman, P. J. Limon, S. Mattafirri, J.-M. Rey, R. Yamada, and A. V. Zlobin	1009
The Superconducting Strand for the CMS Solenoid Conductor . . . . .	B. Curé, B. Blau, D. Campi, L. F. Goodrich, I. L. Horvath, F. Kircher, R. Liikamaa, J. Seppälä, R. P. Smith, J. Teuho, and L. Vieillard	1014
Bean–Livingston Barrier and Dynamics of the Magnetic Flux Flow in Layered (Plated) Superconductors . . . . .	A. A. Bush, G. L. Dorofeev, V. M. Drobin, Yu. D. Kuroedov, N. M. Vladumirova, and V. S. Vyatkin	1018
Direct Observation of the Magnetic Flux Tuning to the Pinning Structure in NbTi . . . . .	G. L. Dorofeev, Yu. D. Kuroedov, and V. S. Vyatkin	1022
Stress and Strain Effects of Nb <sub>3</sub> Al Conductors Subjected to Different Heat Treatments. . . . .	T. Fukuzaki, T. Takeuchi, N. Banno, N. Tatsumi, K. Itoh, H. Ogiwara, and H. Wada	1025
Toward an Accurate Scaling Relation for the Critical Current in Niobium–Tin Conductors . . . . .	A. Godeke, B. Ten Haken, and H. H. J. Ten Kate	1029
Influence of Rapid Heating Condition on Superconducting Properties in Transformed Jelly-Roll Nb <sub>3</sub> Al Multifilamentary Wire . . . . .	N. Harada, T. Nakano, M. Tsuda, T. Hamajima, F. Buta, E. Lee, M. D. Sumption, E. W. Collings, K. Tagawa, H. Moriai, T. Takeuchi, H. Wada, and K. Watanabe	1033
Production of a 11 km Long Jelly Roll Processed Nb <sub>3</sub> Al Strand with High Copper Ratio of 4 for Fusion Magnets . . . . .	F. Hosono, G. Iwaki, K. Kikuchi, S. Ishida, T. Ando, K. Kizu, Y. Miura, and A. Sakasai	1037
Improvements in High Field Properties of RHQT-Processed Nb <sub>3</sub> Al Wire . . . . .	K. Inoue, Y. Iijima, and A. Kikuchi	1041
Development of Bronze-Processed Nb <sub>3</sub> Sn Superconducting Wires for High Field Magnets . . . . .	G. Iwaki, J. Sato, S. Inaba, and K. Kikuchi	1045
Optimized Heat Treatment of Internal Tin Nb <sub>3</sub> Sn Strands . . . . .	H. Fillunger, M. Foitl, K. Hense, I. Kajgana, A. Kasztler, H. Kirchmayr, R. Lackner, J. Leoni, R. Maix, and M. Müller	1049
Measurements of Interstrand Thermal and Electrical Conductance in Multistrand Superconducting Cables. . . . .	Y. Lei, Y. Yu, Y. Dai, and H. Nan	1052
Status of the LHC Superconducting Cable Mass Production . . . . .	J. D. Adam, T. Boutboul, G. Cavallari, Z. Charifoulline, C.-H. Denarie, S. Le Naour, D. F. Leroy, L. R. Oberli, D. Richter, A. P. Verweij, and R. Wolf	1056
Bronze Tin Content and Grain Size in Nb <sub>3</sub> Sn Composite Superconductors . . . . .	W. D. Markiewicz and R. E. Goddard	1063
(Nb,Ti) <sub>3</sub> Sn Superconducting Wire with CuNb Reinforcing Stabilizer . . . . .	H. Sakamoto, S. Endoh, Y. Nagasu, K. Wada, A. Kimura, S.-i. Meguro, S. Awaji, K. Watanabe, and M. Motokawa	1067
The Experimental Investigation of the Nb <sub>3</sub> Sn Strands Superconducting Properties Defining the Stability of Magnet Systems. . . . .	A. Shikov, V. Pantyrnyi, N. Kozlenkova, A. Vorobieva, K. Mareev, E. Dergunova, and O. Malafeeva	1071
Manufacturing of Superconducting Cable for the LHC—Key Technology and Statistical Analysis. . . . .	T. Shimada, M. Sugimoto, Y. Nagasu, A. Takagi, K. Wada, H. Shimizu, A. Kimura, and S.-i. Meguro	1075

High Transport Critical Currents in Dense Monofilamentary Fe- and Ni-Clad MgB <sub>2</sub> Tapes and MgB <sub>2</sub> /Fe Wires with 7 Filaments . . . . .	H. L. Suo, C. Beneduce, M. Dhallé, P. Toulemonde, and R. Flükiger	7	1079
Grease Impregnation Effect in Measurement of Critical Current for NbTi Superconductors . . . . .	N. Sekine, T. Takao, Y. Kojo, M. Neya, Y. Kubo, R. Ogawa, S. Fukui, and O. Tsukamoto	1084	
Nb <sub>3</sub> Al Superconductors . . . . .	T. Takeuchi	1088	
Fabrication of Jelly-Roll Nb <sub>3</sub> Al Superconductors by Using Al-Alloy Sheets . . . . .	N. Tatsumi, T. Fukuzaki, N. Banno, T. Takeuchi, H. Wada, K. Tagawa, and G. Iwaki	1094	
Comparative Study of NbTi Strands Developed for ITER PF Coils . . . . .	G. P. Vedernikov, A. K. Shikov, M. S. Novikov, S. I. Novikov, L. V. Potanina, and I. N. Gubkin	1098	
A.C. Energy Losses of Nb-Ti Multifilamentary Superconductors for the Magnets of the Nuclotron . . . . .	N. N. Agapov, G. L. Dorofeev, V. M. Drobin, A. D. Kovalenko, H. G. Khodzhibagyan, and N. M. Vladimirova	1102	
The Development of ITER TF Model Coil Heat Treatment Conditions . . . . .	I. Abdioukhanov, V. Beliakov, N. Cheverev, E. Dergunova, O. Filatov, S. Kouznetsov, K. Mareev, V. Pantsyrnyi, I. Rodin, A. Silaev, I. Sinitsyn, A. Shikov, V. Sytnikov, and A. Vorobieva	1105	
Direct Observation of Hall Voltage Inside the LHD Helical Conductor . . . . .	V. S. Vysotsky, N. Yanagi, Yu. A. Ilyin, A. V. Gavrilin, M. Takeo, S. Imagawa, T. Mito, T. Satow, and H. Hayashi	1109	
Periodic Artificial Pinning Centers for High Critical Current Density of Tape Conductor . . . . .	H. Yamada, N. Harada, T. Iwamoto, K. Sugai, M. Tsuda, and T. Hamajima	1113	
Pinning Strength and Irreversibility Fields of Nb-Ti Multifilamentary Composites with Different Artificial Pins . . . . .	Y. Zhu, O. Miura, and D. Ito	1117	
<b>High Tc Superconductors</b>			
Effect of $\gamma$ -Irradiation on Silver-Sheathed Bi <sub>1.6</sub> Pb <sub>0.4</sub> Ba <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> Tapes . . . . .	B. A. Albiss and A. R. El-Ali	1121	
Thermal Conductivity, Thermal Diffusivity and Thermoelectric Power of Sm-Based Bulk Superconductors . . . . .	H. Fujishiro and S. Kohayashi	1124	
Batch Testing of BSCCO 2212 Cable in Subcooled Liquid Nitrogen . . . . .	A. K. Ghosh, R. Gupta, W. B. Sampson, T. Hasegawa, R. M. Scanlan, and R. S. Sokolowski	1128	
Magnetic Properties of Fluorinated Pb-doped Hg-1223 High $T_c$ Superconductors . . . . .	N. M. Hamdan, P. V. P. S. S. Sastry, and J. Schwartz	1132	
HTS Conductors for Magnets . . . . .	T. Hasegawa, T. Koizumi, Y. Hikichi, T. Nakatsu, R. M. Scanlan, N. Hirano, and S. Nagaya	1136	
Effects of Strain on the Critical Current of Bi-2223/Ag Tapes . . . . .	H. Kitaguchi, J.-i. Nishioka, T. Hasegawa, K. Itoh, H. Kumakura, K. Togano, and H. Wada	1141	
Industrial High Temperature Superconductors: Perspectives and Milestones . . . . .	L. J. Masur, J. Kellers, F. Li, S. Fleshler, and E. R. Podlubny	1145	
Local $J_C$ and Microstructures of Multilayer Bi-2212 Composite Tape . . . . .	A. Matsumoto, H. Kitaguchi, B. Metz, B. ten Haken, T. Hasegawa, T. Koizumi, H. Hiroaki, K. Kumakura, and K. Togano	1151	
Thermal Stability of Oxide Superconductor at Various Temperatures . . . . .	G. Nishijima, S. Awaji, S. Murase, S. Shimamoto, and K. Watanabe	1155	
Studies on High Temperature Superconducting Permanent Magnet . . . . .	M. Qiu, S. Han, L. Z. Lin, and G. M. Zhang	1159	
Flux Dynamic Behavior Inside HTS Bulks Under Rotating Magnetic Field . . . . .	M. Qiu, L. Z. Lin, G. M. Zhang, Y. S. Wang, and L. Y. Xiao	1163	
Current Distribution in High-Tc Composite Tapes . . . . .	Y. Wang, L. Xiao, L. Lin, S. Dai, and M. Qiu	1167	
Homogenous Magnetic Field Generation by High-Tc Oxide Superconductors . . . . .	K. Yokoyama, Y. Fujine, S. Fujinuma, K. Noto, and M. Yamaguchi	1171	
<b>Normal Conducting High Strength Conductors</b>			
Properties of High Strength Cu-Nb Conductor for Pulsed Magnet Applications . . . . .	K. Han, V. J. Toplosky, R. Walsh, C. Swenson, B. Lesch, and V. I. Pantsyrnyi	1176	
Recent Progress in the Development of Ultra High Strength "Continuous" Cu/Nb and Cu/Ta Conductors for Non-Destructive Pulsed Fields Higher Than 80 T . . . . .	L. Thilly, F. Lecouturier, G. Coffe, and S. Askénazy	1181	
Investigation on the CuNb "in-situ" Microcomposites Conductivity During the Process of Tensile Testing . . . . .	A. Shikov, V. Pantsyrnyi, A. Nikulin, N. Kozlenkova, M. Polikarpova, and N. Khlebova	1185	
Status and Perspectives for Microcomposite Winding Materials for High Field Pulsed Magnets . . . . .	V. I. Pantsyrnyi	1189	
Annealing Effects on the Electrical and Superconducting Properties of a Cu-15vol%Nb Composite Conductor . . . . .	M. J. R. Sandim, C. Y. Shigue, L. G. Ribeiro, M. Filgueira, and H. R. Z. Sandim	1195	

**Cable Manufacture**

Bond and Electron Beam Welding Quality Control of the Aluminum Stabilized and Reinforced CMS Conductor by Means of Ultrasonic Phased-Array Technology . . . . .	<i>J. Neuenschwander, B. Blau, I. L. Horvath, Th. Lüthi, and H. Marti</i>	1199
Manufacturing Experience for the LHC Inner Triplet Quadrupole Cables . . . . .	<i>R. M. Scanlan, H. C. Higley, R. Bossert, J. Kerby, A. K. Ghosh, M. Boivin, and T. Roy</i>	1203
The Production of the Superconducting Conductor for the TFCI . . . . .	<i>V. Sytnikov, N. Cheverev, S. Egorov, O. Filatov, S. Gavrilov, A. Malkov, I. Rodin, A. Rychagov, A. Shikov, V. Shpeizman, M. Suhanova, and A. Taran</i>	1207
The Development of the Welding Process for the Long Length CICC Jacket Production . . . . .	<i>A. Taran, S. Egorov, A. Grigoriev, V. Mitrochin, B. Ryabichenko, and V. Sytnikov</i>	1211
Production and Qualification of 40 km of Al-Stabilized NbTi Cable for the ATLAS Experiment at CERN . . . . .	<i>G. Baccaglioni, B. Blau, G. C. Cartegni, I. L. Horvath, J. Neuenschwander, D. Pedrini, L. Rossi, and G. Volpini</i>	1215

**Ferromagnetic Materials**

Toward the Production of 50 000 Tonnes of Low-Carbon Steel Sheet for the LHC Superconducting Dipole and Quadrupole Magnets . . . . .	<i>S. Babic, S. Comel, F. Beckers, F. Brixhe, G. Peiro, and T. Verbeeck</i>	1219
--	---	------

**Insulation Materials**

CeO <sub>2</sub> -ZrO <sub>2</sub> Insulation Coatings on Ag/AgMg Sheathed Bi-2212 Superconducting Tapes by Sol-Gel Process for Magnet Technology . . . . .	<i>E. Celik, Y. Akin, E. Avci, W. Sigmund, and Y. S. Hascicek</i>	1223
Development and Study of Insulation Systems for Nb <sub>3</sub> Sn Accelerator Magnets . . . . .	<i>N. I. Andreev, D. R. Chichili, I. M. Terechkine, and A. V. Zlobin</i>	1227
Insulation Systems for Nb <sub>3</sub> Sn Accelerator Magnet Coils Manufactured by the Wind and React Technique . . . . .	<i>A. Devred</i>	1232
Tests on JET TF Coil Insulation . . . . .	<i>J. R. Last, J. S. Jeskins, A. S. Kaye, and V. Riccardo</i>	1238
A Voluminized Fiber-Glass Insulation for Large Superconducting Magnets . . . . .	<i>R. Musenich, C. D'Urzo, P. Fabbricatore, S. Farinon, C. Priano, N. Torrani, G. Varni, and C. Zunino</i>	1242

**Structural Materials**

Mechanical Properties of MP35N as a Reinforcement Material for Pulsed Magnets . . . . .	<i>K. Han, A. Ishmaku, Y. Xin, H. Garmestani, V. J. Toplosky, R. Walsh, C. Swenson, B. Lesch, H. Ledbetter, S. Kim, M. Hundley, and J. R. Sims, Jr.</i>	1244
Development of Non-Magnetic High Manganese Cryogenic Steel for the Construction of LHC Project's Superconducting Magnet . . . . .	<i>Y. Ozaki, O. Furukimi, S. Kakihara, M. Shiraishi, N. Morito, and K. Nohara</i>	1248
Characteristics of the Austenitic Steels Used in the LHC Main Dipoles . . . . .	<i>C. Lanza and D. Perini</i>	1252
First Experience in the Mass Production of Components for the LHC Dipoles . . . . .	<i>P. Fessia, C. Lanza, D. Perini, and T. Verbeeck</i>	1256

**Others**

Development of a Copper Coating Suitable for Application on the Nonplanar W7-X Coils . . . . .	<i>H. Scheller, K. Heyn, R. Nittka, A. Kramer, P. Schäfer, and E. Theisen</i>	1261
--	---	------

**Instrumentation**

A Device for Measuring High Current at Cryogenic Temperatures . . . . .	<i>C. Berriaud and A. Donati</i>	1264
The Standard Instrumentation Feedthrough System for the LHC Cryo-Magnets . . . . .	<i>D. Bozzini</i>	1269
Development of YBaCuO Bulk Superconductor for Use as Low Magnetic Field Sensor . . . . .	<i>G. L. Oliveira, C. A. M. dos Santos, C. Y. Shigue, and A. J. S. Machado</i>	1272

**Current Leads and the bus-bars**

Current Leads for the LHC Magnet System . . . . .	<i>A. Ballarino</i>	1275
Test Results of a 10 kA Current Lead Using Ag/Au Cladded Bi-2212 Tubes . . . . .	<i>A. M. Fuchs, R. Wesche, A. Anghel, F. Roth, R. Heller, and M. Tasca</i>	1281
Development of High Temperature Superconductor Current Leads for 70 kA . . . . .	<i>R. Heller, G. Friesinger, A. M. Fuchs, and R. Wesche</i>	1285
20.5 kA Current Leads for ATLAS Barrel Toroid Superconducting Magnets . . . . .	<i>A. V. Dudarev, H. H. J. ten Kate, E. W. Boxman, V. E. Keilin, N. Ph. Kopeikin, I. A. Kovalev, A. N. Kuljamzin, V. R. Romanovskii, V. I. Shcherbakov, I. O. Shugaev, and V. V. Stepanov</i>	1289
Cryocooler Cooled HTS Current Leads for a 1 MJ/1 MW-Class SMES System . . . . .	<i>M. Mariani, M. Ariante, A. Matrone, E. Petrillo, R. Quarantiello, F. Barberis, L. Martini, C. Pincella, G. Canepa, P. Ferrari, L. Ottonello, and F. Vivaldi</i>	1293
Low-Loss HTS Current Leads for Magnet Applications . . . . .	<i>L. F. Martini, F. Barberis, L. Bigoni, F. Curcio, and R. Berti</i>	1297

Comparative Analysis of Design Options for Current Leads for Wendelstein 7-X Magnet System . . . . .	A. V. Gavrilin, J. R. Miller, F. Schauer, and S. W. Van Sciver	1301
Design and Manufacture of the Superconducting Bus-Bars for the LHC Main Magnets . . . . .	L. Belova, M. Genet, J.-L. Perinet-Marquet, P. Ivanov, and C. Urpin	1305
Development of a 600 A HTS Current Lead Using Modular Design . . . . .	H. Scheller, R. Rothfeld, F. Werfel, and M. Gehring	1310
Current Distribution in a Reusable Junction for W7-X Coil Tests . . . . .	T. Schild, J. Germain, J. B. Berton, B. Dupont, and A. Forgeas	1313
Mechanical Properties and Reinforcement of Bi-2212 Tubular Bulk Superconductor for Current Lead . . . . .	H. Tamura, T. Mito, A. Iwamoto, Y. Yamada, and K. Tachikawa	1319
8-kA HTS Current Leads for 1.9 K Test Facility at KEK . . . . .	T. Bohno, Y. Yasukawa, S. Nose, M. Konno, I. Itoh, K. Tsuchiya, N. Kimura, M. Iida, T. Nakamoto, T. Ogitsu, H. Ohhata, T. Shintomi, S. Sugawara, K. Tanaka, and A. Yamamoto	1323
Stable Long-Term Operation of Superconducting Current-Feeder System for the LHD . . . . .	S. Yamada, T. Mito, R. Maekawa, H. Chikaraishi, S. Moriuchi, T. Uede, H. Hiue, Y. Yasukawa, I. Itoh, T. Satow, and O. Motojima	1328
Performance Test of Bi-2212 HTS Current Leads Prepared by the Diffusion Process . . . . .	Y. Yamada, O. Suzuki, M. Enomoto, K. Tachikawa, H. Tamura, A. Iwamoto, and T. Mito	1332
<b>Cryogenics</b>		
First Cryogenic Testing of the ATLAS Superconducting Prototype Magnets . . . . .	N. Delruelle, A. Dudarev, F. Haug, C. Mayri, J.-P. Orlic, G. Passardi, Q. Pirotte, and H. ten Kate	1336
Longitudinal Temperature Distribution in Superconducting Power Cables with Counter-Flow Cooling . . . . .	S. Fuchino, M. Furuse, and N. Higuchi	1339
Loss of Vacuum Experiments on a Superfluid Helium Vessel . . . . .	S. M. Harrison	1343
Test Results of Long Term Operation of the Superfluid-Cooled Cryostat for an 1 GHz NMR Spectrometer . . . . .	S. Ito, T. Miki, M. Yoshikawa, M. Hamada, Y. Kawate, S. Hayashi, A. Sato, T. Kiyoshi, F. Matsumoto, H. Nagai, H. Wada, S. Fukui, and T. Noguchi	1347
Cryocooler Assisted Cryostat for a 4 Split-Coil NbTi Magnet . . . . .	E. Petrillo, M. Ariante, M. Mariani, G. Masullo, A. Matrone, and R. Quarantiello	1351
Cryogenic Systems for Large Research Projects . . . . .	H. H. Quack	1355
Improvement on Cooling Performance in He II Channel Using Fountain Effect . . . . .	M. Takahashi, A. Senzaki, T. Murakami, and T. Okamura	1359
Heat Transfer on a Flat Plate at One End of a Series-Connected Rectangular Duct in Pressurized He II . . . . .	H. Tatsumoto, K. Hata, K. Hama, Y. Shirai, and M. Shiotsu	1364
Numerical Simulation of Two-Phase Helium II Stratified Flow in Cryogenic Units of TESLA . . . . .	Y. Xiang, S. Wolff, B. Petersen, and S. W. Van Sciver	1368
<b>Powering and Protection</b>		
Estimation of Electrical Parameters of Large-Scale Superconducting Coil System for Fusion Plasma Experimental Facility . . . . .	H. Chikaraishi, T. Inoue, S. Takami, S. Imagawa, K. Takahata, N. Yanagi, S. Yamada, and T. Satow	1374
Operational Loss Reduction Using Power-MOSFET for Magnetic Field Coil Power Supplies of Nuclear Fusion Experimental Machine . . . . .	T. Matsukawa, M. Shioyama, C. Neumeyer, S. Tsuji-Iio, and R. Shimada	1378
Quench Protection for the Superconducting Magnet System of WENDELSTEIN 7-X . . . . .	T. Rummel, O. Gaupp, G. Lochner, and J. Sapper	1382
Single-Phase Resistive Superconductor Electrical Current Limiter . . . . .	R. P. Homrich, E. R. Filho, D. G. Pinatti, C. A. Baldan, and C. Y. Shigue	1386
Protection of Superconducting Magnets . . . . .	J. H. Schultz	1390
Active Control of Current Distribution and Stability of Superconducting Magnet by Subdividing the Conductor . . . . .	K. Yamagishi, X. Q. Xie, and O. Tsukamoto	1396
<b>Others</b>		
Characteristics of Surface Spark-Over Voltage for Several Waveforms on Solid Insulators in Cryogenic Coolants . . . . .	M. Chiba, H. Uematsu, and T. Nitta	1400
<b>Electromagnetics</b>		
Parametric Quadrilateral Meshes for the Design and Optimization of Superconducting Magnets . . . . .	M. Aleksa, S. Russenschuck, and C. Völlinger	1404

Modeling a Multistrand SC Cable with an Electrical DC Lumped Network . . . . .	F. Bellina, D. Boso, B. A. Schrefler, and G. Zavarise	1408
Improvement of MRI Magnet Design Through Sensitivity Analysis . . . . .	V. Cavaliere, M. Cioffi, A. Formisano, and R. Martone	1413
The Multipoles Factory: An Element of the LHC Control . . . . .	S. Amet, L. Bottura, L. Deniau, and L. Walckiers	1417
Transient Behavior of Bi2223/Ag HTS Tape for Sharp Rising Current . . . . .	T. Hemmi, A. Ninomiya, T. Ishigohka, K. Kurahashi, K. Arai, H. Yamaguchi, M. Umeda, and K. Kaiho	1422
Model of Heat Deposition During Fast Discharge Tests of the ITER Toroidal Field Model Coil . . . . .	P. Hertout, A. Bleyer, J. L. Duchateau, A. Martinez, and S. Nicollet	1426
Design of an Iron Dominated Quadrupole Magnet with a High Pole-Tip Flux Density . . . . .	A. Chernosvitov, A. Kalimov, and H. Wollnik	1430
Application of Response Surface Methodology to Robust Design for Racetrack Type High Temperature Superconducting Magnet . . . . .	Y.-K. Kim, J.-P. Hong, G.-H. Lee, and Y.-S. Jo	1434
Current-Voltage Characteristics of an HTS Coil Having a Hot Spot . . . . .	A. Korpela, T. Kalliohaka, J. Lehtonen, R. Mikkonen, J. Pitel, and P. Kováč	1438
Numerical Simulation of Superconducting Accelerator Magnets . . . . .	S. Kurz and S. Russenschuck	1442
Investigation of the Transient Electrical Behavior of the ITER Central Solenoid Model Coil (CSMC) During Safety Discharge . . . . .	C. Meinecke, A. M. Miri, A. Ulbricht, and S. Fink	1448
Possible Causes of the Premature Voltage Gradient of the CS Insert Coil . . . . .	N. Mitchell	1453
An Optimal Design Method for SMES Coils Using HTS Tapes . . . . .	S. Noguchi, H. Yamashita, and A. Ishiyama	1459
Eddy Currents and Their Effects on the Mechanical Structures of the Dynamic Ergodic Divertor of the TEXTOR 94 Tokamak . . . . .	F. A. F. H. Bohn, G. Czymek, B. Giesen, O. Neubauer, S. B. E. Bondarchuk, N. Doinikov, V. Filatov, B. Kitaev, N. Maksimenkova, T. Obidenko, and A. Panin	1463
3-D Optimal Shape Design of Ferromagnetic Pole in MRI Magnet of Open Permanent-Magnet Type . . . . .	D.-H. Kim, B.-S. Kim, J.-H. Lee, W.-S. Nah, and I.-H. Park	1467
Shape Design Sensitivity for Force Density Distribution of Magnetic Systems . . . . .	S.-H. Lee, D.-H. Kim, J.-H. Lee, B.-S. Kim, and I.-H. Park	1471
Theoretical Analysis of HTS Windings Made of Bi(2223)/Ag Tapes Prepared by a Tape-in-Rectangular Tube Technique . . . . .	J. Pitel, P. Kováč, K. Hense, and H. Kirchmayer	1475
Contribution of Iron Yoke on Helical Coils . . . . .	T. Tominaka, M. Okamura, and T. Katayama	1479
Magnet Calculations at the Grenoble High Magnetic Field Laboratory . . . . .	Ch. Trophime, K. Egorov, F. Debray, W. Joss, and G. Aubert	1483
Mathematical Approach to Current Sharing Problem of Superconducting Triple Strands . . . . .	H. Tsutsui, S. Nomura, R. Shimada, and S. Tsuji-Iio	1488
Compensation of Magnetization Effects in Superconducting Accelerator Magnets . . . . .	C. Völlinger, M. Aleksa, and S. Russenschuck	1492
<b>Mechanics</b>		
Development and Manufacture of the Coil End Spacers of the LHC Pre-Series Dipoles . . . . .	E. Farina, P. Fessia, D. Perini, A. Schiappapietra, and L. Seneé	1496
The Use of a New Modular Approach in the Mechanical Design of Superconducting Magnets . . . . .	C. Gourdin, L. Champaney, and P. Védrine	1501
Mechanical Structure Analysis of a Compact Superconducting Wavelength Shifter . . . . .	F. Z. Hsiao, C. S. Hwang, and C. H. Chang	1505
Dynamic Vibration Analysis of Switched Reluctance Motor Using Magnetic Charge Force Density and Mechanical Analysis . . . . .	J.-H. Lee, Y.-H. Lee, D.-H. Kim, K.-S. Lee, and I.-H. Park	1511
The Thermal and Magnetic Stress Analyses of the ATLAS Barrel Toroid-B0 Coil . . . . .	Z. Sun, R. Berthier, A. Daël, C. Mayri, C. Pès, and M. Reytier	1515
<b>Thermodynamics</b>		
Investigation of Index Heating as Source of Quench in the NHMFL 45-T Hybrid Superconducting Outsert . . . . .	S. Mao, C. A. Luongo, and J. R. Miller	1520
Transient Stability Analysis of the SeCRETS Experiment in SULTAN . . . . .	C. Marinucci, L. Bottura, and P. Bruzzone	1524
Application of the Code THEA to the CONDOPT Experiment in SULTAN . . . . .	L. Bottura, C. Marinucci, and P. Bruzzone	1528
Method for Determination of the Conductor Current Sharing Temperature Using Traveling Heat Slug in the ITER TFMC . . . . .	A. Martinez and J.-L. Duchateau	1533

Thermohydraulic Behavior of the WENDELSTEIN 7-X Magnet System . . . . .	<i>M. Nagel and F. Schauer</i>	1537
Influence of Inlet Pressure and Mass Flow Rate on the Temperature Rise of Superconducting Strands in SSTF Under the Normal Operating Conditions . . . . .	<i>C. S. Yoon, Q. Wang, Y. S. Suh, S. W. Choi, W. Chung, H. Park, and K. Kim</i>	1541
<b>Quench Analysis</b>		
Improved Quench Characteristics of Superconducting Racetrack Coil via Shape Modification . . . . .	<i>S.-K. Baik, M.-H. Sohn, R.-K. Ko, Y.-K. Kwon, H.-J. Kim, E.-Y. Lee, and Y.-S. Jo</i>	1545
The Normal Zone Propagation in ATLAS B00 Model Coil . . . . .	<i>E. W. Boxman, A. V. Dudarev, and H. H. J. ten Kate</i>	1549
Simulation of the Effect of a Series of Superconducting Magnets on a Quenching Magnet Using a Controlled Current Pulse . . . . .	<i>A. Hilaire, A. Ijspeert, and J. C. Perez</i>	1553
Prediction of the Quench Current of a Large Magnet with a Small Model Test . . . . .	<i>E. Yu. Klimentko and S. I. Novikov</i>	1557
High Current Arc Accidents in Superconducting Magnets . . . . .	<i>V. E. Keilin, B. N. Kolbasov, and S. A. Lelekhov</i>	1561
Conduction Crisis and Quench Dynamics in Cryocooler-Cooled HTS Magnets . . . . .	<i>Y. Lvovsky</i>	1565
Current Redistribution Under Imbalanced Condition in Cable-in-Conduit Conductors . . . . .	<i>T. Mori, K. Takahata, and A. Nishimura</i>	1570
Deployment of MAGS, a Comprehensive Tool for Magnet Design and Safety Analysis, for Quench and Arc Simulation of an ITER-FEAT Coil . . . . .	<i>V. Pasler, G. Bönisch, R. Meyder, and G. Schmitz</i>	1574
Current Degradation of Multi-Strand Superconducting Cable Caused by Non-Ideal Inductive Coupling Between Its Components . . . . .	<i>V. R. Romanovskii</i>	1578
Investigation of the Cylindrical Superconducting Coil Quench Behavior . . . . .	<i>P. Surdacki and T. Janowski</i>	1582
Quench Analysis of RIKEN Superconducting Ring Cyclotron . . . . .	<i>T. Tominaka, N. Fukunishi, A. Goto, J. Ohnishi, H. Okuno, and Y. Yano</i>	1587
Simulation on Helium Expansion and Quench in CICC for KSTAR with Moving Mesh Methods . . . . .	<i>Q. Wang, J. He, C. S. Yoon, W. Chung, and K. Kim</i>	1591
<b>AC Losses</b>		
A.C. Loss in a Stack of Flat Superconducting Cables . . . . .	<i>A. A. Akhmetov</i>	1595
Magnetization Loss Measurements of Bi-2212 Round Wires Fabricated by Stranded-and-Formed Method . . . . .	<i>N. Amemiya, Z. Jiang, K. Yamagishi, and T. Sasaoka</i>	1599
AC Losses in a BSCCO Current Lead: Comparison Between Calculation and Measurement . . . . .	<i>B. Douine, D. Netter, J. Lévéque, and A. Rezzoug</i>	1603
AC Loss and Interstrand Resistance Measurement for NbTi Cable-in-Conduit Conductor . . . . .	<i>S. Egorov, I. Rodin, A. Lancetov, A. Bursikov, M. Astrov, S. Fedotova, Ch. Weber, and J. Kaugerts</i>	1607
Investigation of AC Loss Characteristics of Bi2223 Twisted Multifilamentary Tape . . . . .	<i>S. Fukui, M. Ikeda, T. Yoshida, T. Sato, and M. Yamaguchi</i>	1612
Long Time Constants of Irregular AC Coupling Losses in a Large Superconducting Coil . . . . .	<i>T. Hamajima, N. Harada, T. Satow, H. Shimamura, K. Takahata, and M. Tsuda</i>	1616
Influence of Bending Strain on Transverse-Field Losses in NbTi Multifilamentary Superconducting Wires with Cu Matrix . . . . .	<i>S. Kawabata and H. Tsuzura</i>	1620
Magnetic Field and Magnetization Loss Calculation in an HTS Transmission Cable Considering the Axial Field Component of SC Tape . . . . .	<i>J.-k. Lee and G. Cha</i>	1624
Characteristics of AC Transport Current Losses in YBCO Coated Conductors and Their Dependence on Distributions of Critical Current Density in the Conductors . . . . .	<i>D. Miyagi and O. Tsukamoto</i>	1628
Effect of Ferromagnetic Rings on Critical Current and AC Losses of a Coil Made From Bi-2223/Ag Tape . . . . .	<i>M. Polak, P. Usak, L. Jansak, J. Kvirkovic, Z. Timoransky, and F. Zizek</i>	1632
Relation Between Inter-Sub-Cable Contact Resistance and Coupling Loss in Multiple-Stage Stranded Cable . . . . .	<i>K. Seo, K. Fukuhara, and M. Hasegawa</i>	1635
Mechanical Losses and Frictional Properties of Bobbin Surfaces in AC Superconducting Coils . . . . .	<i>T. Takao, T. Shoji, K. Kashiwazaki, A. Yamanaka, M. Takeo, and S. Sato</i>	1639
Influence of Current Distribution on Conductor Performance in Coaxial Multi-Layer HTS Conductor . . . . .	<i>M. Tsuda, A. K. M. Alamgir, Y. Ito, T. Harano, N. Harada, T. Hamajima, M. Ono, and H. Takano</i>	1643
<b>Field Measurements</b>		
Bench Testing of Magneto-Optic Polarimeters for Long-Pulsed Fusion Devices . . . . .	<i>T. Akiyama, R. Shimada, M. Takahashi, K. Terai, S. Tsuji-Iio, and H. Tsutsui</i>	1647
Optimization Analyses of the Magnetic Measurements on Multistrand SC Cables . . . . .	<i>F. Bellina, P. Bettini, and F. Trevisan</i>	1651

Novel Approaches Toward the Development of Hall Sensor-Based Magnetometric Devices for Charged Particle Accelerators . . . . .	<i>I. Bolshakova, R. Holyaka, and C. Leroy</i>	1655
Magnetic Measurement of Alignment of Main LHC Dipoles and Associated Correctors . . . . .	<i>L. Bottura, M. Buzio, G. Deferne, P. Schnizer, P. Sievers, and N. Smirnov</i>	1659
Warm Magnetic Field Measurements of Prototype Low- $\beta$ Quadrupole Magnet MQXA for the LHC Interaction Regions . . . . .	<i>H. Hirano, N. Ohuchi, Y. Ajima, T. Ogitsu, T. Shintomi, K. Tsuchiya, and A. Yamamoto</i>	1663
Self Field Measurements by Hall Sensors on the SeCRETS Long Sample CICCs in SULTAN . . . . .	<i>Yu. A. Ilyin, A. Nijhuis, H. H. J. ten Kate, and P. Bruzzone</i>	1667
Influence of Neutron Irradiation on the Parameters of Field Hall Plates . . . . .	<i>V. K. Makoveev, M. M. Filatov, V. P. Goncharov, A. V. Karpukhin, V. M. Lachinov, A. V. Leonov, and V. N. Mordkovich</i>	1672
Analysis of the Current Distribution in the ITER CS-Insert Model Coil Conductor by Self Field Measurements . . . . .	<i>A. Nijhuis, Yu. A. Ilyin, and H. H. J. ten Kate</i>	1675
A Tool for Simulating Rotating Coil Magnetometers . . . . .	<i>L. Bottura, M. Buzio, P. Schnizer, and N. Smirnov</i>	1680
The Measurement Bench for the LHC Spool Corrector Magnets in Industry . . . . .	<i>A. Arn, S. A. Arshad, C. Giloux, F. Patru, H. Reymond, R. Senis, and L. Walckiers</i>	1684
A System for Series Magnetic Measurements of the LHC Main Quadrupoles . . . . .	<i>N. Smirnov, L. Bottura, F. Chiusano, O. Dunkel, P. Legrand, S. Schloss, P. Schnizer, and P. Sievers</i>	1688
Analytical Calculation of Field Error Due to Radial Coil Distortions of the LHC Low-Beta Quadrupole Magnets . . . . .	<i>K. Sugita, T. Ogitsu, T. Nakamoto, N. Ohuchi, H. Hirano, T. Shintomi, K. Tsuchiya, and A. Yamamoto</i>	1693
<b>Stress/Strain Measurements</b>		
Performance Test of a CuNb Reinforced (Nb, Ti) <sub>3</sub> Sn Coil Fabricated by the React and Wind Method . . . . .	<i>S. Awaji, K. Watanabe, G. Nishijima, K. Takahashi, M. Motokawa, K. Jikihara, H. Sugizaki, and J. Sakuraba</i>	1697
Mechanical Characterization of the Tie Rods for the ATLAS B0 Model Coil . . . . .	<i>F. Alessandria, F. Broggi, and M. Todero</i>	1701
Modeling of Coil Pre-Stress Loss During Cool-Down in the Main Dipoles of the Large Hadron Collider . . . . .	<i>P. Ferracin, W. Scandale, E. Todesco, and D. Tommasini</i>	1705
Analysis of Conductor Displacements in the Coil of the LHC Main Dipole by Speckle Interferometry . . . . .	<i>P. Ferracin, P. Rastogi, W. Scandale, E. Todesco, and P. Tropea</i>	1709
<b>Measurements of Geometry and Alignment</b>		
Influence of Geometrical Parameters on the Flexural Rigidity of the LHC Dipole Cold Mass Assembly . . . . .	<i>M. Bajkó, R. Chamizo, and A. Pardons</i>	1713
Metrology of the LHC Dipole Cold Masses . . . . .	<i>M. Bajkó, A. Pardons, and F. Savary</i>	1718
Analysis of Lamination Measurements for CERN's Twin Aperture Quadrupoles . . . . .	<i>G. S. Clark</i>	1723
Impact of Coil Deformations on Field Quality in the Large Hadron Collider Main Dipole . . . . .	<i>P. Ferracin, O. Pagano, V. Remondino, W. Scandale, E. Todesco, and D. Tommasini</i>	1727
A Novel Device for the Measurement of the Mechanical and Magnetic Axes of Superconducting Magnet Assemblies for Accelerators . . . . .	<i>J. Garcia-Perez, S. Aznar, J. Billan, F. Fischer, P. Galbraith, S. Goy, N. Mermilliod, G. Peiro, G. Patti, and C. Rathjen</i>	1731
Optical <i>In-Situ</i> Measurement of Relative Deformations of the LHC Main Dipole Cold Masses . . . . .	<i>S. Aznar, J. Billan, J. Garcia Perez, M. La China, P. Ferracin, S. Redaelli, W. Scandale, and E. Todesco</i>	1736
<b>Others</b>		
A Detailed Study of the Design, Construction and Cryo-Operation of an HTS Magnet . . . . .	<i>P. E. Richens and H. Jones</i>	1741
Strand Movements in Cable-in-Conduit Conductors . . . . .	<i>K. Takahata and T. Satow</i>	1747
A Study on the Forming of CICC for the Superconducting Tokamac Device with Post-Forming Predictions via Virtual Manufacturing . . . . .	<i>Y. S. Suh, C. S. Yoon, S. W. Choi, H. Park, and K. Kim</i>	1751
An Evaluation of Mechanical Properties of YBaCuO and (Sm,Gd)BaCuO Bulk Superconductors Using Vickers Hardness Test at Cryogenic Temperatures . . . . .	<i>Y. Yoshino, A. Iwabuchi, K. Katagiri, K. Noto, N. Sakai, and M. Murakami</i>	1755

