# Combination of Searches for Resonant Higgs Boson Pair Production Using $pp$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector

G. Aad *et al.*[*]

(ATLAS Collaboration)

A combination of searches for a new resonance decaying into a Higgs boson pair is presented, using up to 139 fb$^{-1}$ of $pp$ collision data at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector at the LHC. The combination includes searches performed in three decay channels: $b\bar{b}b\bar{b}$, $b\bar{b}\tau^+\tau^-$, and $b\bar{b}\gamma\gamma$. No excess above the expected Standard Model background is observed and upper limits are set at the 95% confidence level on the production cross section of Higgs boson pairs originating from the decay of a narrow scalar resonance with mass in the range 251 GeV–5 TeV. The observed (expected) limits are in the range 0.96–600 fb (1.2–390 fb). The limits are interpreted in the type-I two-Higgs-doublet model and the minimal supersymmetric standard model, and constrain parameter space not previously excluded by other searches.

The discovery of a Higgs boson ($h$) with a mass of about 125 GeV at the Large Hadron Collider (LHC) in 2012 [1,2] has initiated a major effort to understand the possible connections of this particle with new physics phenomena. In particular, the possibility that heavy particles beyond the standard model (SM) may couple to the Higgs boson has attracted much attention. This possibility is particularly compelling because scalar particles like the Higgs boson are dimension-one operators. Such operators allow couplings between new particles and the Higgs boson that are unsuppressed by higher energy scales [3]. These couplings could give rise to sizable effects evading indirect constraints from other searches. Related signatures in which a heavy particle decays into a Higgs boson pair ($hh$) are commonplace in almost all extensions of the Higgs sector, including models with additional weak isospin singlets, doublets, or triplets [4–7], and in more exotic models, e.g., models with extra dimensions [8]. This type of resonant $hh$ production typically has a cross section that is several orders of magnitude larger than the SM nonresonant $hh$ production [9], depending on the model.

This Letter presents the combination of searches for resonant Higgs boson pair production in three $hh$ decay channels: four $b$ jets ($b\bar{b}b\bar{b}$), two $b$ jets and two $\tau$ leptons ($b\bar{b}\tau^+\tau^-$), and two $b$ jets and two photons ($b\bar{b}\gamma\gamma$). These decay modes provide better sensitivity to Higgs boson pair production than other channels because they either have

large Higgs boson branching ratios or are easy to discriminate from background processes. The searches under consideration use the LHC run-2 dataset corresponding to an integrated luminosity of up to 139 fb$^{-1}$ of proton-proton ($pp$) collision data recorded with the ATLAS detector at a center-of-mass energy of $\sqrt{s} = 13$ TeV. The ATLAS experiment at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and nearly $4\pi$ coverage in solid angle [10–12], and uses an extensive software suite [13] for both simulation and data analysis.

Previous combinations of searches for resonant Higgs boson pair production were performed using only part of the LHC run-2 dataset corresponding to up to 36.1 fb$^{-1}$ of $pp$ collision data. The ATLAS Collaboration combined the decay modes $b\bar{b}b\bar{b}$, $b\bar{b}W^+W^-$, $b\bar{b}\tau^+\tau^-$, $W^+W^-W^+W^-$, $b\bar{b}\gamma\gamma$, and $W^+W^-\gamma\gamma$ [14], and the CMS Collaboration combined the decay modes $b\bar{b}b\bar{b}$, $b\bar{b}W^+W^-$, $b\bar{b}ZZ$, $b\bar{b}\tau^+\tau^-$, and $b\bar{b}\gamma\gamma$ [15]. More recently, new searches were performed using the LHC run-2 dataset in the $b\bar{b}b\bar{b}$, $b\bar{b}\tau^+\tau^-$, and $b\bar{b}\gamma\gamma$ decay channels by the ATLAS Collaboration [16–18] and in the $b\bar{b}b\bar{b}$, $b\bar{b}W^+W^-$, $b\bar{b}\tau^+\tau^-$, $W^+W^-W^+W^-$, $W^+W^-\tau^+\tau^-$, and $\tau^+\tau^-\tau^+\tau^-$ decay channels by the CMS Collaboration [19–21]. These searches focus on a particle with mass greater than 250 GeV produced via gluon-gluon fusion whose natural width is small compared with the experimental mass resolution. Gluon-gluon fusion is chosen because it is typically a dominant production mechanism for this signature in most extensions of the Higgs sector.

Monte Carlo simulated signal samples for a new, narrow scalar resonance $X$ that is produced via gluon-gluon fusion and decays into $hh$ ($X \to hh$), are generated at leading order accuracy in the strong coupling constant using the

[*]Full author list given at the end of the Letter.

MADGRAPH5_aMC@NLO v 2.6.1 package [22] with the NNPDF2.3lo parton distribution function set [23]. The event generator is interfaced with the HERWIGv7.1.3 program [24,25] to model the parton shower, hadronization, and underlying event. Different samples are generated in which the $X$ particle mass, $m_X$, is varied in the range 251 GeV–5 TeV. Its natural width is set to 10 MeV, which is negligible compared with the experimental mass resolution, and the mass of the Higgs boson, $m_h$, is set to 125 GeV. The interference with nonresonant $hh$ production is neglected. The interference is negligible for the combined cross section upper limits that are presented in this Letter, due to the narrowness of the assumed $X$ resonance width. For the interpretation, neglecting the interference is an approximation. Descriptions of the data and simulation samples used to model backgrounds from SM processes can be found in Refs. [16–18].

Each of the three decay channels included in this combination provides the highest sensitivity in the search for resonant $hh$ production for a portion of the $m_X$ range considered. The $b\bar{b}b\bar{b}$ final state has the highest branching ratio (33.9%) and is the most sensitive channel for high resonance masses ($m_X \gtrsim 800$ GeV), but the need to impose high $p_T$ $b$-jet trigger thresholds, the ambiguity in the assignment of $b$-jets to Higgs boson candidates, and the large multijet background reduce its sensitivity at lower $m_X$. The $b\bar{b}\tau^+\tau^-$ decay has a moderate branching ratio (7.3%) and moderate background contamination and provides the best sensitivity in the intermediate resonance mass range (350 GeV $\lesssim m_X \lesssim 800$ GeV). The $b\bar{b}\gamma\gamma$ final state has the lowest branching ratio (0.3%), but benefits from the high trigger and reconstruction efficiencies for photons. Combined with an excellent diphoton mass resolution, this channel has the best sensitivity at low resonance masses ($m_X \lesssim 350$ GeV). All three channels require the presence of $b$-quark initiated jets ($b$ jets), which are identified using the DL1r algorithm [26,27] at the 77% efficiency working point. The DL1r algorithm is a deep-neural-network classifier that uses track and vertex information to classify the jet with respect to whether it contains $b$ or $c$ hadrons. At the 77% $b$-jet identification efficiency operating point, light-jet ($c$ jet) rejection factors of 170 (5) are achieved in a sample of simulated SM $t\bar{t}$ events.

The $b\bar{b}b\bar{b}$ analysis [16] is performed in two complementary channels: the resolved channel in which Higgs boson candidates are formed from four small-radius ($R = 0.4$) anti-$k_t$ jets [28,29], and the boosted channel in which the high-$p_T$ Higgs boson candidates ($p_T > 250$ GeV) are reconstructed as two separate large-radius ($R = 1.0$) anti-$k_t$ jets. The resolved channel relies on a combination of small-radius $b$-jet triggers [30,31] and uses 126 fb$^{-1}$ of data, while the boosted channel uses large-radius jet triggers [30,32] without any $b$-tagging requirement applied and uses 139 fb$^{-1}$ of data. In the resolved channel, events are required to have at least four $R = 0.4$ anti-$k_t$ $b$ jets [33,34],

and a boosted decision tree (BDT) is used to pair the $b$ jets to form the two Higgs boson candidates. In the boosted channel events are placed in the 2$b$, 3$b$, and 4$b$ categories according to the number of $b$-tagged track jets associated with each of the two $R = 1.0$ anti-$k_t$ jets that form the Higgs boson candidates. These track jets are built from inner-detector tracks clustered using the anti-$k_t$ algorithm with a variable radius and are matched to the large-radius jets using the ghost association method [35], as described in Ref. [16]. The invariant masses of the two Higgs boson candidates are used to classify events into signal, validation, and control regions. The final observable in both channels is provided by the invariant mass of the two-Higgs-boson system, which is reconstructed with a resolution of $\sim$5%–6%, thanks to the application in the analysis of a kinematic rescaling of the $h \to b\bar{b}$ system to the $h$-boson mass that improves the reconstructed $hh$ mass resolution. The search is performed in the range 251 GeV $< m_X <$ 1.5 TeV (900 GeV $< m_X <$ 5 TeV) in the resolved (boosted) channel. The two channels are made orthogonal by explicitly vetoing resolved events that appear in the boosted selection, and are statistically combined in the overlapping mass region to enhance the sensitivity of the search.

The $b\bar{b}\tau^+\tau^-$ analysis [17] defines different event categories depending on decay modes of $\tau$ leptons. The $\tau$ leptons decay into final states containing hadrons ($\tau_{had}$) or leptons ($\tau_{lep}$) [36,37], and the analysis considers Higgs boson decays into $\tau_{had}\tau_{had}$ and $\tau_{lep}\tau_{had}$. The $\tau_{had}\tau_{had}$ channel relies on single-$\tau_{had}$ and di-$\tau_{had}$ triggers [30,32], while the $\tau_{lep}\tau_{had}$ channel uses single-lepton and lepton-plus-$\tau_{had}$ triggers [30,32,38,39]. The search exploits the LHC run-2 dataset of 139 fb$^{-1}$. Events in the $\tau_{lep}\tau_{had}$ channel are categorized in two orthogonal regions depending on whether they satisfy a single-lepton trigger or a lepton-plus-$\tau_{had}$ trigger. In the $\tau_{had}\tau_{had}$ category events are required to have exactly two reconstructed $\tau_{had}$ candidates with opposite charge and no reconstructed electrons or muons, while in the $\tau_{lep}\tau_{had}$ category events are required to have exactly one electron or muon and one $\tau_{had}$ with opposite charge. In both categories exactly two $R = 0.4$ anti-$k_t$ $b$ jets are required. The analysis uses the output score of a mass-parametrized neural network [40] as the final observable in each signal region category. The neural network can discriminate the mass of a possible signal excess with a resolution of 5%–10%, depending on $m_X$. All $\tau_{had}\tau_{had}$ and $\tau_{lep}\tau_{had}$ signal regions are statistically combined in the search for resonances in the range 251 GeV $< m_X <$ 1.6 TeV.

The $b\bar{b}\gamma\gamma$ analysis [18] relies on single-photon and diphoton triggers [30,39] and uses the LHC run-2 dataset of 139 fb$^{-1}$. Events are required to have exactly two photons [41], two $R = 0.4$ anti-$k_t$ $b$ jets, and zero electrons or muons. Two BDTs are trained to separate the signal from backgrounds: one is trained against the $t\bar{t}\gamma\gamma$ background

FIG. 1. (a) Local $p$ value and (b) observed and expected upper limits at the 95% CL on the resonant Higgs boson pair production cross section as a function of the resonance mass $m_X$. The symbol $h$ denotes a SM Higgs boson with a mass 125 GeV.

and another is trained against the single Higgs boson background. The signal region selection requires the mass of the diphoton system to be compatible with the SM Higgs boson mass and the mass of the $b\bar{b}\gamma\gamma$ system to be compatible with the expectation for the corresponding signal events. In addition, different requirements are applied on a combination of the two BDT scores with a tuned coefficient across the mass hypotheses. For this combination, the $b\bar{b}\gamma\gamma$ search follows the analysis strategy detailed in Ref. [18] but extends the 251 GeV $< m_X <$ 1.0 TeV mass range used there to 251 GeV $< m_X <$ 1.3 TeV. The final discriminating variable in this channel is the diphoton invariant mass, which is reconstructed with a resolution of about 1%. The resolution of the mass of the $hh$ system in this channel is $\sim$2%–3%, for the mass range considered in this search, thanks to the excellent diphoton mass reconstruction and the use of a rescaling of the reconstructed $hh$ mass.

The results of the combination presented in this Letter are obtained from a likelihood function $L(\sigma, \vec{\theta})$, where $\sigma$ represents the parameter of interest of the model, namely, the resonant $hh$ production cross section, and $\vec{\theta}$ is a set of nuisance parameters, including the systematic uncertainty contributions and background parameters that are constrained by control regions in data. The global likelihood function $L(\sigma, \vec{\theta})$ is obtained as the product of the likelihoods of the three searches included in the combination, which are themselves products of likelihoods computed from the final observables in the single analysis categories. In this combination, the $b\bar{b}b\bar{b}$, $b\bar{b}\tau^+\tau^-$, and $b\bar{b}\gamma\gamma$ analysis signal regions are either orthogonal due to the different number and type of physics objects required in their final states, or have a negligible number of overlapping events. They are therefore treated as statistically independent. The profile-likelihood-ratio test statistic [42] is used to obtain upper limits on the cross section of resonant $hh$ production

with the $CL_s$ method [43]. For signal masses up to 3 TeV, the limits are computed using asymptotic formulae [42]. At higher masses, the asymptotic approximation is inaccurate due to the limited number of background candidates and the limits are computed by sampling pseudoexperiments.

Systematic uncertainties related to the data-taking conditions, such as those associated with the integrated luminosity and the modeling of the effect of multiple interactions in the same and neighboring bunch crossings (pileup), are considered correlated across the searches. Uncertainties related to reconstructed quantities used by multiple searches and theoretical uncertainties on simulated signal and background processes are treated as correlated where appropriate. Part of the $b$-tagging uncertainties and the signal parton shower modeling uncertainties are treated as uncorrelated due to different definitions and implementations in the individual analyses. Different uncertainties dominate the combined limit in different $m_X$ ranges. These correspond to the dominant uncertainties of the channel most sensitive to resonant masses in that range. They are photon scale and resolution, signal and background modeling from $b\bar{b}\gamma\gamma$ for low masses [18]; $Z$ plus heavy-flavor jets modeling and single-Higgs boson plus heavy-flavor jets modeling from $b\bar{b}\tau^+\tau^-$ for intermediate masses [17]; and multijet modeling, jet mass resolution, and flavor-tagging from $b\bar{b}b\bar{b}$ for high masses [16]. The total impact of the systematic uncertainties on the combined limit is between 3% and 10%, depending on $m_X$, and the impact of ignoring systematic uncertainty correlations between the three channels is of the order of 1%.

The results of the combination are compatible with the predictions from the SM backgrounds across the tested $m_X$ range from 251 GeV to 5 TeV. Figure 1(a) shows the local $p$ value as a function of $m_X$ for a narrow resonance that decays into a pair of SM Higgs bosons. The largest deviation is observed at 1.1 TeV and corresponds to a

local significance of $3.3\sigma$, which is driven mainly by the $b\bar{b}\tau^{+}\tau^{-}$ channel. The global significance of this excess is estimated to be $2.1\sigma$ using the method outlined in Ref. [44]. Figure 1(b) shows the upper limits at the 95% confidence level (CL) on the resonant $hh$ production cross section as a function of $m_X$, assuming that $h$ is the SM Higgs boson. The observed (expected) upper limits are in the range 0.96–600 fb (1.2–390 fb), depending on $m_X$. The $b\bar{b}\gamma\gamma$ search is the most sensitive at low mass, the $b\bar{b}\tau^{+}\tau^{-}$ search is the most sensitive in the 350–800 GeV range, and the $b\bar{b}b\bar{b}$ search dominates for high resonant masses, demonstrating the complementarity of these three searches. These results represent an improvement in the upper limits by a factor between two and five, depending on $m_X$, relative to the previous ATLAS combination [14]. The improvement comes not only due to the use of a larger dataset but also due to improvements in object identification and analysis techniques in background estimation.

The upper limits are interpreted in the context of the type-I two-Higgs-doublet model (2HDM) [5,45] and the minimal supersymmetric SM (MSSM) [46–50]. For these interpretations, the branching ratios of the Higgs boson are fixed to the predictions of the model under consideration.

The 2HDM is an extension of the SM with an additional Higgs doublet, leading to five Higgs bosons after electroweak symmetry breaking, three neutral and two charged. The neutral Higgs bosons, assuming charge-parity ($CP$) conservation, can be $CP$ even ($h$ and $H$, with $m_H > m_h$) or $CP$ odd ($A$). The resonant $hh$ production is assumed to come from $H \to hh$ for this interpretation. The $h$ boson is assumed to be the Higgs boson observed at the LHC with $m_h = 125$ GeV. The other Higgs bosons ($H$, $A$, $H^{\pm}$) are assumed to be mass degenerate, i.e., $m_H = m_A = m_{H\pm}$, and the Higgs potential parameter $m_{12}^2$ is fixed to $m_A^2 \tan\beta/(1 + \tan^2\beta)$, where $\tan\beta$ is the ratio of the vacuum expectation values of the two Higgs doublets.



FIG. 2. Exclusion limits at the 95% CL on the type-I 2HDM parameter space. Observed and expected limits for the combination of all channels and expected limits for each of the individual channels are presented. The 2HDM parameters are shown in the $m_H - \tan\beta$ plane for (a) $\cos(\beta - \alpha) = -0.1$ and (b) $\cos(\beta - \alpha) = 0.1$, and in the $\cos(\beta - \alpha) - m_H$ plane for (c) $\tan\beta = 1$ and (d) $\tan\beta = 10$. The $b\bar{b}\gamma\gamma$ channel limits are valid for $H$ boson natural widths $\Gamma_H/m_H < 2\%$, so limits from this channel are quoted for the parameter space that satisfies this requirement. The limits in the $b\bar{b}b\bar{b}$ and $b\bar{b}\tau^{+}\tau^{-}$ channels are only valid for $\Gamma_H/m_H < 5\%$, so no limits are quoted in the dark shaded regions, where the width exceeds this value.

FIG. 3. Observed and expected exclusion limits at the 95% CL on the MSSM parameter space for the (a) $M_{h,\mathrm{EFT}}^{125}$ and (b) $M_{h,\mathrm{EFT}}^{125}(\tilde{\chi})$ benchmark scenarios for each of the individual channels and their combination. The $b\bar{b}\gamma\gamma$ channel limits are valid for $H$ boson natural widths $\Gamma_H/m_H < 2\%$, so limits from this channel are quoted for the parameter space that satisfies this requirement. The limits do not apply in the dark shaded regions, where the mass of the lightest $CP$-even Higgs boson, $h$, is not compatible with 125 GeV within the experimental mass resolution.

No constraint is imposed on $\cos(\beta - \alpha)$, where $\alpha$ is the mixing angle between the $CP$-even Higgs bosons. It, along with $\tan\beta$ and $m_H$, is taken as a free parameter. Widths and branching ratios are calculated using the 2HDMC program [51]. The $H$ boson gluon-gluon fusion production cross section calculation uses the SUSHI package [52,53], which includes corrections up to next-to-next-to-leading order in $\alpha_s$ [54–56], massive quarks [57,58] and electroweak corrections by light fermions [59,60]. The procedure for the theoretical calculations follows Ref. [9]. The upper limits on the Higgs boson pair production cross section are interpreted as constraints on two benchmark planes: $m_H - \tan\beta$ for given $\cos(\beta - \alpha)$ values, shown in Figs. 2(a) and 2(b), and $\cos(\beta - \alpha) - m_H$ for fixed $\tan\beta$ values, shown in Figs. 2(a) and 2(b). The interpretation is given in the type-I 2HDM in which gluon-gluon fusion is the dominant production mechanism throughout the parameter space where the searches have sensitivity. The $H$ boson has a finite natural width in the 2HDM. This is taken into account by considering in the combination only channels for which the experimental mass resolution is large in comparison to the $H$ boson natural width. In particular, the $b\bar{b}\gamma\gamma$ ($b\bar{b}b\bar{b}$ and $b\bar{b}\tau^+\tau^-$) channel upper limits are valid for $H$ boson natural widths $\Gamma_H/m_H$ up to 2% (5%). The results are sensitive to $\cos(\beta - \alpha)$ values that are not probed by the SM Higgs boson coupling measurements [61]. For example, the point $\tan\beta = 10$, $\cos(\beta - \alpha) = -0.1$ is excluded at 95% CL for $m_H$ values in the range 270–810 GeV, a region allowed by Higgs boson coupling measurements.

The MSSM has a type-II 2HDM Higgs sector structure [62] and, therefore, includes the 2HDM parameters discussed earlier. The resonant $hh$ production is assumed to come from $H \to hh$ for this interpretation. Supersymmetry constrains the number of free parameters in the Higgs

sector at lowest order to be two, taken here as $m_A$ and $\tan\beta$. Radiative corrections have a large impact on the MSSM and the limits are influenced by how the supersymmetry parameters are chosen, with each choice defining a particular scenario. In this Letter, the $M_{h,\mathrm{EFT}}^{125}$ and $M_{h,\mathrm{EFT}}^{125}(\tilde{\chi})$ scenarios are used [63]. These scenarios have supersymmetry mass parameters that are not related to the Higgs sector at a very high energy scale such that the low $\tan\beta$ region has $m_h \approx 125$ GeV. The $M_{h,\mathrm{EFT}}^{125}(\tilde{\chi})$ scenario differs from $M_{h,\mathrm{EFT}}^{125}$ in that it includes low-mass neutralinos and charginos. The MSSM gluon-gluon fusion cross section is obtained using a SUSHI implementation that includes supersymmetric QCD corrections [64,65]. The Higgs boson masses and mixing are calculated with the FEYNHIGGS program [66–73] as described in Ref. [74]. The Higgs boson branching ratio calculation uses FEYNHIGGS, HDECAY, and PROPHECY4f as described in Refs. [75,76]. The upper limits on the Higgs boson pair production cross section are interpreted in the MSSM as constraints in the $m_A - \tan\beta$ plane, as shown in Fig. 3. The combined analysis excludes parameter space in the region $2 \lesssim \tan\beta \lesssim 5$, which is not excluded by the $H/A \to \tau\tau$, $A \to Zh$, $H \to ZZ$ or $H^\pm \to tb$ searches [77–80].

In conclusion, this Letter reports a combined search for a narrow-width resonance decaying to $hh$ in the $b\bar{b}b\bar{b}$, $b\bar{b}\tau^+\tau^-$, and $b\bar{b}\gamma\gamma$ final states using up to 139 fb$^{-1}$ of $pp$ collision data at $\sqrt{s} = 13$ TeV collected by the ATLAS experiment. The data are found to be consistent with the SM prediction and upper limits at the 95% CL are set on the resonant $X \to hh$ cross section assuming $m_X$ to be in the range 251 GeV–5 TeV. The observed (expected) upper limits are in the range 0.96–600 fb (1.2–390 fb) and they constitute an improvement of a factor of 2–5, depending on $m_X$, with respect to the previous ATLAS combined

result [14]. The results are also interpreted in the context of the Type-I 2HDM and MSSM, excluding parameter space that was hitherto allowed by the most sensitive searches for these models.

[1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B **716**, 1 (2012).

[2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B **716**, 30 (2012).

[3] B. Patt and F. Wilczek, Higgs-field portal into hidden sectors, arXiv:hep-ph/0605188.

[4] H. Abouabid, A. Arhrib, D. Azevedo, J. El Falaki, P. M. Ferreira, M. Mühlleitner, and R. Santos, Benchmarking di-Higgs production in various extended Higgs sector models, J. High Energy Phys. 09 (2022) 011.

[5] G. C. Branco, P. M. Ferreira, L. Lavoura, M. N. Rebelo, M. Sher, and J. P. Silva, Theory and phenomenology of two-Higgs-doublet models, Phys. Rep. 516, 1 (2012).

[6] M. Maniatis, The next-to-minimal supersymmetric extension of the standard model reviewed, Int. J. Mod. Phys. A 25, 3505 (2010).

[7] K. Hartling, K. Kumar, and H. E. Logan, The decoupling limit in the Georgi-Machacek model, Phys. Rev. D 90, 015007 (2014).

[8] W.-J. Zhang, W.-G. Ma, R.-Y. Zhang, X.-Z. Li, L. Guo, and C. Chen, Double Higgs boson production and decay in Randall-Sundrum model at hadron colliders, Phys. Rev. D 92, 116005 (2015).

[9] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, arXiv:1610.07922.

[10] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3, S08003 (2008).

[11] ATLAS Collaboration, ATLAS insertable B-layer technical design report, Reports No. ATLAS-TDR-19, No. CERN-LHCC-2010-013, 2010, https://cds.cern.ch/record/1291633; Addendum: Reports No. ATLAS-TDR-19-ADD-1, No. CERN-LHCC-2012-009, 2012, https://cds.cern.ch/record/1451888.

[12] B. Abbott et al., Production and integration of the ATLAS insertable B-layer, J. Instrum. 13, T05008 (2018).

[13] ATLAS Collaboration, The ATLAS Collaboration software and firmware, Report No. ATL-SOFT-PUB-2021-001, 2021, https://cds.cern.ch/record/2767187.

[14] ATLAS Collaboration, Combination of searches for Higgs boson pairs in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 800, 135103 (2020).

[15] CMS Collaboration, Combination of searches for Higgs boson pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. Lett. 122, 121803 (2019).

[16] ATLAS Collaboration, Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 105, 092002 (2022).

[17] ATLAS Collaboration, Search for resonant and non-resonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel using 13 TeV $pp$ collision data from the ATLAS detector, J. High Energy Phys. 07 (2023) 040.

[18] ATLAS Collaboration, Search for Higgs boson pair production in the two bottom quarks plus two photons final state in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 106, 052001 (2022).

[19] CMS Collaboration, Search for a massive scalar resonance decaying to a light scalar and a Higgs boson in the four $b$ quarks final state with boosted topology, Phys. Lett. B 842, 137392 (2023).

[20] CMS Collaboration, Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 05 (2022) 005.

[21] CMS Collaboration, Search for Higgs boson pairs decaying to $WW^*WW^*$, $WW^*\tau\tau$, and $\tau\tau\tau\tau$ in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 07 (2023) 095.

[22] J. Alwall et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079.

[23] NNPDF Collaboration, Parton distributions with LHC data, Nucl. Phys. B867, 244 (2013).

[24] M. Bähr et al., HERWIG++ physics and manual, Eur. Phys. J. C 58, 639 (2008).

[25] J. Bellm et al., HERWIG7.0/HERWIG++ 3.0 release note, Eur. Phys. J. C 76, 196 (2016).

[26] ATLAS Collaboration, ATLAS $b$-jet identification performance and efficiency measurement with $t\bar{t}$ events in $pp$ collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 79, 970 (2019).

[27] ATLAS Collaboration, ATLAS flavour-tagging algorithms for the LHC Run 2 $pp$ collision dataset, Eur. Phys. J. C 83, 681 (2022).

[28] M. Cacciari, G. P. Salam, and G. Soyez, The anti-$k_t$ jet clustering algorithm, J. High Energy Phys. 04 (2008) 063.

[29] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, Eur. Phys. J. C 72, 1896 (2012).

[30] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77, 317 (2017).

[31] ATLAS Collaboration, Configuration and performance of the ATLAS $b$-jet triggers in Run 2, Eur. Phys. J. C 81, 1087 (2021).

[32] ATLAS Collaboration, Performance of the ATLAS level-1 topological trigger in Run 2, Eur. Phys. J. C 82, 7 (2022).

[33] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77, 490 (2017).

[34] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS detector, Eur. Phys. J. C 77, 466 (2017).

[35] M. Cacciari and G. P. Salam, Pileup subtraction using jet areas, Phys. Lett. B 659, 119 (2008).

[36] ATLAS Collaboration, Measurement of the tau lepton reconstruction and identification performance in the ATLAS experiment using $pp$ collisions at $\sqrt{s} = 13$ TeV, Report No. ATLAS-CONF-2017-029, 2017, https://cds.cern.ch/record/2261772.

[37] ATLAS Collaboration, Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment, Report No. ATL-PHYS-PUB-2019-033, 2019, https://cds.cern.ch/record/2688062.

[38] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, J. Instrum. 15, P09015 (2020),

[39] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, Eur. Phys. J. C 80, 47 (2020).

[40] P. Baldi, K. Cranmer, T. Faucett, P. Sadowski, and D. Whiteson, Parameterized neural networks for high-energy physics, Eur. Phys. J. C 76, 235 (2016).

[41] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, J. Instrum. 14, P12006 (2019).

[42] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C **71,** 1554 (2011); **73,** 2501(E) (2013).

[43] A. L. Read, Presentation of search results: The $CL_S$ technique, J. Phys. G **28,** 2693 (2002).

[44] E. Gross and O. Vitells, Trial factors for the look elsewhere effect in high energy physics, Eur. Phys. J. C **70,** 525 (2010).

[45] T. D. Lee, A theory of spontaneous T violation, Phys. Rev. D **8,** 1226 (1973).

[46] P. Fayet, Supersymmetry and weak, electromagnetic and strong interactions, Phys. Lett. **64B,** 159 (1976).

[47] P. Fayet, Spontaneously broken supersymmetric theories of weak, electromagnetic and strong interactions, Phys. Lett. **69B,** 489 (1977).

[48] G. R. Farrar and P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, Phys. Lett. **76B,** 575 (1978).

[49] P. Fayet, Relations between the masses of the superpartners of leptons and quarks, the Goldstino coupling and the neutral currents, Phys. Lett. **84B,** 416 (1979).

[50] S. Dimopoulos and H. Georgi, Softly broken supersymmetry and SU(5), Nucl. Phys. **B193,** 150 (1981).

[51] D. Eriksson, J. Rathsman, and O. Stål, 2HDMC—two-Higgs-doublet model calculator, Comput. Phys. Commun. **181,** 189 (2010).

[52] R. V. Harlander, S. Liebler, and H. Mantler, SUSHI: A program for the calculation of Higgs production in gluon fusion and bottom-quark annihilation in the standard model and the MSSM, Comput. Phys. Commun. **184,** 1605 (2013).

[53] R. V. Harlander, S. Liebler, and H. Mantler, SUSHI Bento: Beyond NNLO and the heavy-top limit, Comput. Phys. Commun. **212,** 239 (2017).

[54] R. V. Harlander and W. B. Kilgore, Next-to-next-to-leading order Higgs production at hadron colliders, Phys. Rev. Lett. **88,** 201801 (2002).

[55] C. Anastasiou and K. Melnikov, Higgs boson production at hadron colliders in NNLO QCD, Nucl. Phys. **B646,** 220 (2002).

[56] V. Ravindran, J. Smith, and W. L. van Neerven, NNLO corrections to the total cross section for Higgs boson production in hadron-hadron collisions, Nucl. Phys. **B665,** 325 (2003).

[57] R. V. Harlander and P. Kant, Higgs production and decay: Analytic results at next-to-leading order QCD, J. High Energy Phys. 12 (2005) 015.

[58] M. Spira, A. Djouadi, D. Graudenz, and R. M. Zerwas, Higgs boson production at the LHC, Nucl. Phys. **B453,** 17 (1995).

[59] U. Aglietti, R. Bonciani, G. Degrassi, and A. Vicini, Two-loop light fermion contribution to Higgs production and decays, Phys. Lett. B **595,** 432 (2004).

[60] R. Bonciani, G. Degrassi, and A. Vicini, On the generalized harmonic polylogarithms of one complex variable, Comput. Phys. Commun. **182,** 1253 (2011).

[61] ATLAS Collaboration, Combined measurements of Higgs boson production and decay using up to 80 fb$^{-1}$ of proton–proton collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS experiment, Phys. Rev. D **101,** 012002 (2020).

[62] A. Djouadi, The anatomy of electroweak symmetry breaking Tome II: The Higgs bosons in the minimal supersymmetric model, Phys. Rep. **459,** 1 (2008).

[63] H. Bahl, S. Liebler, and T. Stefaniak, MSSM Higgs benchmark scenarios for Run 2 and beyond: The low $\tan\beta$ region, Eur. Phys. J. C **79,** 279 (2019).

[64] G. Degrassi and P. Slavich, NLO QCD bottom corrections to Higgs boson production in the MSSM, J. High Energy Phys. 11 (2010) 044.

[65] G. Degrassi, S. Di Vita, and P. Slavich, On the NLO QCD corrections to the production of the heaviest neutral Higgs scalar in the MSSM, Eur. Phys. J. C **72,** 2032 (2012).

[66] S. Heinemeyer, W. Hollik, and G. Weiglein, FEYNHIGGS: A program for the calculation of the masses of the neutral $CP$-even Higgs bosons in the MSSM, Comput. Phys. Commun. **124,** 76 (2000).

[67] S. Heinemeyer, W. Hollik, and G. Weiglein, The masses of the neutral CP-even Higgs bosons in the MSSM: Accurate analysis at the two-loop level, Eur. Phys. J. C **9,** 343 (1999).

[68] G. Degrassi, S. Heinemeyer, W. Hollik, P. Slavich, and G. Weiglein, Towards high-precision predictions for the MSSM Higgs sector, Eur. Phys. J. C **28,** 133 (2003).

[69] M. Frank et al., The Higgs boson masses and mixings of the complex MSSM in the Feynman-diagrammatic approach, J. High Energy Phys. 02 (2007) 047.

[70] T. Hahn, S. Heinemeyer, W. Hollik, H. Rzehak, and G. Weiglein, High-precision predictions for the light CP-even Higgs boson mass of the minimal supersymmetric standard model, Phys. Rev. Lett. **112,** 141801 (2014).

[71] H. Bahl and W. Hollik, Precise prediction for the light MSSM Higgs-boson mass combining effective field theory and fixed-order calculations, Eur. Phys. J. C **76,** 499 (2016).

[72] H. Bahl, S. Heinemeyer, W. Hollik, and G. Weiglein, Reconciling EFT and hybrid calculations of the light MSSM Higgs-boson mass, Eur. Phys. J. C **78,** 57 (2018).

[73] H. Bahl, T. Hahn, S. Heinemeyer, W. Hollik, S. Paßehr, H. Rzehak, and G. Weiglein, Precision calculations in the MSSM Higgs-boson sector with FEYNHIGGS2.14, Comput. Phys. Commun. **249,** 107099 (2020).

[74] H. Bahl and W. Hollik, Precise prediction of the MSSM Higgs boson masses for low $M_A$, J. High Energy Phys. 07 (2018) 182.

[75] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 1. Inclusive observables, arXiv:1101.0593.

[76] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 2. Differential distributions, arXiv:1201.3084.

[77] ATLAS Collaboration, Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using $pp$ collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. Lett. **125,** 051801 (2020).

[78] ATLAS Collaboration, Search for heavy resonances decaying into a $Z$ or $W$ boson and a Higgs boson in final states with leptons and $b$-jets in 139 fb$^{-1}$ of $pp$ collisions at

$\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 06 (2023) 016.

[79] ATLAS Collaboration, Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell'^+\ell'^-$ and $\ell^+\ell^-\nu\bar{\nu}$ final states using 139 fb$^{-1}$ of proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C **81**, 332 (2021).

[80] ATLAS Collaboration, Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 06 (2021) 145.

[81] ATLAS Collaboration, ATLAS computing acknowledgements, Report No. ATL-SOFT-PUB-2023-001, 2023, https://cds.cern.ch/record/2869272.

G. Aad[102] E. Aakvaag[16] B. Abbott[120] K. Abeling[55] N. J. Abicht[49] S. H. Abidi[29] A. Aboulhorma[35e] H. Abramowicz[151] H. Abreu[150] Y. Abulaiti[117] B. S. Acharya[69a,69b,b] C. Adam Bourdarios[4] L. Adamczyk[86a] S. V. Addepalli[26] M. J. Addison[101] J. Adelman[115] A. Adiguzel[21c] T. Adye[134] A. A. Affolder[136] Y. Afik[39] M. N. Agaras[13] J. Agarwala[73a,73b] A. Aggarwal[100] C. Agheorghiesei[27c] A. Ahmad[36] F. Ahmadov[38,c] W. S. Ahmed[104] S. Ahuja[95] X. Ai[62e] G. Aielli[76a,76b] A. Aikot[163] M. Ait Tamlihat[35e] B. Aitbenchikh[35a] I. Aizenberg[169] M. Akbiyik[100] T. P. A. Åkesson[98] A. V. Akimov[37] D. Akiyama[168] N. N. Akolkar[24] S. Aktas[21a] K. Al Khoury[41] G. L. Alberghi[23b] J. Albert[165] P. Albicocco[53] G. L. Albouy[60] S. Alderweireldt[52] Z. L. Alegria[121] M. Aleksa[36] I. N. Aleksandrov[38] C. Alexa[27b] T. Alexopoulos[10] F. Alfonsi[23b] M. Algren[56] M. Alhroob[141] B. Ali[132] H. M. J. Ali[91] S. Ali[148] S. W. Alibocus[92] M. Aliev[33c] G. Alimonti[71a] W. Alkakhi[55] C. Allaire[66] B. M. M. Allbrooke[146] J. F. Allen[52] C. A. Allendes Flores[137f] P. P. Allport[20] A. Aloisio[72a,72b] F. Alonso[90] C. Alpigiani[138] M. Alvarez Estevez[99] A. Alvarez Fernandez[100] M. Alves Cardoso[56] M. G. Alviggi[72a,72b] M. Aly[101] Y. Amaral Coutinho[83b] A. Ambler[104] C. Amelung[36] M. Amerl[101] C. G. Ames[109] D. Amidei[106] K. J. Amirie[155] S. P. Amor Dos Santos[130a] K. R. Amos[163] V. Ananiev[125] C. Anastopoulos[139] T. Andeen[11] J. K. Anders[36] S. Y. Andrean[47a,47b] A. Andreazza[71a,71b] S. Angelidakis[9] A. Angerami[41,d] A. V. Anisenkov[37] A. Annovi[74a] C. Antel[56] M. T. Anthony[139] E. Antipov[145] M. Antonelli[53] F. Anulli[75a] M. Aoki[84] T. Aoki[153] J. A. Aparisi Pozo[163] M. A. Aparo[146] L. Aperio Bella[48] C. Appelt[18] A. Apyan[26] S. J. Arbiol Val[87] C. Arcangeletti[53] A. T. H. Arce[51] E. Arena[92] J-F. Arguin[108] S. Argyropoulos[54] J.-H. Arling[48] O. Arnaez[4] H. Arnold[114] G. Artoni[75a,75b] H. Asada[111] K. Asai[118] S. Asai[153] N. A. Asbah[36] K. Assamagan[29] R. Astalos[28a] S. Atashi[159] R. J. Atkin[33a] M. Atkinson[162] H. Atmani[35f] P. A. Atmasiddha[128] K. Augsten[132] S. Auricchio[72a,72b] A. D. Auriol[20] V. A. Austrup[101] G. Avolio[36] K. Axiotis[56] G. Azuelos[108,e] D. Babal[28b] H. Bachacou[135] K. Bachas[152,f] A. Bachiu[34] F. Backman[47a,47b] A. Badea[39] T. M. Baer[106] P. Bagnaia[75a,75b] M. Bahmani[18] D. Bahner[54] K. Bai[123] A. J. Bailey[163] V. R. Bailey[162] J. T. Baines[134] L. Baines[94] O. K. Baker[172] E. Bakos[15] D. Bakshi Gupta[8] V. Balakrishnan[120] R. Balasubramanian[114] E. M. Baldin[37] P. Balek[86a] E. Ballabene[23b,23a] F. Balli[135] L. M. Baltes[63a] W. K. Balunas[32] J. Balz[100] E. Banas[87] M. Bandieramonte[129] A. Bandyopadhyay[24] S. Bansal[24] L. Barak[151] M. Barakat[48] E. L. Barberio[105] D. Barberis[57b,57a] M. Barbero[102] M. Z. Barel[114] K. N. Barends[33a] T. Barillari[110] M-S. Barisits[36] T. Barklow[143] P. Baron[122] D. A. Baron Moreno[101] A. Baroncelli[62a] G. Barone[29] A. J. Barr[126] J. D. Barr[96] F. Barreiro[99] J. Barreiro Guimarães da Costa[14a] U. Barron[151] M. G. Barros Teixeira[130a] S. Barsov[37] F. Bartels[63a] R. Bartoldus[143] A. E. Barton[91] P. Bartos[28a] A. Basan[100] M. Baselga[49] A. Bassalat[66,g] M. J. Basso[156a] C. R. Basson[101] R. L. Bates[59] S. Batlamous[35e] B. Batool[141] M. Battaglia[136] D. Battulga[18] M. Bauce[75a,75b] M. Bauer[36] P. Bauer[24] L. T. Bazzano Hurrell[30] J. B. Beacham[51] T. Beau[127] J. Y. Beaucamp[90] P. H. Beauchemin[158] P. Bechtle[24] H. P. Beck[19,h] K. Becker[167] A. J. Beddall[82] V. A. Bednyakov[38] C. P. Bee[145] L. J. Beemster[15] T. A. Beermann[36] M. Begalli[83d] M. Begel[29] A. Behera[145] J. K. Behr[48] J. F. Beirer[36] F. Beisiegel[24] M. Belfkir[116b] G. Bella[151] L. Bellagamba[23b] A. Bellerive[34] P. Bellos[20] K. Beloborodov[37] D. Benchekroun[35a] F. Bendebba[35a] Y. Benhammou[151] K. C. Benkendorfer[61] L. Beresford[48] M. Beretta[53] E. Bergeaas Kuutmann[161] N. Berger[4] B. Bergmann[132] J. Beringer[17a] G. Bernardi[5] C. Bernius[143] F. U. Bernlochner[24] F. Bernon[36,102] A. Berrocal Guardia[13] T. Berry[95] P. Berta[133] A. Berthold[50] S. Bethke[110] A. Betti[75a,75b] A. J. Bevan[94] N. K. Bhalla[54] M. Bhamjee[33c] S. Bhatta[145] D. S. Bhattacharya[166] P. Bhattarai[143] K. D. Bhide[54] V. S. Bhopatkar[121] R. M. Bianchi[129] G. Bianco[23b,23a]

O. Biebel[109] R. Bielski[123] M. Biglietti[77a] C. S. Billingsley[44] M. Bindi[55] A. Bingul[21b] C. Bini[75a,75b]
A. Biondini[92] C. J. Birch-sykes[101] G. A. Bird[32] M. Birman[169] M. Biros[133] S. Biryukov[146] T. Bisanz[49]
E. Bisceglie[43b,43a] J. P. Biswal[134] D. Biswas[141] K. Bjørke[125] I. Bloch[48] A. Blue[59] U. Blumenschein[94]
J. Blumenthal[100] V. S. Bobrovnikov[37] M. Boehler[54] B. Boehm[166] D. Bogavac[36] A. G. Bogdanchikov[37]
C. Bohm[47a] V. Boisvert[95] P. Bokan[36] T. Bold[86a] M. Bomben[5] M. Bona[94] M. Boonekamp[135]
C. D. Booth[95] A. G. Borbély[59] I. S. Bordulev[37] H. M. Borecka-Bielska[108] G. Borissov[91] D. Bortoletto[126]
D. Boscherini[23b] M. Bosman[13] J. D. Bossio Sola[36] K. Bouaouda[35a] N. Bouchhar[163] J. Boudreau[129]
E. V. Bouhova-Thacker[91] D. Boumediene[40] R. Bouquet[57b,57a] A. Boveia[119] J. Boyd[36] D. Boye[29]
I. R. Boyko[38] J. Bracinik[20] N. Brahimi[4] G. Brandt[171] O. Brandt[32] F. Braren[48] B. Brau[103] J. E. Brau[123]
R. Brener[169] L. Brenner[114] R. Brenner[161] S. Bressler[169] D. Britton[59] D. Britzger[110] I. Brock[24]
G. Brooijmans[41] E. Brost[29] L. M. Brown[165] L. E. Bruce[61] T. L. Bruckler[126] P. A. Bruckman de Renstrom[87]
B. Brüers[48] A. Bruni[23b] G. Bruni[23b] M. Bruschi[23b] N. Bruscino[75a,75b] T. Buanes[16] Q. Buat[138]
D. Buchin[110] A. G. Buckley[59] O. Bulekov[37] B. A. Bullard[143] S. Burdin[92] C. D. Burgard[49] A. M. Burger[36]
B. Burghgrave[8] O. Burlayenko[54] J. T. P. Burr[32] C. D. Burton[11] J. C. Burzynski[142] E. L. Busch[41]
V. Büscher[100] P. J. Bussey[59] J. M. Butler[25] C. M. Buttar[59] J. M. Butterworth[96] W. Buttinger[134]
C. J. Buxo Vazquez[107] A. R. Buzykaev[37] S. Cabrera Urbán[163] L. Cadamuro[66] D. Caforio[58] H. Cai[129]
Y. Cai[14a,14e] Y. Cai[14c] V. M. M. Cairo[36] O. Cakir[3a] N. Calace[36] P. Calafiura[17a] G. Calderini[127]
P. Calfayan[68] G. Callea[59] L. P. Caloba[83b] D. Calvet[40] S. Calvet[40] M. Calvetti[74a,74b] R. Camacho Toro[127]
S. Camarda[36] D. Camarero Munoz[26] P. Camarri[76a,76b] M. T. Camerlingo[72a,72b] D. Cameron[36] C. Camincher[165]
M. Campanelli[96] A. Camplani[42] V. Canale[72a,72b] A. C. Canbay[3a] J. Cantero[163] Y. Cao[162] F. Capocasa[26]
M. Capua[43b,43a] A. Carbone[71a,71b] R. Cardarelli[76a] J. C. J. Cardenas[8] F. Cardillo[163] G. Carducci[43b,43a]
T. Carli[36] G. Carlino[72a] J. I. Carlotto[13] B. T. Carlson[129,i] E. M. Carlson[165,156a] L. Carminati[71a,71b]
A. Carnelli[135] M. Carnesale[75a,75b] S. Caron[113] E. Carquin[137f] S. Carrá[71a] G. Carratta[23b,23a] A. M. Carroll[123]
T. M. Carter[52] M. P. Casado[13,j] M. Caspar[48] F. L. Castillo[4] L. Castillo Garcia[13] V. Castillo Gimenez[163]
N. F. Castro[130a,130e] A. Catinaccio[36] J. R. Catmore[125] T. Cavaliere[4] V. Cavaliere[29] N. Cavalli[23b,23a]
Y. C. Cekmecelioglu[48] E. Celebi[21a] F. Celli[126] M. S. Centonze[70a,70b] V. Cepaitis[56] K. Cerny[122]
A. S. Cerqueira[83a] A. Cerri[146] L. Cerrito[76a,76b] F. Cerutti[17a] B. Cervato[141] A. Cervelli[23b] G. Cesarini[53]
S. A. Cetin[82] D. Chakraborty[115] J. Chan[17a] W. Y. Chan[153] J. D. Chapman[32] E. Chapon[135]
B. Chargeishvili[149b] D. G. Charlton[20] M. Chatterjee[19] C. Chauhan[133] Y. Che[14c] S. Chekanov[6]
S. V. Chekulaev[156a] G. A. Chelkov[38,k] A. Chen[106] B. Chen[151] B. Chen[165] H. Chen[14c] H. Chen[29]
J. Chen[62c] J. Chen[142] M. Chen[126] S. Chen[153] S. J. Chen[14c] X. Chen[62c,135] X. Chen[14b,l] Y. Chen[62a]
C. L. Cheng[170] H. C. Cheng[64a] S. Cheong[143] A. Cheplakov[38] E. Cheremushkina[48] E. Cherepanova[114]
R. Cherkaoui El Moursli[35e] E. Cheu[7] K. Cheung[65] L. Chevalier[135] V. Chiarella[53] G. Chiarelli[74a]
N. Chiedde[102] G. Chiodini[70a] A. S. Chisholm[20] A. Chitan[27b] M. Chitishvili[163] M. V. Chizhov[38] K. Choi[11]
Y. Chou[138] E. Y. S. Chow[113] K. L. Chu[169] M. C. Chu[64a] X. Chu[14a,14e] J. Chudoba[131] J. J. Chwastowski[87]
D. Cieri[110] K. M. Ciesla[86a] V. Cindro[93] A. Ciocio[17a] F. Cirotto[72a,72b] Z. H. Citron[169,m] M. Citterio[71a]
D. A. Ciubotaru[27b] A. Clark[56] P. J. Clark[52] C. Clarry[155] J. M. Clavijo Columbie[48] S. E. Clawson[48]
C. Clement[47a,47b] J. Clercx[48] Y. Coadou[102] M. Cobal[69a,69c] A. Coccaro[57b] R. F. Coelho Barrue[130a]
R. Coelho Lopes De Sa[103] S. Coelli[71a] B. Cole[41] J. Collot[60] P. Conde Muiño[130a,130g] M. P. Connell[33c]
S. H. Connell[33c] E. I. Conroy[126] F. Conventi[72a,n] H. G. Cooke[20] A. M. Cooper-Sarkar[126]
A. Cordeiro Oudot Choi[127] L. D. Corpe[40] M. Corradi[75a,75b] F. Corriveau[104,o] A. Cortes-Gonzalez[18]
M. J. Costa[163] F. Costanza[4] D. Costanzo[139] B. M. Cote[119] G. Cowan[95] K. Cranmer[170] D. Cremonini[23b,23a]
S. Crépé-Renaudin[60] F. Crescioli[127] M. Cristinziani[141] M. Cristoforetti[78a,78b] V. Croft[114] J. E. Crosby[121]
G. Crosetti[43b,43a] A. Cueto[99] T. Cuhadar Donszelmann[159] H. Cui[14a,14e] Z. Cui[7] W. R. Cunningham[59]
F. Curcio[43b,43a] P. Czodrowski[36] M. M. Czurylo[63b] M. J. Da Cunha Sargedas De Sousa[57b,57a]
J. V. Da Fonseca Pinto[83b] C. Da Via[101] W. Dabrowski[86a] T. Dado[49] S. Dahbi[148] T. Dai[106] D. Dal Santo[19]
C. Dallapiccola[103] M. Dam[42] G. D'amen[29] V. D'Amico[109] J. Damp[100] J. R. Dandoy[34] M. Danninger[142]
V. Dao[36] G. Darbo[57b] S. Darmora[6] S. J. Das[29,p] S. D'Auria[71a,71b] A. D'avanzo[130a] C. David[33a]
T. Davidek[133] B. Davis-Purcell[34] I. Dawson[94] H. A. Day-hall[132] K. De[8] R. De Asmundis[72a] N. De Biase[48]

S. De Castro,[23b,23a] N. De Groot,[113] P. de Jong,[114] H. De la Torre,[115] A. De Maria,[14c] A. De Salvo,[75a]
U. De Sanctis,[76a,76b] F. De Santis,[70a,70b] A. De Santo,[146] J. B. De Vivie De Regie,[60] D. V. Dedovich,[38] J. Degens,[114]
A. M. Deiana,[44] F. Del Corso,[23b,23a] J. Del Peso,[99] F. Del Rio,[63a] L. Delagrange,[127] F. Deliot,[135]
C. M. Delitzsch,[49] M. Della Pietra,[72a,72b] D. Della Volpe,[56] A. Dell'Acqua,[36] L. Dell'Asta,[71a,71b] M. Delmastro,[4]
P. A. Delsart,[60] S. Demers,[172] M. Demichev,[38] S. P. Denisov,[37] L. D'Eramo,[40] D. Derendarz,[87] F. Derue,[127]
P. Dervan,[92] K. Desch,[24] C. Deutsch,[24] F. A. Di Bello,[57b,57a] A. Di Ciaccio,[76a,76b] L. Di Ciaccio,[4]
A. Di Domenico,[75a,75b] C. Di Donato,[72a,72b] A. Di Girolamo,[36] G. Di Gregorio,[36] A. Di Luca,[78a,78b]
B. Di Micco,[77a,77b] R. Di Nardo,[77a,77b] M. Diamantopoulou,[34] F. A. Dias,[114] T. Dias Do Vale,[142]
M. A. Diaz,[137a,137b] F. G. Diaz Capriles,[24] M. Didenko,[163] E. B. Diehl,[106] S. Díez Cornell,[48] C. Diez Pardos,[141]
C. Dimitriadi,[161,24] A. Dimitrievska,[17a] J. Dingfelder,[24] I-M. Dinu,[27b] S. J. Dittmeier,[63b] F. Dittus,[36] F. Djama,[102]
T. Djobava,[149b] C. Doglioni,[101,98] A. Dohnalova,[28a] J. Dolejsi,[133] Z. Dolezal,[133] K. M. Dona,[39] M. Donadelli,[83c]
B. Dong,[107] J. Donini,[40] A. D'Onofrio,[72a,72b] M. D'Onofrio,[92] J. Dopke,[134] A. Doria,[72a]
N. Dos Santos Fernandes,[130a] P. Dougan,[101] M. T. Dova,[90] A. T. Doyle,[59] M. A. Draguet,[126] E. Dreyer,[169]
I. Drivas-koulouris,[10] M. Drnevich,[117] M. Drozdova,[56] D. Du,[62a] T. A. du Pree,[114] F. Dubinin,[37]
M. Dubovsky,[28a] E. Duchovni,[169] G. Duckeck,[109] O. A. Ducu,[27b] D. Duda,[52] A. Dudarev,[36] E. R. Duden,[26]
M. D'uffizi,[101] L. Duflot,[66] M. Dührssen,[36] A. E. Dumitriu,[27b] M. Dunford,[63a] S. Dungs,[49] K. Dunne,[47a,47b]
A. Duperrin,[102] H. Duran Yildiz,[3a] M. Düren,[58] A. Durglishvili,[149b] B. L. Dwyer,[115] G. I. Dyckes,[17a]
M. Dyndal,[86a] B. S. Dziedzic,[87] Z. O. Earnshaw,[146] G. H. Eberwein,[126] B. Eckerova,[28a] S. Eggebrecht,[55]
E. Egidio Purcino De Souza,[127] L. F. Ehrke,[56] G. Eigen,[16] K. Einsweiler,[17a] T. Ekelof,[161] P. A. Ekman,[98]
S. El Farkh,[35b] Y. El Ghazali,[35b] H. El Jarrari,[36] A. El Moussaouy,[108] V. Ellajosyula,[161] M. Ellert,[161]
F. Ellinghaus,[171] N. Ellis,[36] J. Elmsheuser,[29] M. Elsing,[36] D. Emeliyanov,[134] Y. Enari,[153] I. Ene,[17a] S. Epari,[13]
P. A. Erland,[87] M. Errenst,[171] M. Escalier,[66] C. Escobar,[163] E. Etzion,[151] G. Evans,[130a] H. Evans,[68]
L. S. Evans,[95] A. Ezhilov,[37] S. Ezzarqtouni,[35a] F. Fabbri,[23b,23a] L. Fabbri,[23b,23a] G. Facini,[96] V. Fadeyev,[136]
R. M. Fakhrutdinov,[37] D. Fakoudis,[100] S. Falciano,[75a] L. F. Falda Ulhoa Coelho,[36] P. J. Falke,[24] J. Faltova,[133]
C. Fan,[162] Y. Fan,[14a] Y. Fang,[14a,14e] M. Fanti,[71a,71b] M. Faraj,[69a,69b] Z. Farazpay,[97] A. Farbin,[8] A. Farilla,[77a]
T. Farooque,[107] S. M. Farrington,[52] F. Fassi,[35e] D. Fassouliotis,[9] M. Faucci Giannelli,[76a,76b] W. J. Fawcett,[32]
L. Fayard,[66] P. Federic,[133] P. Federicova,[131] O. L. Fedin,[37,k] M. Feickert,[170] L. Feligioni,[102] D. E. Fellers,[123]
C. Feng,[62b] M. Feng,[14b] Z. Feng,[114] M. J. Fenton,[159] L. Ferencz,[48] R. A. M. Ferguson,[91]
S. I. Fernandez Luengo,[137f] P. Fernandez Martinez,[13] M. J. V. Fernoux,[102] J. Ferrando,[91] A. Ferrari,[161]
P. Ferrari,[114,113] R. Ferrari,[73a] D. Ferrere,[56] C. Ferretti,[106] F. Fiedler,[100] P. Fiedler,[132] A. Filipčič,[93]
E. K. Filmer,[1] F. Filthaut,[113] M. C. N. Fiolhais,[130a,130c,q] L. Fiorini,[163] W. C. Fisher,[107] T. Fitschen,[101]
P. M. Fitzhugh,[135] I. Fleck,[141] P. Fleischmann,[106] T. Flick,[171] M. Flores,[33d,r] L. R. Flores Castillo,[64a]
L. Flores Sanz De Acedo,[36] F. M. Follega,[78a,78b] N. Fomin,[16] J. H. Foo,[155] A. Formica,[135] A. C. Forti,[101]
E. Fortin,[36] A. W. Fortman,[17a] M. G. Foti,[17a] L. Fountas,[9,s] D. Fournier,[66] H. Fox,[91] P. Francavilla,[74a,74b]
S. Francescato,[61] S. Franchellucci,[56] M. Franchini,[23b,23a] S. Franchino,[63a] D. Francis,[36] L. Franco,[113]
V. Franco Lima,[36] L. Franconi,[48] M. Franklin,[61] G. Frattari,[26] W. S. Freund,[83b] Y. Y. Frid,[151] J. Friend,[59]
N. Fritzsche,[50] A. Froch,[54] D. Froidevaux,[36] J. A. Frost,[126] Y. Fu,[62a] S. Fuenzalida Garrido,[137f] M. Fujimoto,[102]
K. Y. Fung,[64a] E. Furtado De Simas Filho,[83b] M. Furukawa,[153] J. Fuster,[163] A. Gabrielli,[23b,23a] A. Gabrielli,[155]
P. Gadow,[36] G. Gagliardi,[57b,57a] L. G. Gagnon,[17a] S. Galantzan,[151] E. J. Gallas,[126] B. J. Gallop,[134] K. K. Gan,[119]
S. Ganguly,[153] Y. Gao,[52] F. M. Garay Walls,[137a,137b] B. Garcia,[29] C. García,[163] A. Garcia Alonso,[114]
A. G. Garcia Caffaro,[172] J. E. García Navarro,[163] M. Garcia-Sciveres,[17a] G. L. Gardner,[128] R. W. Gardner,[39]
N. Garelli,[158] D. Garg,[80] R. B. Garg,[143,t] J. M. Gargan,[52] C. A. Garner,[155] C. M. Garvey,[33a] P. Gaspar,[83b]
V. K. Gassmann,[158] G. Gaudio,[73a] V. Gautam,[13] P. Gauzzi,[75a,75b] I. L. Gavrilenko,[37] A. Gavrilyuk,[37] C. Gay,[164]
G. Gaycken,[48] E. N. Gazis,[10] A. A. Geanta,[27b] C. M. Gee,[136] A. Gekow,[119] C. Gemme,[57b] M. H. Genest,[60]
A. D. Gentry,[112] S. George,[95] W. F. George,[20] T. Geralis,[46] P. Gessinger-Befurt,[36] M. E. Geyik,[171] M. Ghani,[167]
M. Ghneimat,[141] K. Ghorbanian,[94] A. Ghosal,[141] A. Ghosh,[159] A. Ghosh,[7] B. Giacobbe,[23b] S. Giagu,[75a,75b]
T. Giani,[114] P. Giannetti,[74a] A. Giannini,[62a] S. M. Gibson,[95] M. Gignac,[136] D. T. Gil,[86b] A. K. Gilbert,[86a]
B. J. Gilbert,[41] D. Gillberg,[34] G. Gilles,[114] L. Ginabat,[127] D. M. Gingrich,[2,e] M. P. Giordani,[69a,69c]
P. F. Giraud,[135] G. Giugliarelli,[69a,69c] D. Giugni,[71a] F. Giuli,[36] I. Gkialas,[9,s] L. K. Gladilin,[37] C. Glasman,[99]

G. R. Gledhill,[123] G. Glemža,[48] M. Glisic,[123] I. Gnesi,[43b,u] Y. Go,[29] M. Goblirsch-Kolb,[36] B. Gocke,[49] D. Godin,[108] B. Gokturk,[21a] S. Goldfarb,[105] T. Golling,[56] M. G. D. Gololo,[33g] D. Golubkov,[37] J. P. Gombas,[107] A. Gomes,[130a,130b] G. Gomes Da Silva,[141] A. J. Gomez Delegido,[163] R. Gonçalo,[130a,130c] L. Gonella,[20] A. Gongadze,[149c] F. Gonnella,[20] J. L. Gonski,[143] R. Y. González Andana,[52] S. González de la Hoz,[163] R. Gonzalez Lopez,[92] C. Gonzalez Renteria,[17a] M. V. Gonzalez Rodrigues,[48] R. Gonzalez Suarez,[161] S. Gonzalez-Sevilla,[56] G. R. Gonzalvo Rodriguez,[163] L. Goossens,[36] B. Gorini,[36] E. Gorini,[70a,70b] A. Gorišek,[93] T. C. Gosart,[128] A. T. Goshaw,[51] M. I. Gostkin,[38] S. Goswami,[121] C. A. Gottardo,[36] S. A. Gotz,[109] M. Gouighri,[35b] V. Goumarre,[48] A. G. Goussiou,[138] N. Govender,[33c] I. Grabowska-Bold,[86a] K. Graham,[34] E. Gramstad,[125] S. Grancagnolo,[70a,70b] C. M. Grant,[1,135] P. M. Gravila,[27f] F. G. Gravili,[70a,70b] H. M. Gray,[17a] M. Greco,[70a,70b] C. Grefe,[24] I. M. Gregor,[48] P. Grenier,[143] S. G. Grewe,[110] A. A. Grillo,[136] K. Grimm,[31] S. Grinstein,[13,v] J.-F. Grivaz,[66] E. Gross,[169] J. Grosse-Knetter,[55] J. C. Grundy,[126] L. Guan,[106] C. Gubbels,[164] J. G. R. Guerrero Rojas,[163] G. Guerrieri,[69a,69c] F. Guescini,[110] R. Gugel,[100] J. A. M. Guhit,[106] A. Guida,[18] E. Guilloton,[167] S. Guindon,[36] F. Guo,[14a,14e] J. Guo,[62c] L. Guo,[48] Y. Guo,[106] R. Gupta,[48] R. Gupta,[129] S. Gurbuz,[24] S. S. Gurdasani,[54] G. Gustavino,[36] M. Guth,[56] P. Gutierrez,[120] L. F. Gutierrez Zagazeta,[128] M. Gutsche,[50] C. Gutschow,[96] C. Gwenlan,[126] C. B. Gwilliam,[92] E. S. Haaland,[125] A. Haas,[117] M. Habedank,[48] C. Haber,[17a] H. K. Hadavand,[8] A. Hadef,[50] S. Hadzic,[110] A. I. Hagan,[91] J. J. Hahn,[141] E. H. Haines,[96] M. Haleem,[166] J. Haley,[121] J. J. Hall,[139] G. D. Hallewell,[102] L. Halser,[19] K. Hamano,[165] M. Hamer,[24] G. N. Hamity,[52] E. J. Hampshire,[95] J. Han,[62b] K. Han,[62a] L. Han,[14c] L. Han,[62a] S. Han,[17a] Y. F. Han,[155] K. Hanagaki,[84] M. Hance,[136] D. A. Hangal,[41] H. Hanif,[142] M. D. Hank,[128] J. B. Hansen,[42] P. H. Hansen,[42] K. Hara,[157] D. Harada,[56] T. Harenberg,[171] S. Harkusha,[37] M. L. Harris,[103] Y. T. Harris,[126] J. Harrison,[13] N. M. Harrison,[119] P. F. Harrison,[167] N. M. Hartman,[110] N. M. Hartmann,[109] Y. Hasegawa,[140] R. Hauser,[107] C. M. Hawkes,[20] R. J. Hawkings,[36] Y. Hayashi,[153] S. Hayashida,[111] D. Hayden,[107] C. Hayes,[106] R. L. Hayes,[114] C. P. Hays,[126] J. M. Hays,[94] H. S. Hayward,[92] F. He,[62a] M. He,[14a,14e] Y. He,[154] Y. He,[48] Y. He,[96] N. B. Heatley,[94] V. Hedberg,[98] A. L. Heggelund,[125] N. D. Hehir,[94,a] C. Heidegger,[54] K. K. Heidegger,[54] W. D. Heidorn,[81] J. Heilman,[34] S. Heim,[48] T. Heim,[17a] J. G. Heinlein,[128] J. J. Heinrich,[123] L. Heinrich,[110,w] J. Hejbal,[131] A. Held,[170] S. Hellesund,[16] C. M. Helling,[164] S. Hellman,[47a,47b] R. C. W. Henderson,[91] L. Henkelmann,[32] A. M. Henriques Correia,[36] H. Herde,[98] Y. Hernández Jiménez,[145] L. M. Herrmann,[24] T. Herrmann,[50] G. Herten,[54] R. Hertenberger,[109] L. Hervas,[36] M. E. Hesping,[100] N. P. Hessey,[156a] E. Hill,[155] S. J. Hillier,[20] J. R. Hinds,[107] F. Hinterkeuser,[24] M. Hirose,[124] S. Hirose,[157] D. Hirschbuehl,[171] T. G. Hitchings,[101] B. Hiti,[93] J. Hobbs,[145] R. Hobincu,[27e] N. Hod,[169] M. C. Hodgkinson,[139] B. H. Hodkinson,[126] A. Hoecker,[36] D. D. Hofer,[106] J. Hofer,[48] T. Holm,[24] M. Holzbock,[110] L. B. A. H. Hommels,[32] B. P. Honan,[101] J. Hong,[62c] T. M. Hong,[129] B. H. Hooberman,[162] W. H. Hopkins,[6] Y. Horii,[111] S. Hou,[148] A. S. Howard,[93] J. Howarth,[59] J. Hoya,[6] M. Hrabovsky,[122] A. Hrynevich,[48] T. Hryn'ova,[4] P. J. Hsu,[65] S.-C. Hsu,[138] Q. Hu,[62a] S. Huang,[64b] X. Huang,[14c] X. Huang,[14a,14e] Y. Huang,[139] Y. Huang,[14a] Z. Huang,[101] Z. Hubacek,[132] M. Huebner,[24] F. Huegging,[24] T. B. Huffman,[126] C. A. Hugli,[48] M. Huhtinen,[36] S. K. Huiberts,[16] R. Hulsken,[104] N. Huseynov,[12] J. Huston,[107] J. Huth,[61] R. Hyneman,[143] G. Iacobucci,[56] G. Iakovidis,[29] I. Ibragimov,[141] L. Iconomidou-Fayard,[66] J. P. Iddon,[36] P. Iengo,[72a,72b] R. Iguchi,[153] T. Iizawa,[126] Y. Ikegami,[84] N. Ilic,[155] H. Imam,[35a] M. Ince Lezki,[56] T. Ingebretsen Carlson,[47a,47b] G. Introzzi,[73a,73b] M. Iodice,[77a] V. Ippolito,[75a,75b] R. K. Irwin,[92] M. Ishino,[153] W. Islam,[170] C. Issever,[18,48] S. Istin,[21a,x] H. Ito,[168] R. Iuppa,[78a,78b] A. Ivina,[169] J. M. Izen,[45] V. Izzo,[72a] P. Jacka,[131,132] P. Jackson,[1] B. P. Jaeger,[142] C. S. Jagfeld,[109] G. Jain,[156a] P. Jain,[54] K. Jakobs,[54] T. Jakoubek,[169] J. Jamieson,[59] K. W. Janas,[86a] M. Javurkova,[103] L. Jeanty,[123] J. Jejelava,[149a,y] P. Jenni,[54,z] C. E. Jessiman,[34] C. Jia,[62b] J. Jia,[145] X. Jia,[61] X. Jia,[14a,14e] Z. Jia,[14c] S. Jiggins,[48] J. Jimenez Pena,[13] S. Jin,[14c] A. Jinaru,[27b] O. Jinnouchi,[154] P. Johansson,[139] K. A. Johns,[7] J. W. Johnson,[136] D. M. Jones,[32] E. Jones,[48] P. Jones,[32] R. W. L. Jones,[91] T. J. Jones,[92] H. L. Joos,[55,36] R. Joshi,[119] J. Jovicevic,[15] X. Ju,[17a] J. J. Junggeburth,[103] T. Junkermann,[63a] A. Juste Rozas,[13,v] M. K. Juzek,[87] S. Kabana,[137e] A. Kaczmarska,[87] M. Kado,[110] H. Kagan,[119] M. Kagan,[143] A. Kahn,[41] A. Kahn,[128] C. Kahra,[100] T. Kaji,[153] E. Kajomovitz,[150] N. Kakati,[169] I. Kalaitzidou,[54] C. W. Kalderon,[29] N. J. Kang,[136] D. Kar,[33g] K. Karava,[126] M. J. Kareem,[156b] E. Karentzos,[54] I. Karkanias,[152] O. Karkout,[114] S. N. Karpov,[38] Z. M. Karpova,[38] V. Kartvelishvili,[91] A. N. Karyukhin,[37] E. Kasimi,[152] J. Katzy,[48] S. Kaur,[34] K. Kawade,[140] M. P. Kawale,[120] C. Kawamoto,[88]

T. Kawamoto[62a] E. F. Kay[36] F. I. Kaya[158] S. Kazakos[107] V. F. Kazanin[37] Y. Ke[145] J. M. Keaveney[33a] R. Keeler[165] G. V. Kehris[61] J. S. Keller[34] A. S. Kelly[96] J. J. Kempster[146] P. D. Kennedy[100] O. Kepka[131] B. P. Kerridge[134] S. Kersten[171] B. P. Kerševan[93] S. Keshri[66] L. Keszeghova[28a] S. Ketabchi Haghighat[155] R. A. Khan[129] A. Khanov[121] A. G. Kharlamov[37] T. Kharlamova[37] E. E. Khoda[138] M. Kholodenko[37] T. J. Khoo[18] G. Khoriauli[166] J. Khubua[149b] Y. A. R. Khwaira[66] B. Kibirige[33g] A. Kilgallon[123] D. W. Kim[47a,47b] Y. K. Kim[39] N. Kimura[96] M. K. Kingston[55] A. Kirchhoff[55] C. Kirfel[24] F. Kirfel[24] J. Kirk[134] A. E. Kiryunin[110] C. Kitsaki[10] O. Kivernyk[24] M. Klassen[63a] C. Klein[34] L. Klein[166] M. H. Klein[44] S. B. Klein[56] U. Klein[92] P. Klimek[36] A. Klimentov[29] T. Klioutchnikova[36] P. Kluit[114] S. Kluth[110] E. Kneringer[79] T. M. Knight[155] A. Knue[49] R. Kobayashi[88] D. Kobylianskii[169] S. F. Koch[126] M. Kocian[143] P. Kodyš[133] D. M. Koeck[123] P. T. Koenig[24] T. Koffas[34] O. Kolay[50] I. Koletsou[4] T. Komarek[122] K. Köneke[54] A. X. Y. Kong[1] T. Kono[118] N. Konstantinidis[96] P. Kontaxakis[56] B. Konya[98] R. Kopeliansky[68] S. Koperny[86a] K. Korcyl[87] K. Kordas[152,aa] A. Korn[96] S. Korn[55] I. Korolkov[13] N. Korotkova[37] B. Kortman[114] O. Kortner[110] S. Kortner[110] W. H. Kostecka[115] V. V. Kostyukhin[141] A. Kotsokechagia[135] A. Kotwal[51] A. Koulouris[36] A. Kourkoumeli-Charalampidi[73a,73b] C. Kourkoumelis[9] E. Kourlitis[110,w] O. Kovanda[123] R. Kowalewski[165] W. Kozanecki[135] A. S. Kozhin[37] V. A. Kramarenko[37] G. Kramberger[93] P. Kramer[100] M. W. Krasny[127] A. Krasznahorkay[36] J. W. Kraus[171] J. A. Kremer[48] T. Kresse[50] J. Kretzschmar[92] K. Kreul[18] P. Krieger[155] S. Krishnamurthy[103] M. Krivos[133] K. Krizka[20] K. Kroeninger[49] H. Kroha[110] J. Kroll[131] J. Kroll[128] K. S. Krowpman[107] U. Kruchonak[38] H. Krüger[24] N. Krumnack[81] M. C. Kruse[51] O. Kuchinskaia[37] S. Kuday[3a] S. Kuehn[36] R. Kuesters[54] T. Kuhl[48] V. Kukhtin[38] Y. Kulchitsky[37,k] S. Kuleshov[137d,137b] M. Kumar[33g] N. Kumari[48] P. Kumari[156b] A. Kupco[131] T. Kupfer[49] A. Kupich[37] O. Kuprash[54] H. Kurashige[85] L. L. Kurchaninov[156a] O. Kurdysh[66] Y. A. Kurochkin[37] A. Kurova[37] M. Kuze[154] A. K. Kvam[103] J. Kvita[122] T. Kwan[104] N. G. Kyriacou[106] L. A. O. Laatu[102] C. Lacasta[163] F. Lacava[75a,75b] H. Lacker[18] D. Lacour[127] N. N. Lad[96] E. Ladygin[38] B. Laforge[127] T. Lagouri[27b] F. Z. Lahbabi[35a] S. Lai[55] I. K. Lakomiec[86a] N. Lalloue[60] J. E. Lambert[165] S. Lammers[68] W. Lampl[7] C. Lampoudis[152,aa] G. Lamprinoudis[100] A. N. Lancaster[115] E. Lançon[29] U. Landgraf[54] M. P. J. Landon[94] V. S. Lang[54] O. K. B. Langrekken[125] A. J. Lankford[159] F. Lanni[36] K. Lantzsch[24] A. Lanza[73a] A. Lapertosa[57b,57a] J. F. Laporte[135] T. Lari[71a] F. Lasagni Manghi[23b] M. Lassnig[36] V. Latonova[131] A. Laudrain[100] A. Laurier[150] S. D. Lawlor[139] Z. Lawrence[101] R. Lazaridou[167] M. Lazzaroni[71a,71b] B. Le[101] E. M. Le Boulicaut[51] B. Leban[93] A. Lebedev[81] M. LeBlanc[101] F. Ledroit-Guillon[60] A. C. A. Lee[96] S. C. Lee[148] S. Lee[47a,47b] T. F. Lee[92] L. L. Leeuw[33c] H. P. Lefebvre[95] M. Lefebvre[165] C. Leggett[17a] G. Lehmann Miotto[36] M. Leigh[56] W. A. Leight[103] W. Leinonen[113] A. Leisos[152,bb] M. A. L. Leite[83c] C. E. Leitgeb[18] R. Leitner[133] K. J. C. Leney[44] T. Lenz[24] S. Leone[74a] C. Leonidopoulos[52] A. Leopold[144] C. Leroy[108] R. Les[107] C. G. Lester[32] M. Levchenko[37] J. Levêque[4] L. J. Levinson[169] G. Levrini[23b,23a] M. P. Lewicki[87] D. J. Lewis[4] A. Li[5] B. Li[62b] C. Li[62a] C-Q. Li[110] H. Li[62a] H. Li[62b] H. Li[14c] H. Li[14b] H. Li[62b] J. Li[62c] K. Li[138] L. Li[62c] M. Li[14a,14e] Q. Y. Li[62a] S. Li[14a,14e] S. Li[62d,62c,cc] T. Li[5] X. Li[104] Z. Li[126] Z. Li[104] Z. Li[14a,14e] S. Liang[14a,14e] Z. Liang[14a] M. Liberatore[135] B. Liberti[76a] K. Lie[64c] J. Lieber Marin[83b] H. Lien[68] K. Lin[107] R. E. Lindley[7] J. H. Lindon[2] E. Lipeles[128] A. Lipniacka[16] A. Lister[164] J. D. Little[4] B. Liu[14a] B. X. Liu[142] D. Liu[62d,62c] J. B. Liu[62a] J. K. K. Liu[32] K. Liu[62d,62c] M. Liu[62a] M. Y. Liu[62a] P. Liu[14a] Q. Liu[62d,138,62c] X. Liu[62a] X. Liu[62b] Y. Liu[14d,14e] Y. L. Liu[62b] Y. W. Liu[62a] J. Llorente Merino[142] S. L. Lloyd[94] E. M. Lobodzinska[48] P. Loch[7] T. Lohse[18] K. Lohwasser[139] E. Loiacono[48] M. Lokajicek[131,a] J. D. Lomas[20] J. D. Long[162] I. Longarini[159] L. Longo[70a,70b] R. Longo[162] I. Lopez Paz[67] A. Lopez Solis[48] N. Lorenzo Martinez[4] A. M. Lory[109] G. Löschcke Centeno[146] O. Loseva[37] X. Lou[47a,47b] X. Lou[14a,14e] A. Lounis[66] P. A. Love[91] G. Lu[14a,14e] M. Lu[80] S. Lu[128] Y. J. Lu[65] H. J. Lubatti[138] C. Luci[75a,75b] F. L. Lucio Alves[14c] F. Luehring[68] I. Luise[145] O. Lukianchuk[66] O. Lundberg[144] B. Lund-Jensen[144] N. A. Luongo[6] M. S. Lutz[36] A. B. Lux[25] D. Lynn[29] R. Lysak[131] E. Lytken[98] V. Lyubushkin[38] T. Lyubushkina[38] M. M. Lyukova[145] H. Ma[29] K. Ma[62a] L. L. Ma[62b] W. Ma[62a] Y. Ma[121] D. M. Mac Donell[165] G. Maccarrone[53] J. C. MacDonald[100] P. C. Machado De Abreu Farias[83b] R. Madar[40] W. F. Mader[50] T. Madula[96] J. Maeda[85] T. Maeno[29] H. Maguire[139] V. Maiboroda[135] A. Maio[130a,130b,130d] K. Maj[86a] O. Majersky[48] S. Majewski[123] N. Makovec[66]

V. Maksimovic,[15] B. Malaescu,[127] Pa. Malecki,[87] V. P. Maleev,[37] F. Malek,[60,dd] M. Mali,[93] D. Malito,[95] U. Mallik,[80] S. Maltezos,[10] S. Malyukov,[38] J. Mamuzic,[13] G. Mancini,[53] M. N. Mancini,[26] G. Manco,[73a,73b] J. P. Mandalia,[94] I. Mandić,[93] L. Manhaes de Andrade Filho,[83a] I. M. Maniatis,[169] J. Manjarres Ramos,[102,ee] D. C. Mankad,[169] A. Mann,[109] S. Manzoni,[36] L. Mao,[62c] X. Mapekula,[33c] A. Marantis,[152,bb] G. Marchiori,[5] M. Marcisovsky,[131] C. Marcon,[71a] M. Marinescu,[20] S. Marium,[48] M. Marjanovic,[120] M. Markovitch,[66] E. J. Marshall,[91] Z. Marshall,[17a] S. Marti-Garcia,[163] T. A. Martin,[167] V. J. Martin,[52] B. Martin dit Latour,[16] L. Martinelli,[75a,75b] M. Martinez,[13,v] P. Martinez Agullo,[163] V. I. Martinez Outschoorn,[103] P. Martinez Suarez,[13] S. Martin-Haugh,[134] V. S. Martoiu,[27b] A. C. Martyniuk,[96] A. Marzin,[36] D. Mascione,[78a,78b] L. Masetti,[100] T. Mashimo,[153] J. Masik,[101] A. L. Maslennikov,[37] P. Massarotti,[72a,72b] P. Mastrandrea,[74a,74b] A. Mastroberardino,[43b,43a] T. Masubuchi,[153] T. Mathisen,[161] J. Matousek,[133] N. Matsuzawa,[153] J. Maurer,[27b] B. Maček,[93] D. A. Maximov,[37] R. Mazini,[148] I. Maznas,[115] M. Mazza,[107] S. M. Mazza,[136] E. Mazzeo,[71a,71b] C. Mc Ginn,[29] J. P. Mc Gowan,[104] S. P. Mc Kee,[106] C. C. McCracken,[164] E. F. McDonald,[105] A. E. McDougall,[114] J. A. Mcfayden,[146] R. P. McGovern,[128] G. Mchedlidze,[149b] R. P. Mckenzie,[33g] T. C. Mclachlan,[48] D. J. Mclaughlin,[96] S. J. McMahon,[134] C. M. Mcpartland,[92] R. A. McPherson,[165,o] S. Mehlhase,[109] A. Mehta,[92] D. Melini,[163] B. R. Mellado Garcia,[33g] A. H. Melo,[55] F. Meloni,[48] A. M. Mendes Jacques Da Costa,[101] H. Y. Meng,[155] L. Meng,[91] S. Menke,[110] M. Mentink,[36] E. Meoni,[43b,43a] G. Mercado,[115] C. Merlassino,[69a,69c] L. Merola,[72a,72b] C. Meroni,[71a,71b] J. Metcalfe,[6] A. S. Mete,[6] C. Meyer,[68] J-P. Meyer,[135] R. P. Middleton,[134] L. Mijović,[52] G. Mikenberg,[169] M. Mikestikova,[131] M. Mikuž,[93] H. Mildner,[100] A. Milic,[36] D. W. Miller,[39] E. H. Miller,[143] L. S. Miller,[34] A. Milov,[169] D. A. Milstead,[47a,47b] T. Min,[14c] A. A. Minaenko,[37] I. A. Minashvili,[149b] L. Mince,[59] A. I. Mincer,[117] B. Mindur,[86a] M. Mineev,[38] Y. Mino,[88] L. M. Mir,[13] M. Miralles Lopez,[59] M. Mironova,[17a] A. Mishima,[153] M. C. Missio,[113] A. Mitra,[167] V. A. Mitsou,[163] Y. Mitsumori,[111] O. Miu,[155] P. S. Miyagawa,[94] T. Mkrtchyan,[63a] M. Mlinarevic,[96] T. Mlinarevic,[96] M. Mlynarikova,[36] S. Mobius,[19] P. Mogg,[109] M. H. Mohamed Farook,[112] A. F. Mohammed,[14a,14e] S. Mohapatra,[41] G. Mokgatitswane,[33g] L. Moleri,[169] B. Mondal,[141] S. Mondal,[132] K. Mönig,[48] E. Monnier,[102] L. Monsonis Romero,[163] J. Montejo Berlingen,[13] M. Montella,[119] F. Montereali,[77a,77b] F. Monticelli,[90] S. Monzani,[69a,69c] N. Morange,[66] A. L. Moreira De Carvalho,[130a] M. Moreno Llácer,[163] C. Moreno Martinez,[56] P. Morettini,[57b] S. Morgenstern,[36] M. Morii,[61] M. Morinaga,[153] F. Morodei,[75a,75b] L. Morvaj,[36] P. Moschovakos,[36] B. Moser,[36] M. Mosidze,[149b] T. Moskalets,[54] P. Moskvitina,[113] J. Moss,[31,ff] A. Moussa,[35d] E. J. W. Moyse,[103] O. Mtintsilana,[33g] S. Muanza,[102] J. Mueller,[129] D. Muenstermann,[91] R. Müller,[19] G. A. Mullier,[161] A. J. Mullin,[32] J. J. Mullin,[128] D. P. Mungo,[155] D. Munoz Perez,[163] F. J. Munoz Sanchez,[101] M. Murin,[101] W. J. Murray,[167,134] M. Muškinja,[93] C. Mwewa,[29] A. G. Myagkov,[37,k] A. J. Myers,[8] G. Myers,[106] M. Myska,[132] B. P. Nachman,[17a] O. Nackenhorst,[49] K. Nagai,[126] K. Nagano,[84] J. L. Nagle,[29,p] E. Nagy,[102] A. M. Nairz,[36] Y. Nakahama,[84] K. Nakamura,[84] K. Nakkalil,[5] H. Nanjo,[124] R. Narayan,[44] E. A. Narayanan,[112] I. Naryshkin,[37] M. Naseri,[34] S. Nasri,[116b] C. Nass,[24] G. Navarro,[22a] J. Navarro-Gonzalez,[163] R. Nayak,[151] A. Nayaz,[18] P. Y. Nechaeva,[37] F. Nechansky,[48] L. Nedic,[126] T. J. Neep,[20] A. Negri,[73a,73b] M. Negrini,[23b] C. Nellist,[114] C. Nelson,[104] K. Nelson,[106] S. Nemecek,[131] M. Nessi,[36,gg] M. S. Neubauer,[162] F. Neuhaus,[100] J. Neundorf,[48] R. Newhouse,[164] P. R. Newman,[20] C. W. Ng,[129] Y. W. Y. Ng,[48] B. Ngair,[116a] H. D. N. Nguyen,[108] R. B. Nickerson,[126] R. Nicolaidou,[135] J. Nielsen,[136] M. Niemeyer,[55] J. Niermann,[55] N. Nikiforou,[36] V. Nikolaenko,[37,k] I. Nikolic-Audit,[127] K. Nikolopoulos,[20] P. Nilsson,[29] I. Ninca,[48] H. R. Nindhito,[56] G. Ninio,[151] A. Nisati,[75a] N. Nishu,[2] R. Nisius,[110] J-E. Nitschke,[50] E. K. Nkadimeng,[33g] T. Nobe,[153] D. L. Noel,[32] T. Nommensen,[147] M. B. Norfolk,[139] R. R. B. Norisam,[96] B. J. Norman,[34] M. Noury,[35a] J. Novak,[93] T. Novak,[48] L. Novotny,[132] R. Novotny,[112] L. Nozka,[122] K. Ntekas,[159] N. M. J. Nunes De Moura Junior,[83b] J. Ocariz,[127] A. Ochi,[85] I. Ochoa,[130a] S. Oerdek,[48,hh] J. T. Offermann,[39] A. Ogrodnik,[133] A. Oh,[101] C. C. Ohm,[144] H. Oide,[84] R. Oishi,[153] M. L. Ojeda,[48] Y. Okumura,[153] L. F. Oleiro Seabra,[130a] S. A. Olivares Pino,[137d] D. Oliveira Damazio,[29] D. Oliveira Goncalves,[83a] J. L. Oliver,[159] Ö. O. Öncel,[54] A. P. O'Neill,[19] A. Onofre,[130a,130e] P. U. E. Onyisi,[11] M. J. Oreglia,[39] G. E. Orellana,[90] D. Orestano,[77a,77b] N. Orlando,[13] R. S. Orr,[155] V. O'Shea,[59] L. M. Osojnak,[128] R. Ospanov,[62a] G. Otero y Garzon,[30] H. Otono,[89] P. S. Ott,[63a] G. J. Ottino,[17a] M. Ouchrif,[35d] F. Ould-Saada,[125] M. Owen,[59] R. E. Owen,[134] K. Y. Oyulmaz,[21a] V. E. Ozcan,[21a] F. Ozturk,[87] N. Ozturk,[8] S. Ozturk,[82] H. A. Pacey,[126] A. Pacheco Pages,[13] C. Padilla Aranda,[13]

G. Padovano[75a,75b] S. Pagan Griso[17a] G. Palacino[68] A. Palazzo[70a,70b] J. Pampel[24] J. Pan[172] T. Pan[64a] D. K. Panchal[11] C. E. Pandini[114] J. G. Panduro Vazquez[95] H. D. Pandya[1] H. Pang[14b] P. Pani[48] G. Panizzo[69a,69c] L. Panwar[127] L. Paolozzi[56] S. Parajuli[162] A. Paramonov[6] C. Paraskevopoulos[53] D. Paredes Hernandez[64b] A. Pareti[73a,73b] K. R. Park[41] T. H. Park[155] M. A. Parker[32] F. Parodi[57b,57a] E. W. Parrish[115] V. A. Parrish[52] J. A. Parsons[41] U. Parzefall[54] B. Pascual Dias[108] L. Pascual Dominguez[151] E. Pasqualucci[75a] S. Passaggio[57b] F. Pastore[95] P. Patel[87] U. M. Patel[51] J. R. Pater[101] T. Pauly[36] C. I. Pazos[158] J. Pearkes[143] M. Pedersen[125] R. Pedro[130a] S. V. Peleganchuk[37] O. Penc[36] E. A. Pender[52] G. D. Penn[172] K. E. Penski[109] M. Penzin[37] B. S. Peralva[83d] A. P. Pereira Peixoto[138] L. Pereira Sanchez[143] D. V. Perepelitsa[29,p] E. Perez Codina[156a] M. Perganti[10] H. Pernegger[36] O. Perrin[40] K. Peters[48] R. F. Y. Peters[101] B. A. Petersen[36] T. C. Petersen[42] E. Petit[102] V. Petousis[132] C. Petridou[152,aa] T. Petru[133] A. Petrukhin[141] M. Pettee[17a] N. E. Pettersson[36] A. Petukhov[37] K. Petukhova[133] R. Pezoa[137f] L. Pezzotti[36] G. Pezzullo[172] T. M. Pham[170] T. Pham[105] P. W. Phillips[134] G. Piacquadio[145] E. Pianori[17a] F. Piazza[123] R. Piegaia[30] D. Pietreanu[27b] A. D. Pilkington[101] M. Pinamonti[69a,69c] J. L. Pinfold[2] B. C. Pinheiro Pereira[130a] A. E. Pinto Pinoargote[100,135] L. Pintucci[69a,69c] K. M. Piper[146] A. Pirttikoski[56] D. A. Pizzi[34] L. Pizzimento[64b] A. Pizzini[114] M.-A. Pleier[29] V. Plesanovs[54] V. Pleskot[133] E. Plotnikova[38] G. Poddar[94] R. Poettgen[98] L. Poggioli[127] I. Pokharel[55] S. Polacek[133] G. Polesello[73a] A. Poley[142,156a] A. Polini[23b] C. S. Pollard[167] Z. B. Pollock[119] E. Pompa Pacchi[75a,75b] D. Ponomarenko[113] L. Pontecorvo[36] S. Popa[27a] G. A. Popeneciu[27d] A. Poreba[36] D. M. Portillo Quintero[156a] S. Pospisil[132] M. A. Postill[139] P. Postolache[27c] K. Potamianos[167] P. A. Potepa[86a] I. N. Potrap[38] C. J. Potter[32] H. Potti[1] T. Poulsen[48] J. Poveda[163] M. E. Pozo Astigarraga[36] A. Prades Ibanez[163] J. Pretel[54] D. Price[101] M. Primavera[70a] M. A. Principe Martin[99] R. Privara[122] T. Procter[59] M. L. Proffitt[138] N. Proklova[128] K. Prokofiev[64c] G. Proto[110] J. Proudfoot[6] M. Przybycien[86a] W. W. Przygoda[86b] A. Psallidas[46] J. E. Puddefoot[139] D. Pudzha[37] D. Pyatiizbyantseva[37] J. Qian[106] D. Qichen[101] Y. Qin[101] T. Qiu[52] A. Quadt[55] M. Queitsch-Maitland[101] G. Quetant[56] R. P. Quinn[164] G. Rabanal Bolanos[61] D. Rafanoharana[54] F. Ragusa[71a,71b] J. L. Rainbolt[39] J. A. Raine[56] S. Rajagopalan[29] E. Ramakoti[37] I. A. Ramirez-Berend[34] K. Ran[48,14e] N. P. Rapheeha[33g] H. Rasheed[27b] V. Raskina[127] D. F. Rassloff[63a] A. Rastogi[17a] S. Rave[100] B. Ravina[55] I. Ravinovich[169] M. Raymond[36] A. L. Read[125] N. P. Readioff[139] D. M. Rebuzzi[73a,73b] G. Redlinger[29] A. S. Reed[110] K. Reeves[26] J. A. Reidelsturz[171] D. Reikher[151] A. Rej[49] C. Rembser[36] M. Renda[27b] M. B. Rendel[110] F. Renner[48] A. G. Rennie[159] A. L. Rescia[48] S. Resconi[71a] M. Ressegotti[57b,57a] S. Rettie[36] J. G. Reyes Rivera[107] E. Reynolds[17a] O. L. Rezanova[37] P. Reznicek[133] H. Riani[35d] N. Ribaric[91] E. Ricci[78a,78b] R. Richter[110] S. Richter[47a,47b] E. Richter-Was[86b] M. Ridel[127] S. Ridouani[35d] P. Rieck[117] P. Riedler[36] E. M. Riefel[47a,47b] J. O. Rieger[114] M. Rijssenbeek[145] M. Rimoldi[36] L. Rinaldi[23b,23a] T. T. Rinn[29] M. P. Rinnagel[109] G. Ripellino[161] I. Riu[13] J. C. Rivera Vergara[165] F. Rizatdinova[121] E. Rizvi[94] B. R. Roberts[17a] S. H. Robertson[104,o] D. Robinson[32] C. M. Robles Gajardo[137f] M. Robles Manzano[100] A. Robson[59] A. Rocchi[76a,76b] C. Roda[74a,74b] S. Rodriguez Bosca[36] Y. Rodriguez Garcia[22a] A. Rodriguez Rodriguez[54] A. M. Rodríguez Vera[156b] S. Roe[36] J. T. Roemer[159] A. R. Roepe-Gier[136] J. Roggel[171] O. Røhne[125] R. A. Rojas[103] C. P. A. Roland[127] J. Roloff[29] A. Romaniouk[37] E. Romano[73a,73b] M. Romano[23b] A. C. Romero Hernandez[162] N. Rompotis[92] L. Roos[127] S. Rosati[75a] B. J. Rosser[39] E. Rossi[126] E. Rossi[72a,72b] L. P. Rossi[61] L. Rossini[54] R. Rosten[119] M. Rotaru[27b] B. Rottler[54] C. Rougier[102] D. Rousseau[66] D. Rousso[32] A. Roy[162] S. Roy-Garand[155] A. Rozanov[102] Z. M. A. Rozario[59] Y. Rozen[150] A. Rubio Jimenez[163] A. J. Ruby[92] V. H. Ruelas Rivera[18] T. A. Ruggeri[1] A. Ruggiero[126] A. Ruiz-Martinez[163] A. Rummler[36] Z. Rurikova[54] N. A. Rusakovich[38] H. L. Russell[165] G. Russo[75a,75b] J. P. Rutherfoord[7] S. Rutherford Colmenares[32] K. Rybacki[91] M. Rybar[133] E. B. Rye[125] A. Ryzhov[44] J. A. Sabater Iglesias[56] P. Sabatini[163] H. F.-W. Sadrozinski[136] F. Safai Tehrani[75a] B. Safarzadeh Samani[134] M. Safdari[143] S. Saha[165] M. Sahinsoy[110] A. Saibel[163] M. Saimpert[135] M. Saito[153] T. Saito[153] D. Salamani[36] A. Salnikov[143] J. Salt[163] A. Salvador Salas[151] D. Salvatore[43b,43a] F. Salvatore[146] A. Salzburger[36] D. Sammel[54] D. Sampsonidis[152,aa] D. Sampsonidou[123] J. Sánchez[163] V. Sanchez Sebastian[163] H. Sandaker[125] C. O. Sander[48] J. A. Sandesara[103] M. Sandhoff[171] C. Sandoval[22b] D. P. C. Sankey[134] T. Sano[88] A. Sansoni[53] L. Santi[75a,75b] C. Santoni[40] H. Santos[130a,130b] A. Santra[169] K. A. Saoucha[160] J. G. Saraiva[130a,130d] J. Sardain[7] O. Sasaki[84] K. Sato[157] C. Sauer[63b] F. Sauerburger[54] E. Sauvan[4]

P. Savard[155,e] R. Sawada[153] C. Sawyer[134] L. Sawyer[97] I. Sayago Galvan[163] C. Sbarra[23b] A. Sbrizzi[23b,23a] T. Scanlon[96] J. Schaarschmidt[138] U. Schäfer[100] A. C. Schaffer[66,44] D. Schaile[109] R. D. Schamberger[145] C. Scharf[18] M. M. Schefer[19] V. A. Schegelsky[37] D. Scheirich[133] F. Schenck[18] M. Schernau[159] C. Scheulen[55] C. Schiavi[57b,57a] M. Schioppa[43b,43a] B. Schlag[143,t] K. E. Schleicher[54] S. Schlenker[36] J. Schmeing[171] M. A. Schmidt[171] K. Schmieden[100] C. Schmitt[100] N. Schmitt[100] S. Schmitt[48] L. Schoeffel[135] A. Schoening[63b] P. G. Scholer[34] E. Schopf[126] M. Schott[100] J. Schovancova[36] S. Schramm[56] T. Schroer[56] H-C. Schultz-Coulon[63a] M. Schumacher[54] B. A. Schumm[136] Ph. Schune[135] A. J. Schuy[138] H. R. Schwartz[136] A. Schwartzman[143] T. A. Schwarz[106] Ph. Schwemling[135] R. Schwienhorst[107] A. Sciandra[136] G. Sciolla[26] F. Scuri[74a] C. D. Sebastiani[92] K. Sedlaczek[115] P. Seema[18] S. C. Seidel[112] A. Seiden[136] B. D. Seidlitz[41] C. Seitz[48] J. M. Seixas[83b] G. Sekhniaidze[72a] L. Selem[60] N. Semprini-Cesari[23b,23a] D. Sengupta[56] V. Senthilkumar[163] L. Serin[66] L. Serkin[69a,69b] M. Sessa[76a,76b] H. Severini[120] F. Sforza[57b,57a] A. Sfyrla[56] Q. Sha[14a] E. Shabalina[55] R. Shaheen[144] J. D. Shahinian[128] D. Shaked Renous[169] L. Y. Shan[14a] M. Shapiro[17a] A. Sharma[36] A. S. Sharma[164] P. Sharma[80] P. B. Shatalov[37] K. Shaw[146] S. M. Shaw[101] A. Shcherbakova[37] Q. Shen[62c,5] D. J. Sheppard[142] P. Sherwood[96] L. Shi[96] X. Shi[14a] C. O. Shimmin[172] J. D. Shinner[95] I. P. J. Shipsey[126] S. Shirabe[89] M. Shiyakova[38,ii] J. Shlomi[169] M. J. Shochet[39] J. Shojaii[105] D. R. Shope[125] B. Shrestha[120] S. Shrestha[119,jj] E. M. Shrif[33g] M. J. Shroff[165] P. Sicho[131] A. M. Sickles[162] E. Sideras Haddad[33g] A. Sidoti[23b] F. Siegert[50] Dj. Sijacki[15] F. Sili[90] J. M. Silva[52] M. V. Silva Oliveira[29] S. B. Silverstein[47a] S. Simion[66] R. Simoniello[36] E. L. Simpson[59] H. Simpson[146] L. R. Simpson[106] N. D. Simpson[98] S. Simsek[82] S. Sindhu[55] P. Sinervo[155] S. Singh[155] S. Sinha[48] S. Sinha[101] M. Sioli[23b,23a] I. Siral[36] E. Sitnikova[48] J. Sjölin[47a,47b] A. Skaf[55] E. Skorda[20] P. Skubic[120] M. Slawinska[87] V. Smakhtin[169] B. H. Smart[134] S. Yu. Smirnov[37] Y. Smirnov[37] L. N. Smirnova[37,k] O. Smirnova[98] A. C. Smith[41] E. A. Smith[39] H. A. Smith[126] J. L. Smith[92] R. Smith[143] M. Smizanska[91] K. Smolek[132] A. A. Snesarev[37] S. R. Snider[155] H. L. Snoek[114] S. Snyder[29] R. Sobie[165,o] A. Soffer[151] C. A. Solans Sanchez[36] E. Yu. Soldatov[37] U. Soldevila[163] A. A. Solodkov[37] S. Solomon[26] A. Soloshenko[38] K. Solovieva[54] O. V. Solovyanov[40] V. Solovyev[37] P. Sommer[36] A. Sonay[13] W. Y. Song[156b] A. Sopczak[132] A. L. Sopio[96] F. Sopkova[28b] J. D. Sorenson[112] I. R. Sotarriva Alvarez[154] V. Sothilingam[63a] O. J. Soto Sandoval[137c,137b] S. Sottocornola[68] R. Soualah[160] Z. Soumaimi[35e] D. South[48] N. Soybelman[169] S. Spagnolo[70a,70b] M. Spalla[110] D. Sperlich[54] G. Spigo[36] S. Spinali[91] D. P. Spiteri[59] M. Spousta[133] E. J. Staats[34] R. Stamen[63a] A. Stampekis[20] M. Standke[24] E. Stanecka[87] M. V. Stange[50] B. Stanislaus[17a] M. M. Stanitzki[48] B. Stapf[48] E. A. Starchenko[37] G. H. Stark[136] J. Stark[102,ee] P. Staroba[131] P. Starovoitov[63a] S. Stärz[104] R. Staszewski[87] G. Stavropoulos[46] J. Steentoft[161] P. Steinberg[29] B. Stelzer[142,156a] H. J. Stelzer[129] O. Stelzer-Chilton[156a] H. Stenzel[58] T. J. Stevenson[146] G. A. Stewart[36] J. R. Stewart[121] M. C. Stockton[36] G. Stoicea[27b] M. Stolarski[130a] S. Stonjek[110] A. Straessner[50] J. Strandberg[144] S. Strandberg[47a,47b] M. Stratmann[171] M. Strauss[120] T. Strebler[102] P. Strizenec[28b] R. Ströhmer[166] D. M. Strom[123] R. Stroynowski[44] A. Strubig[47a,47b] S. A. Stucci[29] B. Stugu[16] J. Stupak[120] N. A. Styles[48] D. Su[143] S. Su[62a] W. Su[62d] X. Su[62a] D. Suchy[28a] K. Sugizaki[153] V. V. Sulin[37] M. J. Sullivan[92] D. M. S. Sultan[126] L. Sultanaliyeva[37] S. Sultansoy[3b] T. Sumida[88] S. Sun[106] S. Sun[170] O. Sunneborn Gudnadottir[161] N. Sur[102] M. R. Sutton[146] H. Suzuki[157] M. Svatos[131] M. Swiatlowski[156a] T. Swirski[166] I. Sykora[28a] M. Sykora[133] T. Sykora[133] D. Ta[100] K. Tackmann[48,hh] A. Taffard[159] R. Tafirout[156a] J. S. Tafoya Vargas[66] Y. Takubo[84] M. Talby[102] A. A. Talyshev[37] K. C. Tam[64b] N. M. Tamir[151] A. Tanaka[153] J. Tanaka[153] R. Tanaka[66] M. Tanasini[57b,57a] Z. Tao[164] S. Tapia Araya[137f] S. Tapprogge[100] A. Tarek Abouelfadl Mohamed[107] S. Tarem[150] K. Tariq[14a] G. Tarna[102,27b] G. F. Tartarelli[71a] P. Tas[133] M. Tasevsky[131] E. Tassi[43b,43a] A. C. Tate[162] G. Tateno[153] Y. Tayalati[35e,kk] G. N. Taylor[105] W. Taylor[156b] A. S. Tee[170] R. Teixeira De Lima[143] P. Teixeira-Dias[95] J. J. Teoh[155] K. Terashi[153] J. Terron[99] S. Terzo[13] M. Testa[53] R. J. Teuscher[155,o] A. Thaler[79] O. Theiner[56] N. Themistokleous[52] T. Theveneaux-Pelzer[102] O. Thielmann[171] D. W. Thomas[95] J. P. Thomas[20] E. A. Thompson[17a] P. D. Thompson[20] E. Thomson[128] Y. Tian[55] V. Tikhomirov[37,k] Yu. A. Tikhonov[37] S. Timoshenko[37] D. Timoshyn[133] E. X. L. Ting[1] P. Tipton[172] S. H. Tlou[33g] A. Tnourji[40] K. Todome[154] S. Todorova-Nova[133] S. Todt[50] M. Togawa[84] J. Tojo[89] S. Tokár[28a] K. Tokushuku[84] O. Toldaiev[68] R. Tombs[32] M. Tomoto[84,111] L. Tompkins[143,t] K. W. Topolnicki[86b] E. Torrence[123]

H. Torres,[102,ee] E. Torró Pastor,[163] M. Toscani,[30] C. Tosciri,[39] M. Tost,[11] D. R. Tovey,[139] A. Traet,[16] I. S. Trandafir,[27b] T. Trefzger,[166] A. Tricoli,[29] I. M. Trigger,[156a] S. Trincaz-Duvoid,[127] D. A. Trischuk,[26] B. Trocmé,[60] L. Truong,[33c] M. Trzebinski,[87] A. Trzupek,[87] F. Tsai,[145] M. Tsai,[106] A. Tsiamis,[152,aa] P. V. Tsiareshka,[37] S. Tsigaridas,[156a] A. Tsirigotis,[152,bb] V. Tsiskaridze,[155] E. G. Tskhadadze,[149a] M. Tsopoulou,[152] Y. Tsujikawa,[88] I. I. Tsukerman,[37] V. Tsulaia,[17a] S. Tsuno,[84] K. Tsuri,[118] D. Tsybychev,[145] Y. Tu,[64b] A. Tudorache,[27b] V. Tudorache,[27b] A. N. Tuna,[61] S. Turchikhin,[57b,57a] I. Turk Cakir,[3a] R. Turra,[71a] T. Turtuvshin,[38,ll] P. M. Tuts,[41] S. Tzamarias,[152,aa] P. Tzanis,[10] E. Tzovara,[100] F. Ukegawa,[157] P. A. Ulloa Poblete,[137c,137b] E. N. Umaka,[29] G. Unal,[36] M. Unal,[11] A. Undrus,[29] G. Unel,[159] J. Urban,[28b] P. Urquijo,[105] P. Urrejola,[137a] G. Usai,[8] R. Ushioda,[154] M. Usman,[108] Z. Uysal,[82] V. Vacek,[132] B. Vachon,[104] K. O. H. Vadla,[125] T. Vafeiadis,[36] A. Vaitkus,[96] C. Valderanis,[109] E. Valdes Santurio,[47a,47b] M. Valente,[156a] S. Valentinetti,[23b,23a] A. Valero,[163] E. Valiente Moreno,[163] A. Vallier,[102,ee] J. A. Valls Ferrer,[163] D. R. Van Arneman,[114] T. R. Van Daalen,[138] A. Van Der Graaf,[49] P. Van Gemmeren,[6] M. Van Rijnbach,[125] S. Van Stroud,[96] I. Van Vulpen,[114] M. Vanadia,[76a,76b] W. Vandelli,[36] E. R. Vandewall,[121] D. Vannicola,[151] L. Vannoli,[57b,57a] R. Vari,[75a] E. W. Varnes,[7] C. Varni,[17b] T. Varol,[148] D. Varouchas,[66] L. Varriale,[163] K. E. Varvell,[147] M. E. Vasile,[27b] L. Vaslin,[84] G. A. Vasquez,[165] A. Vasyukov,[38] R. Vavricka,[100] F. Vazeille,[40] T. Vazquez Schroeder,[36] J. Veatch,[31] V. Vecchio,[101] M. J. Veen,[103] I. Veliscek,[29] L. M. Veloce,[155] F. Veloso,[130a,130c] S. Veneziano,[75a] A. Ventura,[70a,70b] S. Ventura Gonzalez,[135] A. Verbytskyi,[110] M. Verducci,[74a,74b] C. Vergis,[24] M. Verissimo De Araujo,[83b] W. Verkerke,[114] J. C. Vermeulen,[114] C. Vernieri,[143] M. Vessella,[103] M. C. Vetterli,[142,e] A. Vgenopoulos,[152,aa] N. Viaux Maira,[137f] T. Vickey,[139] O. E. Vickey Boeriu,[139] G. H. A. Viehhauser,[126] L. Vigani,[63b] M. Villa,[23b,23a] M. Villaplana Perez,[163] E. M. Villhauer,[52] E. Vilucchi,[53] M. G. Vincter,[34] G. S. Virdee,[20] A. Vishwakarma,[52] A. Visibile,[114] C. Vittori,[36] I. Vivarelli,[23b,23a] E. Voevodina,[110] F. Vogel,[109] J. C. Voigt,[50] P. Vokac,[132] Yu. Volkotrub,[86a] J. Von Ahnen,[48] E. Von Toerne,[24] B. Vormwald,[36] V. Vorobel,[133] K. Vorobev,[37] M. Vos,[163] K. Voss,[141] M. Vozak,[114] L. Vozdecky,[120] N. Vranjes,[15] M. Vranjes Milosavljevic,[15] M. Vreeswijk,[114] N. K. Vu,[62d,62c] R. Vuillermet,[36] O. Vujinovic,[100] I. Vukotic,[39] S. Wada,[157] C. Wagner,[103] J. M. Wagner,[17a] W. Wagner,[171] S. Wahdan,[171] H. Wahlberg,[90] M. Wakida,[111] J. Walder,[134] R. Walker,[109] W. Walkowiak,[141] A. Wall,[128] E. J. Wallin,[98] T. Wamorkar,[6] A. Z. Wang,[136] C. Wang,[100] C. Wang,[11] H. Wang,[17a] J. Wang,[64c] R.-J. Wang,[100] R. Wang,[61] R. Wang,[6] S. M. Wang,[148] S. Wang,[62b] T. Wang,[62a] W. T. Wang,[80] W. Wang,[14a] X. Wang,[14c] X. Wang,[162] X. Wang,[62c] Y. Wang,[62d] Y. Wang,[14c] Z. Wang,[106] Z. Wang,[62d,51,62c] Z. Wang,[106] A. Warburton,[104] R. J. Ward,[20] N. Warrack,[59] S. Waterhouse,[95] A. T. Watson,[20] H. Watson,[59] M. F. Watson,[20] E. Watton,[59,134] G. Watts,[138] B. M. Waugh,[96] C. Weber,[29] H. A. Weber,[18] M. S. Weber,[19] S. M. Weber,[63a] C. Wei,[62a] Y. Wei,[126] A. R. Weidberg,[126] E. J. Weik,[117] J. Weingarten,[49] M. Weirich,[100] C. Weiser,[54] C. J. Wells,[48] T. Wenaus,[29] B. Wendland,[49] T. Wengler,[36] N. S. Wenke,[110] N. Wermes,[24] M. Wessels,[63a] A. M. Wharton,[91] A. S. White,[61] A. White,[8] M. J. White,[1] D. Whiteson,[159] L. Wickremasinghe,[124] W. Wiedenmann,[170] M. Wielers,[134] C. Wiglesworth,[42] D. J. Wilbern,[120] H. G. Wilkens,[36] D. M. Williams,[41] H. H. Williams,[128] S. Williams,[32] S. Willocq,[103] B. J. Wilson,[101] P. J. Windischhofer,[39] F. I. Winkel,[30] F. Winklmeier,[123] B. T. Winter,[54] J. K. Winter,[101] M. Wittgen,[143] M. Wobisch,[97] Z. Wolffs,[114] J. Wollrath,[159] M. W. Wolter,[87] H. Wolters,[130a,130c] E. L. Woodward,[41] S. D. Worm,[48] B. K. Wosiek,[87] K. W. Woźniak,[87] S. Wozniewski,[55] K. Wraight,[59] C. Wu,[20] M. Wu,[14d] M. Wu,[113] S. L. Wu,[170] X. Wu,[56] Y. Wu,[62a] Z. Wu,[135] J. Wuerzinger,[110,w] T. R. Wyatt,[101] B. M. Wynne,[52] S. Xella,[42] L. Xia,[14c] M. Xia,[14b] J. Xiang,[64c] M. Xie,[62a] X. Xie,[62a] S. Xin,[14a,14e] A. Xiong,[123] J. Xiong,[17a] D. Xu,[14a] H. Xu,[62a] L. Xu,[62a] R. Xu,[128] T. Xu,[106] Y. Xu,[14b] Z. Xu,[52] Z. Xu,[14c] B. Yabsley,[147] S. Yacoob,[33a] Y. Yamaguchi,[154] E. Yamashita,[153] H. Yamauchi,[157] T. Yamazaki,[17a] Y. Yamazaki,[85] J. Yan,[62c] S. Yan,[59] Z. Yan,[103] H. J. Yang,[62c,62d] H. T. Yang,[62a] S. Yang,[62a] T. Yang,[64c] X. Yang,[36] X. Yang,[14a] Y. Yang,[44] Y. Yang,[62a] Z. Yang,[62a] W-M. Yao,[17a] H. Ye,[14c] H. Ye,[55] J. Ye,[14a] S. Ye,[29] X. Ye,[62a] Y. Yeh,[96] I. Yeletskikh,[38] B. K. Yeo,[17b] M. R. Yexley,[96] P. Yin,[41] K. Yorita,[168] S. Younas,[27b] C. J. S. Young,[36] C. Young,[143] C. Yu,[14a,14e] Y. Yu,[62a] M. Yuan,[106] R. Yuan,[62b] L. Yue,[96] M. Zaazoua,[62a] B. Zabinski,[87] E. Zaid,[52] Z. K. Zak,[87] T. Zakareishvili,[163] N. Zakharchuk,[34] S. Zambito,[56] J. A. Zamora Saa,[137d,137b] J. Zang,[153] D. Zanzi,[54] O. Zaplatilek,[132] C. Zeitnitz,[171] H. Zeng,[14a] J. C. Zeng,[162] D. T. Zenger Jr.,[26] O. Zenin,[37] T. Ženiš,[28a] S. Zenz,[94] S. Zerradi,[35a] D. Zerwas,[66] M. Zhai,[14a,14e] D. F. Zhang,[139] J. Zhang,[62b] J. Zhang,[6] K. Zhang,[14a,14e] L. Zhang,[14c]

P. Zhang[14a,14e] R. Zhang[170] S. Zhang[106] S. Zhang[44] T. Zhang[153] X. Zhang[62c] X. Zhang[62b] Y. Zhang[62c,5]
Y. Zhang[96] Y. Zhang[14c] Z. Zhang[17a] Z. Zhang[66] H. Zhao[138] T. Zhao[62b] Y. Zhao[136] Z. Zhao[62a]
A. Zhemchugov[38] J. Zheng[14c] K. Zheng[162] X. Zheng[62a] Z. Zheng[143] D. Zhong[162] B. Zhou[106] H. Zhou[7]
N. Zhou[62c] Y. Zhou[14c] Y. Zhou[7] C. G. Zhu[62b] J. Zhu[106] Y. Zhu[62c] Y. Zhu[62a] X. Zhuang[14a] K. Zhukov[37]
N. I. Zimine[38] J. Zinsser[63b] M. Ziolkowski[141] L. Živković[15] A. Zoccoli[23b,23a] K. Zoch[61] T. G. Zorbas[139]
O. Zormpa[46] W. Zou[41] and L. Zwalinski[36]

(ATLAS Collaboration)

[1]*Department of Physics, University of Adelaide, Adelaide, Australia*
[2]*Department of Physics, University of Alberta, Edmonton, Alberta, Canada*
[3a]*Department of Physics, Ankara University, Ankara, Türkiye*
[3b]*Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye*
[4]*LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France*
[5]*APC, Université Paris Cité, CNRS/IN2P3, Paris, France*
[6]*High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA*
[7]*Department of Physics, University of Arizona, Tucson, Arizona, USA*
[8]*Department of Physics, University of Texas at Arlington, Arlington, Texas, USA*
[9]*Physics Department, National and Kapodistrian University of Athens, Athens, Greece*
[10]*Physics Department, National Technical University of Athens, Zografou, Greece*
[11]*Department of Physics, University of Texas at Austin, Austin, Texas, USA*
[12]*Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
[13]*Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain*
[14a]*Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
[14b]*Physics Department, Tsinghua University, Beijing, China*
[14c]*Department of Physics, Nanjing University, Nanjing, China*
[14d]*School of Science, Shenzhen Campus of Sun Yat-sen University, China*
[14e]*University of Chinese Academy of Science (UCAS), Beijing, China*
[15]*Institute of Physics, University of Belgrade, Belgrade, Serbia*
[16]*Department for Physics and Technology, University of Bergen, Bergen, Norway*
[17a]*Physics Division, Lawrence Berkeley National Laboratory, Berkeley, California, USA*
[17b]*University of California, Berkeley, California, USA*
[18]*Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany*
[19]*Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics,*
*University of Bern, Bern, Switzerland*
[20]*School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*
[21a]*Department of Physics, Bogazici University, Istanbul, Türkiye*
[21b]*Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye*
[21c]*Department of Physics, Istanbul University, Istanbul, Türkiye*
[22a]*Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá, Colombia*
[22b]*Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia*
[23a]*Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy*
[23b]*INFN Sezione di Bologna, Italy*
[24]*Physikalisches Institut, Universität Bonn, Bonn, Germany*
[25]*Department of Physics, Boston University, Boston, Massachusetts, USA*
[26]*Department of Physics, Brandeis University, Waltham, Massachusetts, USA*
[27a]*Transilvania University of Brasov, Brasov, Romania*
[27b]*Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania*
[27c]*Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania*
[27d]*National Institute for Research and Development of Isotopic and Molecular Technologies,*
*Physics Department, Cluj-Napoca, Romania*
[27e]*National University of Science and Technology Politechnica, Bucharest, Romania*
[27f]*West University in Timisoara, Timisoara, Romania*
[27g]*Faculty of Physics, University of Bucharest, Bucharest, Romania*
[28a]*Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic*
[28b]*Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences,*
*Kosice, Slovak Republic*

[29]Physics Department, Brookhaven National Laboratory, Upton, New York, USA

[30]Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET,
Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina

[31]California State University, California, USA

[32]Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

[33a]Department of Physics, University of Cape Town, Cape Town, South Africa

[33b]iThemba Labs, Western Cape, South Africa

[33c]Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa

[33d]National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines

[33e]University of South Africa, Department of Physics, Pretoria, South Africa

[33f]University of Zululand, KwaDlangezwa, South Africa

[33g]School of Physics, University of the Witwatersrand, Johannesburg, South Africa

[34]Department of Physics, Carleton University, Ottawa, Ontario, Canada

[35a]Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II,
Casablanca, Morocco

[35b]Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco

[35c]Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco

[35d]LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco

[35e]Faculté des sciences, Université Mohammed V, Rabat, Morocco

[35f]Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco

[36]CERN, Geneva, Switzerland

[37]Affiliated with an institute covered by a cooperation agreement with CERN

[38]Affiliated with an international laboratory covered by a cooperation agreement with CERN

[39]Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA

[40]LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France

[41]Nevis Laboratory, Columbia University, Irvington, New York, USA

[42]Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

[43a]Dipartimento di Fisica, Università della Calabria, Rende, Italy

[43b]INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy

[44]Physics Department, Southern Methodist University, Dallas, Texas, USA

[45]Physics Department, University of Texas at Dallas, Richardson, Texas, USA

[46]National Centre for Scientific Research "Demokritos", Agia Paraskevi, Greece

[47a]Department of Physics, Stockholm University, Sweden

[47b]Oskar Klein Centre, Stockholm, Sweden

[48]Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany

[49]Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany

[50]Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

[51]Department of Physics, Duke University, Durham, North Carolina, USA

[52]SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

[53]INFN e Laboratori Nazionali di Frascati, Frascati, Italy

[54]Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany

[55]II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany

[56]Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland

[57a]Dipartimento di Fisica, Università di Genova, Genova, Italy

[57b]INFN Sezione di Genova, Italy

[58]II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

[59]SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

[60]LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France

[61]Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

[62a]Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics,
University of Science and Technology of China, Hefei, China

[62b]Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE),
Shandong University, Qingdao, China

[62c]School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE),
SKLPPC, Shanghai, China

[62d]Tsung-Dao Lee Institute, Shanghai, China

[62e]School of Physics and Microelectronics, Zhengzhou University, China

[63a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[63b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[64a]Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China

[64b]*Department of Physics, University of Hong Kong, Hong Kong, China*

[64c]*Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China*

[65]*Department of Physics, National Tsing Hua University, Hsinchu, Taiwan*

[66]*IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France*

[67]*Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain*

[68]*Department of Physics, Indiana University, Bloomington, Indiana, USA*

[69a]*INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy*

[69b]*ICTP, Trieste, Italy*

[69c]*Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy*

[70a]*INFN Sezione di Lecce, Italy*

[70b]*Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy*

[71a]*INFN Sezione di Milano, Italy*

[71b]*Dipartimento di Fisica, Università di Milano, Milano, Italy*

[72a]*INFN Sezione di Napoli, Italy*

[72b]*Dipartimento di Fisica, Università di Napoli, Napoli, Italy*

[73a]*INFN Sezione di Pavia, Italy*

[73b]*Dipartimento di Fisica, Università di Pavia, Pavia, Italy*

[74a]*INFN Sezione di Pisa, Italy*

[74b]*Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*

[75a]*INFN Sezione di Roma, Italy*

[75b]*Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy*

[76a]*INFN Sezione di Roma Tor Vergata, Italy*

[76b]*Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*

[77a]*INFN Sezione di Roma Tre, Italy*

[77b]*Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*

[78a]*INFN-TIFPA, Italy*

[78b]*Università degli Studi di Trento, Trento, Italy*

[79]*Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria*

[80]*University of Iowa, Iowa City, Iowa, USA*

[81]*Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA*

[82]*Istinye University, Sariyer, Istanbul, Türkiye*

[83a]*Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil*

[83b]*Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*

[83c]*Instituto de Física, Universidade de São Paulo, São Paulo, Brazil*

[83d]*Rio de Janeiro State University, Rio de Janeiro, Brazil*

[84]*KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*

[85]*Graduate School of Science, Kobe University, Kobe, Japan*

[86a]*AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*

[86b]*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*

[87]*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*

[88]*Faculty of Science, Kyoto University, Kyoto, Japan*

[89]*Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*

[90]*Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*

[91]*Physics Department, Lancaster University, Lancaster, United Kingdom*

[92]*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*

[93]*Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*

[94]*School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*

[95]*Department of Physics, Royal Holloway University of London, Egham, United Kingdom*

[96]*Department of Physics and Astronomy, University College London, London, United Kingdom*

[97]*Louisiana Tech University, Ruston, Louisiana, USA*

[98]*Fysiska institutionen, Lunds universitet, Lund, Sweden*

[99]*Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*

[100]*Institut für Physik, Universität Mainz, Mainz, Germany*

[101]*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*

[102]*CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*

[103]*Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA*

[104]*Department of Physics, McGill University, Montreal, Quebec, Canada*

[105]*School of Physics, University of Melbourne, Victoria, Australia*

[106]Department of Physics, University of Michigan, Ann Arbor, Michigan, USA

[107]Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA

[108]Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada

[109]Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

[110]Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

[111]Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

[112]Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA

[113]Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands

[114]Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

[115]Department of Physics, Northern Illinois University, DeKalb, Illinois, USA

[116a]New York University Abu Dhabi, Abu Dhabi, United Arab Emirates

[116b]United Arab Emirates University, Al Ain, United Arab Emirates

[117]Department of Physics, New York University, New York, New York, USA

[118]Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan

[119]Ohio State University, Columbus, Ohio, USA

[120]Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA

[121]Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA

[122]Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic

[123]Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA

[124]Graduate School of Science, Osaka University, Osaka, Japan

[125]Department of Physics, University of Oslo, Oslo, Norway

[126]Department of Physics, Oxford University, Oxford, United Kingdom

[127]LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France

[128]Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA

[129]Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA

[130a]Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal

[130b]Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal

[130c]Departamento de Física, Universidade de Coimbra, Coimbra, Portugal

[130d]Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal

[130e]Departamento de Física, Universidade do Minho, Braga, Portugal

[130f]Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain

[130g]Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal

[131]Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic

[132]Czech Technical University in Prague, Prague, Czech Republic

[133]Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic

[134]Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

[135]IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France

[136]Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA

[137a]Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile

[137b]Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile

[137c]Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile

[137d]Universidad Andres Bello, Department of Physics, Santiago, Chile

[137e]Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile

[137f]Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

[138]Department of Physics, University of Washington, Seattle, Washington, USA

[139]Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

[140]Department of Physics, Shinshu University, Nagano, Japan

[141]Department Physik, Universität Siegen, Siegen, Germany

[142]Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada

[143]SLAC National Accelerator Laboratory, Stanford, California, USA

[144]Department of Physics, Royal Institute of Technology, Stockholm, Sweden

[145]Departments of Physics and Astronomy, Stony Brook University, Stony Brook, New York, USA

[146]Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

[147]School of Physics, University of Sydney, Sydney, Australia

[148]Institute of Physics, Academia Sinica, Taipei, Taiwan

[149a]E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia

[149b]High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

[149c]University of Georgia, Tbilisi, Georgia

[150]*Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*

[151]*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*

[152]*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*

[153]*International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*

[154]*Department of Physics, Tokyo Institute of Technology, Tokyo, Japan*

[155]*Department of Physics, University of Toronto, Toronto, Ontario, Canada*

[156a]*TRIUMF, Vancouver, British Columbia, Canada*

[156b]*Department of Physics and Astronomy, York University, Toronto, Ontario, Canada*

[157]*Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*

[158]*Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA*

[159]*Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA*

[160]*University of Sharjah, Sharjah, United Arab Emirates*

[161]*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*

[162]*Department of Physics, University of Illinois, Urbana, Illinois, USA*

[163]*Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*

[164]*Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada*

[165]*Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada*

[166]*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*

[167]*Department of Physics, University of Warwick, Coventry, United Kingdom*

[168]*Waseda University, Tokyo, Japan*

[169]*Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*

[170]*Department of Physics, University of Wisconsin, Madison, Wisconsin, USA*

[171]*Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*

[172]*Department of Physics, Yale University, New Haven, Connecticut, USA*

[a]Deceased.

[b]Also at Department of Physics, King's College London, London, United Kingdom.

[c]Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

[d]Also at Lawrence Livermore National Laboratory, Livermore, USA.

[e]Also at TRIUMF, Vancouver, British Columbia, Canada.

[f]Also at Department of Physics, University of Thessaly, Greece.

[g]Also at An-Najah National University, Nablus, Palestine.

[h]Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

[i]Also at Department of Physics, Westmont College, Santa Barbara, USA.

[j]Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.

[k]Also at Affiliated with an institute covered by a cooperation agreement with CERN.

[l]Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

[m]Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva, Israel.

[n]Also at Università di Napoli Parthenope, Napoli, Italy.

[o]Also at Institute of Particle Physics (IPP), Canada.

[p]Also at University of Colorado Boulder, Department of Physics, Colorado, USA.

[q]Also at Borough of Manhattan Community College, City University of New York, New York, New York, USA.

[r]Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.

[s]Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

[t]Also at Department of Physics, Stanford University, Stanford, California, USA.

[u]Also at Centro Studi e Ricerche Enrico Fermi, Italy.

[v]Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

[w]Also at Technical University of Munich, Munich, Germany.

[x]Also at Yeditepe University, Physics Department, Istanbul, Türkiye.

[y]Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

[z]Also at CERN, Geneva, Switzerland.

[aa]Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.

[bb]Also at Hellenic Open University, Patras, Greece.

[cc]Also at Center for High Energy Physics, Peking University, China.

[dd]Also at Department of Physics, Stellenbosch University, South Africa.

[ee]Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France.

[ff]Also at Department of Physics, California State University, Sacramento, USA.

[gg]Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.

[hh]Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

[ii]Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

[jj]Also at Washington College, Chestertown, Maryland, USA.

[kk]Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.

[ll]Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.