



Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

International Journal of Biological Macromolecules

journal homepage: www.elsevier.com/locate/ijbiomac



Corrigendum

Corrigendum to “Properties of degradable polyhydroxyalkanoates with different monomer compositions” International Journal of Biological Macromolecules; Volume 182, Pages 98–114

T. Volova^{a,b}, E. Kiselev^{a,b}, I. Nemtsev^{a,c,d}, A. Lukyanenko^{a,d}, A. Sukovaty^{a,b,*}, A. Kuzmin^a, G. Ryltseva^a, E. Shishatskaya^{a,b}

^a Siberian Federal University, 79 Svobodnyi av., Krasnoyarsk 660041, Russia

^b Institute of Biophysics SB RAS, Federal Research Center “Krasnoyarsk Science Center SB RAS”, 50/50 Akademgorodok, Krasnoyarsk 660036, Russia

^c Federal Research Center “Krasnoyarsk Science Center SB RAS”, 50 Akademgorodok, Krasnoyarsk 660036, Russia

^d L.V. Kirensky Institute of Physics, Federal Research Center “Krasnoyarsk Science Center SB RAS”, 50/12 Akademgorodok, Krasnoyarsk 660036, Russia



The authors regret errors in Figure 4 and legends to figure 4 and figure 5. The corrections are as follows:

DOI of original article: <https://doi.org/10.1016/j.ijbiomac.2021.04.008>.


* Corresponding author at: Siberian Federal University, 79 Svobodnyi av., Krasnoyarsk 660041, Russia.

E-mail address: a.sukovaty@yandex.ru (A. Sukovaty).

<https://doi.org/10.1016/j.ijbiomac.2024.130252>

Available online 23 February 2024

0141-8130/© 2024 Elsevier B.V. All rights reserved.



SEM images of films prepared from PHAs with different compositions. Bar = 10 µm (SEM images of panel's P(3HB-co-15 mol.% 3HV); P(3HB-co-38 mol.% 3HHx); P(3HB-co-38 mol.% 3HHx) republished with permission from [110]).

Fig. 5. AFM images of surfaces of the films prepared from PHAs with different compositions. (AFM images of P(3HB); P(3HB-co-27 mol.% 3HV); P(3HB-co-35 mol.%4HB); P(3HB-co-38 mol.%3HHx) republished with permission from [110]).

[110] T.G. Volova, A.I. Golubev, I.V. Nemtsev, A.V. Lukyanenko, A.

E. Dudaev, E.I. Shishatskaya, Laser Processing of Polymer Films Fabricated from PHAs Differing in Their Monomer Composition. *Polymers* 13 (2021) 1553, <https://doi.org/10.3390/polym13101553>.

The authors would like to apologise for any inconvenience caused.